

ملحق رقم واحد: أسعار الدرجة الخاصة (أسعار مقطوعة) في المستشفيات المتعاقدة مع الجيش والصفحة (D) اعتباراً من 2024/04/01

| CODE          | OPERATION                                                                                                                                                                                   | AUDITORY SYSTEM |     |     |            |            |              |             | Hospital D  | Total |
|---------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------|-----|-----|------------|------------|--------------|-------------|-------------|-------|
|               |                                                                                                                                                                                             | K               | ARE | los | Surgeon    | Anesthesia | Consultation |             |             |       |
| 1             | Removal foreign body from external auditory canal (separate procedure)                                                                                                                      | 5               | 0   | 1   | 1,925,000  | 0          | 0            | 4,012,000   | 5,937,000   |       |
| 2             | Myringotomy including aspiration and/or eustachian tube inflation (separate procedure)                                                                                                      | 15              | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 7,398,000   | 17,023,000  |       |
| 3             | Tympanostomy (requiring insertion of ventilating tube)                                                                                                                                      | 20              | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,663,000   | 25,833,000  |       |
| 4             | Mastoidectomy: simple                                                                                                                                                                       | 75              | 25  | 2   | 28,875,000 | 9,625,000  | 3,850,000    | 25,389,000  | 67,739,000  |       |
| 5             | Mastoidectomy: radical, any procedure                                                                                                                                                       | 90              | 30  | 4   | 34,650,000 | 11,550,000 | 3,850,000    | 43,788,000  | 93,838,000  |       |
| 6             | Myringoplasty, uncomplicated                                                                                                                                                                | 60              | 20  | 2   | 23,100,000 | 7,700,000  | 3,850,000    | 20,829,000  | 55,479,000  |       |
| 7             | Tympanoplasty without mastoidectomy (including canalplasty, atticotomy and/or middle ear surgery), initial or revision: any method                                                          | 75              | 25  | 2   | 28,875,000 | 9,625,000  | 3,850,000    | 26,862,000  | 69,212,000  |       |
| 8             | Tympanoplasty with antrotomy or mastoidectomy (including canalplasty, atticotomy, middle ear surgery, and/or tympanic membrane repair): with or without ossicular chain reconstruction, any | 110             | 36  | 3   | 42,350,000 | 13,860,000 | 3,850,000    | 41,796,000  | 101,856,000 |       |
| 9             | Stapedectomy or stapedotomy with reestablishment of ossicular continuity, with or without use of foreign material                                                                           | 80              | 26  | 2   | 30,800,000 | 10,010,000 | 3,850,000    | 30,849,000  | 75,509,000  |       |
| 10            | Labyrinthotomy, with or without cryosurgery or other nonexcisional destructive procedures or tack procedure: transcanal                                                                     | 50              | 18  | 2   | 19,250,000 | 6,930,000  | 3,850,000    | 21,484,000  | 51,514,000  |       |
| 11            | Labyrinthectomy: transcanal                                                                                                                                                                 | 75              | 25  | 2   | 28,875,000 | 9,625,000  | 3,850,000    | 26,808,000  | 69,158,000  |       |
| CARDIO SYSTEM |                                                                                                                                                                                             |                 |     |     |            |            |              |             |             |       |
| 12            | Insertion of permanent pacemaker with epicardial electrode(s): open procedure                                                                                                               | 75              | 33  | 1   | 28,875,000 | 12,705,000 | 3,850,000    | 36,417,000  | 81,847,000  |       |
| 13            | Insertion or replacement of temporary transvenous single chamber cardiac electrode, or pacemaker catheter (separate procedure)                                                              | 25              | 0   | 1   | 9,625,000  | 0          | 3,850,000    | 21,921,000  | 35,396,000  |       |
| 14            | Implantation of automatic implantable cardioverter-defibrillator pads with or without sensing                                                                                               | 85              | 0   | 1   | 32,725,000 | 0          | 3,850,000    | 24,651,000  | 61,226,000  |       |
| 15            | Insertion or replacement of implantable cardioverter-defibrillator lead(s) by other than thoracotomy                                                                                        | 65              | 0   | 1   | 25,025,000 | 0          | 3,850,000    | 16,270,000  | 45,145,000  |       |
| 16            | Operative ablation of supraventricular arrhythmogenic focus or pathway (eg, Wolff-Parkinson-White, A-V node re-entry), tract(s), and or focus (foci)                                        | 150             | 67  | 7   | 57,750,000 | 25,795,000 | 3,850,000    | 152,715,000 | 240,110,000 |       |
| 17            | Replacement, aortic valve: with or without aortic annulus enlargement, noncoronary cusp                                                                                                     | 130             | 65  | 7   | 50,050,000 | 25,025,000 | 3,850,000    | 261,015,000 | 339,940,000 |       |
| 18            | Resection or incision of subvalvular aortic stenosis                                                                                                                                        | 175             | 87  | 5   | 67,375,000 | 33,495,000 | 3,850,000    | 179,661,000 | 284,381,000 |       |
| 19            | Valvotomy, mitral valve (commissurotomy): closed                                                                                                                                            | 145             | 72  | 7   | 55,825,000 | 27,720,000 | 3,850,000    | 72,126,000  | 159,521,000 |       |
| 20            | Valvuloplasty, mitral valve, any method                                                                                                                                                     | 150             | 75  | 7   | 57,750,000 | 28,875,000 | 3,850,000    | 201,855,000 | 292,330,000 |       |
| 21            | 33430 Replacement, mitral valve                                                                                                                                                             | 125             | 65  | 7   | 48,125,000 | 25,025,000 | 3,850,000    | 279,169,000 | 356,169,000 |       |
| 22            | 33452 Valvotomy, tricuspid valve                                                                                                                                                            | 95              | 47  | 7   | 36,575,000 | 18,095,000 | 3,850,000    | 167,376,000 | 225,896,000 |       |
| 23            | 33460 Valvuloplasty or valvectomy, tricuspid valve, with or without insertion of tricuspid ring                                                                                             | 125             | 65  | 7   | 48,125,000 | 25,025,000 | 3,850,000    | 181,954,000 | 258,954,000 |       |
| 24            | 33468 Tricuspid valve replacement or repositioning and plication for Ebstein anomaly                                                                                                        | 130             | 65  | 7   | 50,050,000 | 25,025,000 | 3,850,000    | 180,207,000 | 259,132,000 |       |
| 25            | 33472 Valvotomy, pulmonary valve (commissurotomy) closed or open                                                                                                                            | 95              | 47  | 7   | 36,575,000 | 18,095,000 | 3,850,000    | 168,358,000 | 226,878,000 |       |
| 26            | 33478 Pulmonary artery patch for supraventricular stenosis                                                                                                                                  | 140             | 70  | 6   | 53,900,000 | 26,950,000 | 3,850,000    | 167,949,000 | 252,649,000 |       |
| 27            | 33480 Double valve procedure                                                                                                                                                                | 250             | 125 | 6   | 96,250,000 | 48,125,000 | 3,850,000    | 257,356,000 | 405,581,000 |       |

| CODE | OPERATION                                                                                                                                                               | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 28   | 33641 Repair atrial septal defect, secundum, with or without patch                                                                                                      | 100 | 50  | 7   | 38,500,000 | 19,250,000 | 3,850,000    | 160,441,000 | 222,041,000 |
| 29   | 33647 Repair of atrial septal defect and ventricular septal defect, with direct or patch closure                                                                        | 200 | 100 | 6   | 77,000,000 | 38,500,000 | 3,850,000    | 161,124,000 | 280,474,000 |
| 30   | 33648 Correction of cor triatriatum                                                                                                                                     | 190 | 95  | 6   | 73,150,000 | 36,575,000 | 3,850,000    | 178,770,000 | 292,345,000 |
| 31   | 33650 Bicaaval - bipulmonary bypass procedure                                                                                                                           | 270 | 135 | 6   | #####      | 51,975,000 | 3,850,000    | 160,261,000 | 320,036,000 |
| 32   | 33649 Repair of tricuspid atresia                                                                                                                                       | 270 | 135 | 6   | #####      | 51,975,000 | 3,850,000    | 180,147,000 | 339,922,000 |
| 33   | 33670 Repair of complete atrioventricular canal, with prosthetic valve                                                                                                  | 250 | 125 | 6   | 96,250,000 | 48,125,000 | 3,850,000    | 197,379,000 | 345,604,000 |
| 34   | 33684 Closure of ventricular septal defect, with pulmonary valvotomy or infundibular resection, with or                                                                 | 200 | 100 | 6   | 77,000,000 | 38,500,000 | 3,850,000    | 192,792,000 | 312,142,000 |
| 35   | 33690 Banding of pulmonary artery                                                                                                                                       | 100 | 50  | 6   | 38,500,000 | 19,250,000 | 3,850,000    | 171,465,000 | 233,065,000 |
| 36   | 33697 Complete repair of tetralogy of Fallot: with or without closure of previous shunt                                                                                 | 250 | 125 | 6   | 96,250,000 | 48,125,000 | 3,850,000    | 209,499,000 | 357,724,000 |
| 37   | 33710 Repair sinus of Valsalva fistula, with/ without repair of ventricular septal defect                                                                               | 150 | 75  | 6   | 57,750,000 | 28,875,000 | 3,850,000    | 177,558,000 | 268,033,000 |
| 38   | 33720 Repair sinus of Valsalva aneurysm                                                                                                                                 | 90  | 45  | 6   | 34,650,000 | 17,325,000 | 3,850,000    | 159,310,000 | 215,135,000 |
| 39   | 33730 Complete repair of total anomalous venous return                                                                                                                  | 200 | 100 | 6   | 77,000,000 | 38,500,000 | 3,850,000    | 192,792,000 | 312,142,000 |
| 40   | 33735 Atrial septectomy or septostomy any method                                                                                                                        | 120 | 60  | 6   | 46,200,000 | 23,100,000 | 3,850,000    | 196,362,000 | 269,512,000 |
| 41   | 33750 Shunt: systemic or vena cava to pulmonary artery, with or without graft                                                                                           | 120 | 60  | 6   | 46,200,000 | 23,100,000 | 3,850,000    | 177,558,000 | 250,708,000 |
| 42   | 33774 Repair of transposition of the great arteries, any method                                                                                                         | 300 | 150 | 6   | #####      | 57,750,000 | 3,850,000    | 212,578,000 | 389,678,000 |
| 43   | 33784 Total repair of double outlet ventricle                                                                                                                           | 350 | 175 | 6   | #####      | 67,375,000 | 3,850,000    | 204,946,000 | 410,921,000 |
| 44   | 33785 Total repair of single ventricle (double inlet ventricle)                                                                                                         | 350 | 175 | 6   | #####      | 67,375,000 | 3,850,000    | 204,946,000 | 410,921,000 |
| 45   | 33786 Total repair, truncus arteriosus (Rastelli type operation)                                                                                                        | 200 | 100 | 6   | 77,000,000 | 38,500,000 | 3,850,000    | 182,112,000 | 301,462,000 |
| 46   | 33788 Reimplantation of anomalous pulmonary artery                                                                                                                      | 125 | 65  | 6   | 48,125,000 | 25,025,000 | 3,850,000    | 169,957,000 | 246,957,000 |
| 47   | 33800 Aortic suspension (aortopexy) for tracheal decompression (eg, for tracheomalacia) (separate procedure)                                                            | 100 | 50  | 5   | 38,500,000 | 19,250,000 | 3,850,000    | 155,833,000 | 217,433,000 |
| 48   | 33820 Patent ductus arteriosus: ligation and/ or division, any age                                                                                                      | 120 | 60  | 7   | 46,200,000 | 23,100,000 | 3,850,000    | 66,966,000  | 140,116,000 |
| 49   | 33840 Excision or repair of coarctation of aorta, with or without associated patent ductus arteriosus, any type                                                         | 180 | 90  | 5   | 69,300,000 | 34,650,000 | 3,850,000    | 140,109,000 | 247,909,000 |
| 50   | 33870 Transverse arch graft, with or without cardiopulmonary by-pass                                                                                                    | 210 | 105 | 5   | 80,850,000 | 40,425,000 | 3,850,000    | 125,038,000 | 250,163,000 |
| 51   | 33875 Descending thoracic aorta graft, with or without cardiopulmonary by-pass                                                                                          | 175 | 90  | 5   | 67,375,000 | 34,650,000 | 3,850,000    | 142,959,000 | 248,834,000 |
| 52   | 33877 Repair of thoracoabdominal aortic aneurysm with graft                                                                                                             | 230 | 115 | 5   | 88,550,000 | 44,275,000 | 3,850,000    | 131,197,000 | 267,872,000 |
| 53   | 33916 Pulmonary embolectomy or endarterectomy with or without embolectomy                                                                                               | 125 | 65  | 6   | 48,125,000 | 25,025,000 | 3,850,000    | 147,648,000 | 224,648,000 |
| 54   | 34001 Arterial embolectomy or thrombectomy, with or without catheter: carotid, subclavian, innominate, axillary, brachial, radial, or ulnar artery (separate procedure) | 85  | 34  | 2   | 32,725,000 | 13,090,000 | 3,850,000    | 26,152,000  | 75,817,000  |
| 55   | 34203 Arterial embolectomy or thrombectomy, with or without catheter: popliteal-tibio-peroneal, femoropopliteal, or aortiliac artery (separate procedure)               | 80  | 30  | 3   | 30,800,000 | 11,550,000 | 3,850,000    | 34,152,000  | 80,352,000  |
| 56   | 34451 Venous thrombectomy, direct or with catheter: vena cava, iliac, or femoropopliteal vein, by abdominal and leg incision (separate procedure)                       | 90  | 35  | 3   | 34,650,000 | 13,475,000 | 3,850,000    | 32,874,000  | 84,849,000  |
| 57   | 34471 Venous thrombectomy, direct or with catheter: axillary and subclavian vein, by neck or arm incision (separate                                                     | 65  | 25  | 1   | 25,025,000 | 9,625,000  | 3,850,000    | 18,121,000  | 56,621,000  |
| 58   | 34501 Valvuloplasty, femoral vein (separate procedure)                                                                                                                  | 120 | 40  | 3   | 46,200,000 | 15,400,000 | 3,850,000    | 35,953,000  | 101,403,000 |
| 59   | 34510 Venous valve transposition, any vein donor (separate procedure)                                                                                                   | 120 | 40  | 3   | 46,200,000 | 15,400,000 | 3,850,000    | 35,953,000  | 101,403,000 |
| 60   | 34530 Saphenopopliteal vein anastomosis (separate procedure)                                                                                                            | 120 | 40  | 3   | 46,200,000 | 15,400,000 | 3,850,000    | 35,953,000  | 101,403,000 |

| CODE | OPERATION                                                                                                                                                                                                                                    | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital ID | Total       |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 61   | 35001 Direct repair of aneurysm, false aneurysm, or excision and graft insertion, with or without patch graft for aneurysm, ruptured aneurysm, or occlusive disease: carotid, subclavian, innominate, vertebral, or axillary-brachial artery | 130 | 50  | 5   | 50,050,000 | 19,250,000 | 3,850,000    | 110,509,000 | 183,659,000 |
| 62   | 35045 Direct repair of aneurysm, false aneurysm, or excision and graft insertion, with or without patch graft: for aneurysm, false aneurysm, ruptured aneurysm or occlusive disease, radial or                                               | 75  | 30  | 1   | 28,875,000 | 11,550,000 | 3,850,000    | 20,119,000  | 64,394,000  |
| 63   | 35231 Repair blood vessel, with graft: neck, extremity, hand, finger                                                                                                                                                                         | 80  | 26  | 1   | 30,800,000 | 10,010,000 | 3,850,000    | 21,627,000  | 66,287,000  |
| 64   | 35241 Repair blood vessel, with graft: intrathoracic, with bypass                                                                                                                                                                            | 150 | 75  | 5   | 57,750,000 | 28,875,000 | 3,850,000    | 135,882,000 | 226,357,000 |
| 65   | 35246 Repair blood vessel, with graft: intrathoracic without bypass                                                                                                                                                                          | 125 | 55  | 5   | 48,125,000 | 21,175,000 | 3,850,000    | 81,238,000  | 154,388,000 |
| 66   | 35301 Thromboendarterectomy, with or without patch graft: carotid, vertebral, subclavian,                                                                                                                                                    | 125 | 50  | 5   | 48,125,000 | 19,250,000 | 3,850,000    | 87,496,000  | 158,721,000 |
| 67   | 35331 Thromboendarterectomy, with or without patch graft: abdominal aorta, and/or major branches, iliac - femoral                                                                                                                            | 175 | 70  | 5   | 67,375,000 | 26,950,000 | 3,850,000    | 119,355,000 | 217,530,000 |
| 68   | 35381 Thromboendarterectomy, with or without patch graft: axillary, brachial, common femoral, deep (profunda), femoral and/or popliteal, and/or tibioperoneal                                                                                | 100 | 35  | 5   | 38,500,000 | 13,475,000 | 3,850,000    | 96,778,000  | 152,603,000 |
| 69   | 35526 Bypass graft, with vein or prosthesis: carotid, subclavian, vertebral, axillary,                                                                                                                                                       | 125 | 44  | 5   | 48,125,000 | 16,940,000 | 3,850,000    | 94,212,000  | 163,127,000 |
| 70   | 35531 Bypass graft, with vein or prosthesis: aorto-splenic, renal, iliac, celiac, or mesenteric                                                                                                                                              | 165 | 66  | 5   | 63,525,000 | 25,410,000 | 3,850,000    | 106,726,000 | 199,511,000 |
| 71   | 36010 Introduction of catheter, superior or inferior vena cava (separate procedure)                                                                                                                                                          | 15  | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 7,867,000   | 17,492,000  |
| 72   | 36215 Selective catheter placement, arterial system: any site (separate procedure)                                                                                                                                                           | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,733,000  | 34,833,000  |
| 73   | 36260 Insertion of implantable intra-arterial infusion pump (eg, for chemotherapy of liver) (separate                                                                                                                                        | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 15,532,000  | 50,182,000  |
| 74   | 36420 Placement of peripheral venous catheter by cutdown (outside O.R.) (separate procedure)                                                                                                                                                 | 10  | 0   | 1   | 3,850,000  | 0          | 3,850,000    | 6,327,000   | 14,027,000  |
| 75   | 36488 Placement of central venous catheter (subclavian, jugular, or other vein): percutaneous or cutdown separate                                                                                                                            | 15  | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 7,867,000   | 17,492,000  |
| 76   | 36510 Catheterization of umbilical vein (separate procedure)                                                                                                                                                                                 | 10  | 0   | 1   | 3,850,000  | 0          | 3,850,000    | 6,327,000   | 14,027,000  |
| 77   | 36530 Percutaneous insertion or revision of implantable intravenous infusion pump chamber or Broviac catheter (separate procedure)                                                                                                           | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,733,000  | 34,833,000  |
| 78   | 36821 Arterio-venous anastomosis, direct, any site                                                                                                                                                                                           | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 15,532,000  | 50,182,000  |
| 79   | 36825 Creation of arteriovenous fistula: any graft                                                                                                                                                                                           | 70  | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 18,579,000  | 58,234,000  |
| 80   | 37205 Transcatheter placement of an intravascular stent, (non coronary vessel), percutaneous or open: initial vessel                                                                                                                         | 55  | 20  | 1   | 21,175,000 | 7,700,000  | 3,850,000    | 14,026,000  | 46,751,000  |
| 81   | 93548 Combined left heart catheterization, selective coronary angiography, one or more coronary arteries, selective left ventricular angiography, with aortic root aortography                                                               | 50  | 0   | 1   | 19,250,000 | 0          | 3,850,000    | 14,742,000  | 37,842,000  |
| 82   | 93549 Combined right and left heart catheterization, selective coronary angiography, one or more coronary arteries, and selective ventricular angiography                                                                                    | 60  | 0   | 1   | 23,100,000 | 0          | 3,850,000    | 15,697,000  | 42,647,000  |
| 83   | 92982 Percutaneous transluminal angioplasty: single vessel                                                                                                                                                                                   | 85  | 0   | 2   | 32,725,000 | 0          | 3,850,000    | 28,882,000  | 65,457,000  |
| 84   | 33510 Coronary artery bypass, single coronary graft, vein or artery, (includes obtaining graft)                                                                                                                                              | 170 | 85  | 5   | 65,450,000 | 32,725,000 | 3,850,000    | 188,478,000 | 290,503,000 |
| 85   | 33511 Coronary artery bypass, double coronary graft, vein or artery, (includes obtaining grafts), with or without                                                                                                                            | 190 | 95  | 5   | 73,150,000 | 36,575,000 | 3,850,000    | 189,979,000 | 303,554,000 |
| 86   | 33512 Coronary artery bypass, triple coronary graft, vein or artery, (includes obtaining grafts), with or without                                                                                                                            | 200 | 100 | 5   | 77,000,000 | 38,500,000 | 3,850,000    | 192,082,000 | 311,432,000 |



| CODE | OPERATION                                                                                                                                                                                    | DIGESTIVE SYSTEM |     |     |            |            |              |             | Hospital D  | Total |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----|-----|------------|------------|--------------|-------------|-------------|-------|
|      |                                                                                                                                                                                              | K                | ARE | los | Surgeon    | Anesthesia | Consultation |             |             |       |
| 87   | 42505 Plastic repair of salivary duct, sialodochoplasty: secondary or complicated                                                                                                            | 40               | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 9,702,000   | 35,112,000  |       |
| 88   | 42821 Tonsillectomy and adenoidectomy, including treatment of postoperative complications: any age                                                                                           | 35               | 16  | 1   | 13,475,000 | 6,160,000  | 3,850,000    | 12,939,000  | 36,424,000  |       |
| 89   | 42830 Adenoidectomy (separate procedure): primary or secondary                                                                                                                               | 20               | 13  | 1   | 7,700,000  | 5,005,000  | 3,850,000    | 11,137,000  | 27,692,000  |       |
| 90   | 43200 Esophagoscopia, rigid or flexible fiberoptic: diagnostic (separate procedure)                                                                                                          | 15               | 0   | 0   | 5,775,000  | 0          | 0            | 1,243,000   | 7,018,000   |       |
| 91   | 43205 Esophagoscopia, rigid or flexible fiberoptic: therapeutic                                                                                                                              | 30               | 15  | 0   | 11,550,000 | 5,775,000  | 0            | 9,466,000   | 26,791,000  |       |
| 92   | 43260 Endoscopic retrograde cholangiopancreatography (ERCP) diagnostic (separate procedure)                                                                                                  | 40               | 17  | 1   | 15,400,000 | 6,545,000  | 3,850,000    | 9,898,000   | 35,693,000  |       |
| 93   | 43300 Lisophagoplasty (plastic repair or reconstruction), cervical approach: without repair of                                                                                               | 60               | 20  | 5   | 23,100,000 | 7,700,000  | 3,850,000    | 41,632,000  | 76,282,000  |       |
| 94   | 43305 Lisophagoplasty (plastic repair or reconstruction), cervical approach: with repair of tracheoesophageal                                                                                | 100              | 40  | 7   | 38,500,000 | 15,400,000 | 3,850,000    | 60,414,000  | 118,164,000 |       |
| 95   | 43340 Esophagojejunostomy (without total gastrectomy)                                                                                                                                        | 100              | 34  | 5   | 38,500,000 | 13,090,000 | 3,850,000    | 50,902,000  | 106,342,000 |       |
| 96   | 43450 Dilation of esophagus, by unguided sound or bougie, single or multiple passes (separate                                                                                                | 15               | 0   | 1   | 5,775,000  | 0          | 0            | 8,883,000   | 14,658,000  |       |
| 97   | 43500 Gastrectomy: with exploration or removal of foreign body                                                                                                                               | 70               | 24  | 5   | 26,950,000 | 9,240,000  | 3,850,000    | 46,284,000  | 86,324,000  |       |
| 98   | 43620 Gastrectomy, total: with repair by intestinal transplant, without lymphadenectomy                                                                                                      | 160              | 56  | 8   | 61,600,000 | 21,560,000 | 3,850,000    | 115,620,000 | 202,630,000 |       |
| 99   | 43761 Repositioning of the gastric feeding tube through the duodenum for enteric nutrition (separate                                                                                         | 15               | 0   | 1   | 5,775,000  | 0          | 0            | 7,867,000   | 13,642,000  |       |
| 100  | 43825 Gastrojejunostomy with vagotomy, any type                                                                                                                                              | 115              | 40  | 7   | 44,275,000 | 15,400,000 | 3,850,000    | 64,345,000  | 127,870,000 |       |
| 101  | 43830 Gastrostomy                                                                                                                                                                            | 70               | 24  | 1   | 26,950,000 | 9,240,000  | 3,850,000    | 17,367,000  | 57,407,000  |       |
| 102  | 43860 Revision of gastrojejunostomy with reconstruction, with or without vagotomy                                                                                                            | 120              | 42  | 5   | 46,200,000 | 16,170,000 | 3,850,000    | 59,584,000  | 125,804,000 |       |
| 103  | 44020 Enterotomy, small bowel other than duodenum: for exploration, biopsy, or foreign body removal (separate procedure)                                                                     | 75               | 27  | 4   | 28,875,000 | 10,395,000 | 3,850,000    | 43,821,000  | 86,941,000  |       |
| 104  | 44120 Enterectomy: with anastomosis                                                                                                                                                          | 95               | 34  | 6   | 36,575,000 | 13,090,000 | 3,850,000    | 59,818,000  | 113,333,000 |       |
| 105  | 44146 Colectomy, partial: with coloproctostomy (low pelvic anastomosis), with or without colostomy                                                                                           | 130              | 46  | 5   | 50,050,000 | 17,710,000 | 3,850,000    | 64,399,000  | 136,009,000 |       |
| 106  | 44150 Colectomy, total, abdominal, without proctectomy: with continent ileostomy or                                                                                                          | 135              | 44  | 6   | 51,975,000 | 16,940,000 | 3,850,000    | 67,648,000  | 140,413,000 |       |
| 107  | 44153 Colectomy, total or subtotal, with proctectomy: with rectal mucosectomy, ileoanal or coloanal anastomosis, creation of reservoir (S or J), with or without loop ileostomy or colostomy | 180              | 63  | 10  | 69,300,000 | 24,255,000 | 3,850,000    | 99,873,000  | 197,278,000 |       |
| 108  | 44345 Reconstruction of colostomy (separate procedure)                                                                                                                                       | 70               | 25  | 5   | 26,950,000 | 9,625,000  | 3,850,000    | 49,363,000  | 89,788,000  |       |
| 109  | 44388 Fiberoptic colonoscopy through colostomy: diagnostic or therapeutic (separate procedure)                                                                                               | 15               | 0   | 1   | 5,775,000  | 0          | 0            | 6,753,000   | 12,528,000  |       |
| 110  | 44625 Closure of enterostomy, large or small intestine: with or without resection and anastomosis                                                                                            | 80               | 28  | 5   | 30,800,000 | 10,780,000 | 3,850,000    | 52,213,000  | 97,643,000  |       |
| 111  | 44950 Appendectomy, any method (non-incidental procedure)                                                                                                                                    | 60               | 21  | 3   | 23,100,000 | 8,085,000  | 3,850,000    | 29,728,000  | 64,763,000  |       |
| 112  | 45000 Transrectal drainage of pelvic abscess (separate procedure)                                                                                                                            | 25               | 14  | 1   | 9,625,000  | 5,390,000  | 3,850,000    | 10,192,000  | 29,057,000  |       |
| 113  | 45020 Incision and drainage of deep suprapleavator, pelvicrectal, or retrorectal abscess                                                                                                     | 25               | 14  | 1   | 9,625,000  | 5,390,000  | 3,850,000    | 10,192,000  | 29,057,000  |       |
| 114  | 45110 Proctectomy: complete, combined abdominoperineal, with colostomy, one or two stages                                                                                                    | 150              | 53  | 7   | 57,750,000 | 20,405,000 | 3,850,000    | 77,056,000  | 159,061,000 |       |
| 115  | 45505 Proctoplasty: for prolapse of mucous membrane or stenosis                                                                                                                              | 50               | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 14,353,000  | 44,383,000  |       |



| CODE | OPERATION                                                                                                                                                                                     | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 116  | 45905 Dilation of anal or rectal sphincter (separate procedure) under anesthesia                                                                                                              | 15  | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 8,128,000  | 22,373,000  |
| 117  | 46040 Incision and drainage of ischioanal, perirectal or perianal abscess (separate procedure)                                                                                                | 35  | 16  | 1   | 13,475,000 | 6,160,000  | 3,850,000    | 10,192,000 | 33,677,000  |
| 118  | 46060 Incision and drainage of ischioanal or intramural abscess, with fistulectomy, submuscular                                                                                               | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 13,042,000 | 38,452,000  |
| 119  | 46080 Sphincterotomy, anal (separate procedure)                                                                                                                                               | 30  | 15  | 1   | 11,550,000 | 5,775,000  | 3,850,000    | 9,210,000  | 30,385,000  |
| 120  | 46200 Fissurectomy, with or without sphincterotomy                                                                                                                                            | 35  | 16  | 1   | 13,475,000 | 6,160,000  | 3,850,000    | 11,602,000 | 35,087,000  |
| 121  | 46262 Hemorrhoidectomy, internal and external: with fistulectomy and/or fissurectomy                                                                                                          | 50  | 18  | 2   | 19,250,000 | 6,930,000  | 3,850,000    | 21,894,000 | 51,924,000  |
| 122  | 46270 Surgical treatment of anal fistula: fistulotomy / fistulectomy (separate procedure)                                                                                                     | 45  | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 14,910,000 | 42,630,000  |
| 123  | 46750 Sphincteroplasty, anal, for incontinence or prolapse                                                                                                                                    | 65  | 22  | 3   | 25,025,000 | 8,470,000  | 3,850,000    | 28,746,000 | 66,091,000  |
| 124  | 46760 Sphincteroplasty, anal, for incontinence: muscle transplant                                                                                                                             | 150 | 50  | 10  | 57,750,000 | 19,250,000 | 3,850,000    | 85,623,000 | 166,473,000 |
| 125  | 46937 Cryosurgery of rectal tumor: benign (separate procedure)                                                                                                                                | 20  | 13  | 1   | 7,700,000  | 5,005,000  | 3,850,000    | 11,274,000 | 27,829,000  |
| 126  | 46938 Cryosurgery of rectal tumor: malignant (separate procedure)                                                                                                                             | 30  | 15  | 1   | 11,550,000 | 5,775,000  | 3,850,000    | 10,521,000 | 31,696,000  |
| 127  | 46940 Curettage or cauterization of anal fissure, including dilation of anal sphincter (separate procedure)                                                                                   | 20  | 13  | 1   | 7,700,000  | 5,005,000  | 3,850,000    | 8,883,000  | 25,438,000  |
| 128  | 46945 Ligation of internal hemorrhoids (separate procedure)                                                                                                                                   | 20  | 13  | 1   | 7,700,000  | 5,005,000  | 3,850,000    | 9,439,000  | 25,994,000  |
| 129  | 47000 Biopsy of liver, percutaneous needle (separate procedure)                                                                                                                               | 15  | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 10,914,000 | 20,539,000  |
| 130  | 47010 Hepatotomy for drainage of abscess or cyst, one or two stages                                                                                                                           | 65  | 23  | 5   | 25,025,000 | 8,855,000  | 3,850,000    | 47,070,000 | 84,800,000  |
| 131  | 47130 Hepatectomy: total right lobectomy                                                                                                                                                      | 200 | 80  | 6   | 77,000,000 | 30,800,000 | 3,850,000    | 71,940,000 | 183,590,000 |
| 132  | 47425 Cholecystotomy or choledochostomy with exploration, drainage, or removal of calculus, with or without cholecystectomy: with or without transduodenal sphincterotomy or sphincteroplasty | 110 | 39  | 7   | 42,350,000 | 15,015,000 | 3,850,000    | 83,346,000 | 144,561,000 |
| 133  | 47480 Cholecystotomy or cholecystostomy with exploration, drainage, or removal of calculus (separate procedure)                                                                               | 55  | 20  | 3   | 21,175,000 | 7,700,000  | 3,850,000    | 35,200,000 | 67,925,000  |
| 134  | 47600 Cholecystectomy: with or without cholangiography, any method                                                                                                                            | 80  | 28  | 3   | 30,800,000 | 10,780,000 | 3,850,000    | 33,496,000 | 78,926,000  |
| 135  | 47610 Cholecystectomy: with exploration of common duct                                                                                                                                        | 110 | 39  | 7   | 42,350,000 | 15,015,000 | 3,850,000    | 71,935,000 | 133,150,000 |
| 136  | 48100 Biopsy of pancreas (separate procedure)                                                                                                                                                 | 70  | 25  | 3   | 26,950,000 | 9,625,000  | 3,850,000    | 32,808,000 | 73,233,000  |
| 137  | 48145 Pancreatectomy, distal subtotal, with or without splenectomy: with or without pancreaticojejunostomy                                                                                    | 130 | 46  | 7   | 50,050,000 | 17,710,000 | 3,850,000    | 81,414,000 | 153,024,000 |
| 138  | 48180 Pancreatectomy, side-to-side anastomosis (Puestow type operation)                                                                                                                       | 120 | 42  | 7   | 46,200,000 | 16,170,000 | 3,850,000    | 84,165,000 | 150,385,000 |
| 139  | 49000 Exploratory laparotomy, exploratory celiotomy, with or without biopsy (separate procedure)                                                                                              | 80  | 28  | 5   | 30,800,000 | 10,780,000 | 3,850,000    | 47,562,000 | 92,992,000  |
| 140  | 49002 Reopening of recent laparotomy (separate procedure)                                                                                                                                     | 70  | 25  | 4   | 26,950,000 | 9,625,000  | 3,850,000    | 35,860,000 | 76,285,000  |
| 141  | 49020 Drainage of peritoneal abscess or localized peritonitis, transabdominal (separate procedure)                                                                                            | 70  | 25  | 7   | 26,950,000 | 9,625,000  | 3,850,000    | 69,030,000 | 109,455,000 |
| 142  | 49180 Biopsy, abdominal or retroperitoneal mass, percutaneous needle                                                                                                                          | 15  | 0   | 1   | 5,775,000  | 0          | 0            | 10,128,000 | 15,903,000  |
| 143  | 49496 Repair initial inguinal hernia, under age 5 years, with or without hydrocelectomy                                                                                                       | 55  | 20  | 1   | 21,175,000 | 7,700,000  | 3,850,000    | 14,550,000 | 47,275,000  |
| 144  | 49507 Repair inguinal hernia, age 5 years or over, initial, recurrent, or sliding, with or without prosthesis, with or without hydrocelectomy                                                 | 70  | 24  | 1   | 26,950,000 | 9,240,000  | 3,850,000    | 17,553,000 | 57,593,000  |
| 145  | 49550 Repair femoral, umbilical, or lumbar hernia, any age, initial                                                                                                                           | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 14,878,000 | 46,833,000  |
| 146  | 49553 Repair femoral, umbilical, or lumbar hernia, any age, recurrent, with or without prosthesis                                                                                             | 70  | 24  | 1   | 26,950,000 | 9,240,000  | 3,850,000    | 18,535,000 | 58,575,000  |
| 147  | 49560 Repair incisional (abdominal) hernia, reducible, with or without prosthesis: initial separate procedure                                                                                 | 70  | 24  | 1   | 26,950,000 | 9,240,000  | 3,850,000    | 21,348,000 | 61,388,000  |
| 148  | 45378 Colonoscopy, fiberoptic, beyond splenic flexure: diagnostic                                                                                                                             | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 0            | 7,015,000  | 28,575,000  |
| 149  | 43235 Upper gastrointestinal endoscopy (esophagus, stomach, and either the duodenum and/or jejunum as appropriate): diagnostic (separate procedure)                                           | 25  | 0   | 1   | 9,625,000  | 0          | 0            | 5,814,000  | 15,439,000  |

| CODE |       | OPERATION                                                                                                                                                                                        |     | FEMALE GENITAL SYSTEM |         |            |              |            |            |           | Total       |             |
|------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----------------------|---------|------------|--------------|------------|------------|-----------|-------------|-------------|
|      |       | K                                                                                                                                                                                                | ARE | los                   | Surgeon | Anesthesia | Consultation | Hospital D |            |           |             |             |
| 150  | 56605 | Biopsy of vulva or perineum (separate procedure)                                                                                                                                                 |     |                       | 10      | 0          | 1            | 3,850,000  | 0          | 3,850,000 | 7,638,000   | 15,338,000  |
| 151  | 57000 | Colpotomy: with exploration or drainage of pelvic abscess                                                                                                                                        |     |                       | 20      | 12         | 3            | 7,700,000  | 4,620,000  | 3,850,000 | 18,492,000  | 34,662,000  |
| 152  | 57110 | Vaginectomy, complete removal of vagina                                                                                                                                                          |     |                       | 45      | 17         | 1            | 17,325,000 | 6,545,000  | 3,850,000 | 21,954,000  | 49,674,000  |
| 153  | 57135 | Excision of vaginal cyst or tumor                                                                                                                                                                |     |                       | 20      | 12         | 1            | 7,700,000  | 4,620,000  | 3,850,000 | 10,554,000  | 26,724,000  |
| 154  | 57200 | Colporrhaphy: suture of injury of vagina (non obstetrical)                                                                                                                                       |     |                       | 30      | 14         | 1            | 11,550,000 | 5,390,000  | 3,850,000 | 11,995,000  | 32,785,000  |
| 155  | 57240 | Anterior colporrhaphy, repair of cystocele with or without repair of uterocoele (separate procedure)                                                                                             |     |                       | 40      | 16         | 1            | 15,400,000 | 6,160,000  | 3,850,000 | 12,486,000  | 37,896,000  |
| 156  | 57250 | Posterior colporrhaphy, repair of rectocele with or without perineorrhaphy (separate procedure)                                                                                                  |     |                       | 35      | 15         | 1            | 13,475,000 | 5,775,000  | 3,850,000 | 10,980,000  | 34,080,000  |
| 157  | 57265 | Combined anteroposterior colporrhaphy: with or without enterocoele repair (separate procedure)                                                                                                   |     |                       | 55      | 19         | 1            | 21,175,000 | 7,315,000  | 3,850,000 | 19,627,000  | 51,967,000  |
| 158  | 57280 | Colpopexy, abdominal approach                                                                                                                                                                    |     |                       | 55      | 19         | 1            | 21,175,000 | 7,315,000  | 3,850,000 | 16,417,000  | 48,757,000  |
| 159  | 57282 | Sacrospinous ligament fixation for prolapse of vagina following hysterectomy (separate procedure)                                                                                                |     |                       | 55      | 19         | 1            | 21,175,000 | 7,315,000  | 3,850,000 | 16,417,000  | 48,757,000  |
| 160  | 57310 | Closure of urethrovaginal fistula: any method                                                                                                                                                    |     |                       | 50      | 18         | 2            | 19,250,000 | 6,930,000  | 3,850,000 | 19,764,000  | 49,794,000  |
| 161  | 57452 | Colposcopy (vaginocopy): (separate procedure)                                                                                                                                                    |     |                       | 10      | 0          | 1            | 3,850,000  | 0          | 0         | 7,179,000   | 11,029,000  |
| 162  | 57454 | Colposcopy: with biopsies, or biopsy of the cervix (separate procedure)                                                                                                                          |     |                       | 10      | 0          | 1            | 3,850,000  | 0          | 0         | 8,751,000   | 12,601,000  |
| 163  | 57460 | Colposcopy: with loop electrosurgical excision(s) of the cervix (LEEP) (separate procedure)                                                                                                      |     |                       | 20      | 12         | 1            | 7,700,000  | 4,620,000  | 3,850,000 | 10,554,000  | 26,724,000  |
| 164  | 57500 | Cervix, biopsy, single or multiple, or local excision of lesion, with or without fulguration (separate procedure)                                                                                |     |                       | 10      | 0          | 1            | 3,850,000  | 0          | 0         | 7,998,000   | 11,848,000  |
| 165  | 57505 | Endocervical curettage (not done as part of a dilation and curettage) (separate procedure)                                                                                                       |     |                       | 10      | 0          | 1            | 3,850,000  | 0          | 3,850,000 | 8,260,000   | 15,960,000  |
| 166  | 57510 | Cauterization of cervix: electro, thermal, cryo, or laser ablation (separate procedure)                                                                                                          |     |                       | 15      | 0          | 1            | 5,775,000  | 0          | 0         | 7,932,000   | 13,707,000  |
| 167  | 57700 | Cerclage of uterine cervix, non obstetrical                                                                                                                                                      |     |                       | 25      | 13         | 1            | 9,625,000  | 5,005,000  | 3,850,000 | 11,700,000  | 30,180,000  |
| 168  | 58150 | Total abdominal hysterectomy (corpus and cervix), with or without removal of tube(s), with or without removal of ovary(ies)                                                                      |     |                       | 90      | 30         | 6            | 34,650,000 | 11,550,000 | 3,850,000 | 60,933,000  | 110,983,000 |
| 169  | 58200 | Total abdominal hysterectomy, including partial vaginectomy, with para-aortic and pelvic lymph node sampling, with or without removal of tube(s), with or without removal of ovary(ies)          |     |                       | 130     | 43         | 6            | 50,050,000 | 16,555,000 | 3,850,000 | 762,766,000 | 833,221,000 |
| 170  | 58240 | Pelvic exenteration for gynecologic malignancy (total abdominal hysterectomy, removal of bladder, ureteral transplantations and/or abdominopertineal resection of rectum and colon and colostomy |     |                       | 210     | 73         | 10           | 80,850,000 | 28,105,000 | 3,850,000 | 117,204,000 | 230,009,000 |
| 171  | 58267 | Vaginal hysterectomy: with colpo-urethrocystopexy (Marshall-Marchetti-Krantz or Pteryra type, with/without endoscopic control)                                                                   |     |                       | 100     | 33         | 6            | 38,500,000 | 12,705,000 | 3,850,000 | 59,392,000  | 114,447,000 |
| 172  | 58275 | Vaginal hysterectomy, with total or partial colpectomy                                                                                                                                           |     |                       | 110     | 36         | 6            | 42,350,000 | 13,860,000 | 3,850,000 | 62,472,000  | 122,532,000 |
| 173  | 58520 | Hysterorrhaphy, repair or ruptured uterus (non obstetrical)                                                                                                                                      |     |                       | 55      | 19         | 4            | 21,175,000 | 7,315,000  | 3,850,000 | 38,973,000  | 71,313,000  |
| 174  | 58700 | Salpingectomy, complete or partial, unilateral or bilateral (separate procedure)                                                                                                                 |     |                       | 40      | 16         | 1            | 15,400,000 | 6,160,000  | 3,850,000 | 14,878,000  | 40,288,000  |
| 175  | 58800 | Drainage of ovarian cyst(s), unilateral or bilateral: vaginal approach                                                                                                                           |     |                       | 25      | 13         | 1            | 9,625,000  | 5,005,000  | 3,850,000 | 12,093,000  | 30,573,000  |

| OPERATION            |                                                                                                                                                                                   | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 176                  | 58805 Drainage of ovarian cyst(s), unilateral or bilateral: abdominal approach                                                                                                    | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 18,415,000 | 43,825,000  |
| 177                  | 58900 Biopsy of ovary, unilateral or bilateral                                                                                                                                    | 45  | 18  | 1   | 17,325,000 | 6,930,000  | 3,850,000    | 14,091,000 | 42,196,000  |
| 178                  | 59300 Episiotomy or vaginal repair only, by other than attending physician                                                                                                        | 15  | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 7,408,000  | 21,653,000  |
| 179                  | 59320 Cerclage of cervix, during pregnancy: vaginal                                                                                                                               | 20  | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 8,947,000  | 25,117,000  |
| 180                  | 59325 Cerclage of cervix, during pregnancy: abdominal                                                                                                                             | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 15,631,000 | 41,041,000  |
| 181                  | 59100 Hysterectomy, abdominal (eg, for removal of hydatiform mole, abortion)                                                                                                      | 60  | 20  | 4   | 23,100,000 | 7,700,000  | 3,850,000    | 39,136,000 | 73,786,000  |
| 182                  | 59151 Laparoscopic treatment of ectopic pregnancy: with or without salpingectomy and/or oophorectomy                                                                              | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 22,347,000 | 56,997,000  |
| 183                  | 59350 Hysterorrhaphy of ruptured uterus                                                                                                                                           | 45  | 17  | 4   | 17,325,000 | 6,545,000  | 3,850,000    | 36,778,000 | 64,498,000  |
| 184                  | 59410 Vaginal delivery only (with or without episiotomy and/or forceps) including postpartum care                                                                                 | 60  | 0   | 1   | 23,100,000 | 0          | 3,850,000    | 14,113,000 | 41,063,000  |
| 185                  | 59515 Cesarean delivery including postpartum care, with or without hysterectomy                                                                                                   | 80  | 26  | 4   | 30,800,000 | 10,010,000 | 3,850,000    | 43,024,000 | 87,684,000  |
| 186                  | 59840 Induced abortion, by dilation and curettage                                                                                                                                 | 20  | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,799,000  | 25,969,000  |
| MALE GENITAL SYSTEM  |                                                                                                                                                                                   |     |     |     |            |            |              |            |             |
| 187                  | 54150 Circumcision, using clamp or other device: newborn                                                                                                                          | 10  | 0   | 1   | 3,850,000  | 0          | 0            | 8,190,000  | 12,040,000  |
| 188                  | 54161 Circumcision, surgical excision other than clamp, device, or dorsal slit: except newborn                                                                                    | 25  | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 11,110,000 | 29,590,000  |
| 189                  | 54322 One stage distal hypospadias repair (with or without chordee or circumcision): with simple meatal advancement (eg, Magpi, V-flap) or with urethroplasty by local skin flaps | 80  | 26  | 1   | 30,800,000 | 10,010,000 | 3,850,000    | 17,793,000 | 62,453,000  |
| 190                  | 54500 Biopsy of testis: needle (separate procedure)                                                                                                                               | 10  | 0   | 1   | 3,850,000  | 0          | 3,850,000    | 8,554,000  | 16,254,000  |
| 191                  | 54520 Orchiectomy: simple (including subcapsular), with or without testicular prosthesis, scrotal or inguinal                                                                     | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 14,452,000 | 39,862,000  |
| 192                  | 54530 Orchiectomy, radical, for tumor: any approach                                                                                                                               | 60  | 20  | 3   | 23,100,000 | 7,700,000  | 3,850,000    | 32,514,000 | 67,164,000  |
| 193                  | 54640 Orchiopexy, any type, with or without hernia repair                                                                                                                         | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 15,369,000 | 50,019,000  |
| 194                  | 54700 Incision and drainage of epididymis, testis, and/or scrotal space (eg, abscess or hematoma)                                                                                 | 25  | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 9,898,000  | 28,378,000  |
| 195                  | 55040 Excision of hydrocele: unilateral                                                                                                                                           | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 13,174,000 | 36,274,000  |
| 196                  | 55700 Biopsy, prostate: needle or punch, single or multiple, any approach                                                                                                         | 15  | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 10,750,000 | 20,375,000  |
| 197                  | 55705 Biopsy, prostate: incisional, any approach                                                                                                                                  | 30  | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 12,585,000 | 33,375,000  |
| 198                  | 55720 Prostatectomy, external drainage of prostatic abscess, any approach                                                                                                         | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 14,026,000 | 39,436,000  |
| 199                  | 55801 Prostatectomy, perineal, subtotal (including control of postoperative bleeding, vasectomy, meatotomy, urethralcalibration and/or dilation, and internal urethrotomy)        | 90  | 30  | 6   | 34,650,000 | 11,550,000 | 3,850,000    | 65,257,000 | 115,307,000 |
| INTEGUMENTARY SYSTEM |                                                                                                                                                                                   |     |     |     |            |            |              |            |             |
| 200                  | 11770 Excision of pilonidal cyst or sinus                                                                                                                                         | 40  | 15  | 1   | 15,400,000 | 5,775,000  | 3,850,000    | 14,419,000 | 39,444,000  |
| 201                  | 19020 Mastotomy with exploration and drainage of abscess, deep                                                                                                                    | 20  | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 8,358,000  | 24,528,000  |
| 202                  | 19100 Biopsy of breast: needle aspiration (separate procedure)                                                                                                                    | 10  | 0   | 1   | 3,850,000  | 0          | 0            | 9,373,000  | 13,223,000  |
| 203                  | 19140 Mastectomy for gynecomastia                                                                                                                                                 | 40  | 15  | 1   | 15,400,000 | 5,775,000  | 3,850,000    | 14,713,000 | 39,738,000  |
| 204                  | 19160 Mastectomy, partial, for excision of cyst or tumor                                                                                                                          | 40  | 15  | 1   | 15,400,000 | 5,775,000  | 3,850,000    | 16,680,000 | 41,705,000  |
| 205                  | 19162 Mastectomy, partial: with axillary lymphadenectomy                                                                                                                          | 100 | 33  | 1   | 38,500,000 | 12,705,000 | 3,850,000    | 35,943,000 | 90,998,000  |
| 206                  | 19180 Mastectomy, simple, complete                                                                                                                                                | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 21,397,000 | 56,047,000  |
| 207                  | 19200 Mastectomy, radical, including pectoral muscles, axillary lymph nodes                                                                                                       | 100 | 33  | 5   | 38,500,000 | 12,705,000 | 3,850,000    | 62,335,000 | 117,390,000 |



| CODE | OPERATION                                                                                                                                                                        | MUSCULOSKELETAL SYSTEM |     |     |            |            |              |             | Hospital D  | Total |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----|-----|------------|------------|--------------|-------------|-------------|-------|
|      |                                                                                                                                                                                  | K                      | ARE | LOS | Surgeon    | Anesthesia | Consultation |             |             |       |
| 208  | 20900 Bone graft, any donor area                                                                                                                                                 | 35                     | 14  | 1   | 13,475,000 | 5,390,000  | 3,850,000    | 14,059,000  | 36,774,000  |       |
| 209  | 20920 Fascia lata graft                                                                                                                                                          | 35                     | 14  | 1   | 13,475,000 | 5,390,000  | 3,850,000    | 11,929,000  | 34,644,000  |       |
| 210  | 21245 Reconstruction of mandible or maxilla, subperiosteal implant                                                                                                               | 75                     | 27  | 2   | 28,875,000 | 10,395,000 | 3,850,000    | 24,973,000  | 68,093,000  |       |
| 211  | 21315 Closed treatment, nasal bone or septum fracture: with or without stabilization                                                                                             | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 12,912,000  | 29,082,000  |       |
| 212  | 21338 Open treatment of nasoseptoid fracture: with or without external fixation                                                                                                  | 50                     | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 14,746,000  | 44,776,000  |       |
| 213  | 21445 Open treatment of mandibular or maxillary alveolar ridge fracture (separate procedure)                                                                                     | 35                     | 16  | 2   | 13,475,000 | 6,160,000  | 3,850,000    | 34,605,000  | 58,090,000  |       |
| 214  | 21462 Open treatment of closed or open mandibular fracture: with or without interdental fixation                                                                                 | 60                     | 21  | 2   | 23,100,000 | 8,085,000  | 3,850,000    | 25,563,000  | 60,598,000  |       |
| 215  | 21465 Open treatment of mandibular condylar fracture                                                                                                                             | 65                     | 22  | 2   | 25,025,000 | 8,470,000  | 3,850,000    | 27,102,000  | 64,447,000  |       |
| 216  | 21470 Open treatment of complicated mandibular fracture by multiple surgical approaches, including internal fixation, interdental fixation, and/or wiring of dentures or splints | 100                    | 35  | 3   | 38,500,000 | 13,475,000 | 3,850,000    | 36,247,000  | 92,072,000  |       |
| 217  | 21805 Open treatment of rib fracture: without fixation, each                                                                                                                     | 15                     | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 8,751,000   | 22,996,000  |       |
| 218  | 21810 Treatment of rib fracture: requiring external fixation ("flail chest")                                                                                                     | 35                     | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,799,000  | 34,899,000  |       |
| 219  | 22315 Closed treatment of vertebral body fracture and/or dislocation, with or without anesthesia, by manipulation or traction, each                                              | 50                     | 18  | 2   | 19,250,000 | 6,930,000  | 3,850,000    | 21,009,000  | 51,039,000  |       |
| 220  | 22505 Spine manipulation requiring anesthesia, any region                                                                                                                        | 15                     | 12  | 2   | 5,775,000  | 4,620,000  | 3,850,000    | 15,702,000  | 29,947,000  |       |
| 221  | 22554 Arthrodesis, anterior interbody technique: cervical below C2, with bone graft (separate procedure)                                                                         | 120                    | 40  | 8   | 46,200,000 | 15,400,000 | 3,850,000    | 81,778,000  | 147,228,000 |       |
| 222  | 22558 Arthrodesis, anterior interbody technique: lumbar, with bone graft (separate procedure)                                                                                    | 150                    | 50  | 8   | 57,750,000 | 19,250,000 | 3,850,000    | 100,648,000 | 181,498,000 |       |
| 223  | 22585 Arthrodesis, anterior or anterolateral, each additional interspace (list separately in addition to single                                                                  | 40                     | 16  | 8   | 15,400,000 | 6,160,000  | 3,850,000    | 82,401,000  | 107,811,000 |       |
| 224  | 22610 Arthrodesis, posterior or posterolateral technique, with local bone or bone allograft and/or internal fixation: thoracic or lumbar (separate procedure)                    | 135                    | 45  | 8   | 51,975,000 | 17,325,000 | 3,850,000    | 79,813,000  | 152,963,000 |       |
| 225  | 23450 Capsulorhaphy for recurrent dislocation of shoulder, anterior or posterior, any method, any type                                                                           | 85                     | 28  | 3   | 32,725,000 | 10,780,000 | 3,850,000    | 44,929,000  | 92,284,000  |       |
| 226  | 23505 Closed treatment of clavicular fracture: with manipulation                                                                                                                 | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,177,000   | 25,347,000  |       |
| 227  | 23515 Open treatment of clavicular fracture, with or without internal or external skeletal fixation                                                                              | 50                     | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 15,532,000  | 45,562,000  |       |
| 228  | 23575 Closed treatment of scapular fracture: with manipulation, with or without skeletal traction (with or without shoulder joint involvement)                                   | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,406,000   | 25,576,000  |       |
| 229  | 23605 Closed treatment of proximal humeral (surgical or anatomical neck) fracture: with manipulation, with or without skeletal traction                                          | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 11,799,000  | 27,969,000  |       |
| 230  | 23660 Open treatment of acute shoulder dislocation                                                                                                                               | 40                     | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 51,798,000  | 77,208,000  |       |
| 231  | 23665 Closed treatment of shoulder dislocation, with fracture of greater tuberosity, with manipulation                                                                           | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,996,000   | 26,166,000  |       |
| 232  | 23700 Manipulation under anesthesia, shoulder joint, including application of fixation apparatus (dislocation excluded)                                                          | 20                     | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,996,000   | 26,166,000  |       |
| 233  | 24102 Arthroscopy, elbow: for synovectomy                                                                                                                                        | 50                     | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 14,845,000  | 44,875,000  |       |
| 234  | 24505 Closed treatment of humeral shaft fracture: with manipulation, with or without skeletal traction                                                                           | 35                     | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 14,484,000  | 37,584,000  |       |
| 235  | 24516 Open treatment of humeral shaft fracture, with insertion of intramedullary implant, with or without cerclage and/or locking screws                                         | 75                     | 25  | 4   | 28,875,000 | 9,625,000  | 3,850,000    | 56,401,000  | 98,751,000  |       |

| CODE      | OPERATION                                                                                                                                                    | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 236 24600 | Treatment of closed elbow dislocation                                                                                                                        | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 14,484,000 | 37,584,000  |
| 237 24615 | Open treatment of acute or chronic elbow dislocation                                                                                                         | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 14,845,000 | 44,875,000  |
| 238 24655 | Closed treatment of radial head or neck fracture: with manipulation                                                                                          | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,634,000 | 34,734,000  |
| 239 24675 | Closed treatment of ulnar fracture, proximal end (olecranon process): with manipulation                                                                      | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,634,000 | 34,734,000  |
| 240 25105 | Arthroscopy, wrist joint: for synovectomy                                                                                                                    | 45  | 15  | 1   | 17,325,000 | 5,775,000  | 3,850,000    | 15,238,000 | 42,188,000  |
| 241 25505 | Closed treatment of radial shaft fracture: with manipulation                                                                                                 | 30  | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 11,634,000 | 32,424,000  |
| 242 25515 | Open treatment of radial shaft fracture: with/without internal or external fixation                                                                          | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 28,309,000 | 62,959,000  |
| 243 25535 | Closed treatment of ulnar shaft fracture: with manipulation                                                                                                  | 25  | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 12,060,000 | 30,540,000  |
| 244 25545 | Open treatment of ulnar shaft fracture: with/without internal or external fixation                                                                           | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 67,032,000 | 101,682,000 |
| 245 25565 | Closed treatment of radial and ulnar shaft fractures: with manipulation                                                                                      | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,962,000 | 35,062,000  |
| 246 25574 | Open treatment of radial and ulnar shaft fractures, with internal or external fixation of radius or ulna                                                     | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 17,106,000 | 40,206,000  |
| 247 25575 | Open treatment of radial and ulnar shaft fractures, with internal or external fixation: of radius and ulna                                                   | 70  | 23  | 3   | 26,950,000 | 8,855,000  | 3,850,000    | 38,869,000 | 78,524,000  |
| 248 25620 | Open treatment of distal radial fracture, or epiphyseal separation, with or without fracture of ulnar styloid, with or without internal or external fixation | 60  | 20  | 3   | 23,100,000 | 7,700,000  | 3,850,000    | 29,893,000 | 64,543,000  |
| 249 25670 | Open treatment of radiocarpal or intercarpal dislocation, one or more bones                                                                                  | 45  | 15  | 1   | 17,325,000 | 5,775,000  | 3,850,000    | 14,779,000 | 41,729,000  |
| 250 25675 | Closed treatment of distal radioulnar dislocation with manipulation                                                                                          | 25  | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 9,702,000  | 28,182,000  |
| 251 25800 | Arthrodesis, wrist joint (including radiocarpal and/or ulnocarpal fusion): without bone graft (separate                                                      | 70  | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 16,548,000 | 56,203,000  |
| 252 26025 | Drainage of palmar bursa                                                                                                                                     | 30  | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 11,176,000 | 31,966,000  |
| 253 26040 | Fasciotomy, palmar, for Dupuytren's contracture: closed (subcutaneous)                                                                                       | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 13,600,000 | 36,700,000  |
| 254 26100 | Arthroscopy for synovial biopsy: carpometaarpal or metacarpophalangeal or interphalangeal joint                                                              | 25  | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,044,000 | 29,139,000  |
| 255 26499 | Correction claw finger, other methods                                                                                                                        | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 15,729,000 | 50,379,000  |
| 256 26605 | Closed treatment of metacarpal fracture, single: with manipulation, each bone                                                                                | 25  | 0   | 1   | 9,625,000  | 0          | 3,850,000    | 9,865,000  | 23,340,000  |
| 257 26615 | Open treatment of metacarpal fracture, single, with or without internal or external fixation, each bone                                                      | 40  | 13  | 1   | 15,400,000 | 5,005,000  | 3,850,000    | 12,322,000 | 36,577,000  |
| 258 26735 | Open treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb, with or without internal or external fixation, each                | 40  | 13  | 1   | 15,400,000 | 5,005,000  | 3,850,000    | 16,221,000 | 40,476,000  |
| 259 26785 | Open treatment of interphalangeal joint dislocation, with or without internal or external fixation, single                                                   | 30  | 12  | 1   | 11,550,000 | 4,620,000  | 3,850,000    | 13,240,000 | 33,260,000  |
| 260 27125 | Partial hip replacement, prosthesis (eg, femoral stem prosthesis, bipolar arthroplasty)                                                                      | 105 | 35  | 6   | 40,425,000 | 13,475,000 | 3,850,000    | 68,031,000 | 125,781,000 |
| 261 27130 | Arthroplasty, acetabular and proximal femoral prosthetic replacement (total hip replacement), with or without autograft or allograft                         | 150 | 50  | 6   | 57,750,000 | 19,250,000 | 3,850,000    | 91,017,000 | 171,867,000 |
| 262 27235 | Percutaneous skeletal fixation of femoral fracture, proximal end, neck, undisplaced, mildly displaced or impacted fracture                                   | 70  | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 21,036,000 | 60,691,000  |
| 263 27236 | Open treatment of femoral fracture, proximal end, neck, internal fixation or prosthetic replacement (direct fracture exposure)                               | 95  | 32  | 6   | 36,575,000 | 12,320,000 | 3,850,000    | 96,412,000 | 149,157,000 |
| 264 27240 | Closed treatment of intertrochanteric, petrochanteric, or subtrochanteric femoral fracture, with manipulation: with or without skin or skeletal traction     | 50  | 16  | 3   | 19,250,000 | 6,160,000  | 3,850,000    | 25,240,000 | 54,500,000  |

| CODE         | OPERATION                                                                                                                                                                  | K   | ARE | Los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|--------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 265<br>27244 | Open treatment of intertrochanteric, pertrochanteric, or subtrochanteric femoral fracture: with plate/screw type implant, with or without cerclage                         | 100 | 33  | 6   | 38,500,000 | 12,705,000 | 3,850,000    | 84,978,000 | 140,033,000 |
| 266<br>27245 | Open treatment of intertrochanteric, pertrochanteric or subtrochanteric femoral fracture: with intramedullary implant, with or without interlocking screws and/or cerclage | 100 | 33  | 1   | 38,500,000 | 12,705,000 | 3,850,000    | 32,305,000 | 87,360,000  |
| 267<br>27250 | Closed treatment of hip dislocation, traumatic                                                                                                                             | 30  | 12  | 3   | 11,550,000 | 4,620,000  | 3,850,000    | 22,227,000 | 42,247,000  |
| 268<br>27253 | Open treatment of hip dislocation, traumatic, without internal fixation                                                                                                    | 70  | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 17,989,000 | 57,644,000  |
| 269<br>27332 | Arthroscopy, knee, for meniscectomy: medial OR lateral                                                                                                                     | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 15,532,000 | 47,487,000  |
| 270<br>27333 | Arthroscopy, knee, for meniscectomy: medial AND lateral                                                                                                                    | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 16,318,000 | 50,968,000  |
| 271<br>27335 | Arthroscopy, knee, for synovectomy: anterior AND/OR posterior including popliteal area                                                                                     | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 15,532,000 | 47,487,000  |
| 272<br>27350 | Patellectomy or hemipatellectomy                                                                                                                                           | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 17,956,000 | 49,911,000  |
| 273<br>27372 | Removal of foreign body, deep, thigh region or knee area                                                                                                                   | 35  | 12  | 1   | 13,475,000 | 4,620,000  | 3,850,000    | 11,863,000 | 33,808,000  |
| 274<br>27400 | Tendon or muscle transfer, hamstrings to femur (Eggers type procedure)                                                                                                     | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 15,532,000 | 47,487,000  |
| 275<br>27403 | Arthroscopy with open meniscus repair                                                                                                                                      | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 16,287,000 | 50,937,000  |
| 276<br>27405 | Repair, primary, torn ligament and/or capsule, knee: collateral or cruciate                                                                                                | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 14,779,000 | 46,734,000  |
| 277<br>27409 | Repair, primary, torn ligament and/or capsule, knee: collateral and cruciate                                                                                               | 95  | 31  | 1   | 36,575,000 | 11,935,000 | 3,850,000    | 32,241,000 | 84,601,000  |
| 278<br>27418 | Anterior tibial tubercle palsy for chondromalacia patellae (Mauquet procedure)                                                                                             | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 15,532,000 | 50,182,000  |
| 279<br>27424 | Reconstruction for recurrent dislocating patella: with patellectomy                                                                                                        | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 25,164,000 | 57,119,000  |
| 280<br>27427 | Ligamentous reconstruction (augmentation), knee: extra-articular                                                                                                           | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 23,100,000 | 55,055,000  |
| 281<br>27428 | Ligamentous reconstruction (augmentation), knee: intra-articular (open)                                                                                                    | 75  | 25  | 1   | 28,875,000 | 9,625,000  | 3,850,000    | 20,872,000 | 63,222,000  |
| 282<br>27435 | Capsulotomy, knee, posterior capsular release                                                                                                                              | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 20,152,000 | 52,107,000  |
| 283<br>27438 | Arthroplasty, patella: with prosthesis                                                                                                                                     | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 22,117,000 | 56,767,000  |
| 284<br>27440 | Arthroplasty, knee, tibial plateau                                                                                                                                         | 55  | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 16,450,000 | 48,405,000  |
| 285<br>27443 | Arthroplasty, knee, femoral condyles or tibial plateaus: with or without debridement and partial                                                                           | 60  | 20  | 3   | 23,100,000 | 7,700,000  | 3,850,000    | 39,000,000 | 73,650,000  |
| 286<br>27446 | Arthroplasty, knee condyle and plateau: medial OR lateral compartment                                                                                                      | 95  | 31  | 6   | 36,575,000 | 11,935,000 | 3,850,000    | 88,419,000 | 140,779,000 |
| 287<br>27447 | Arthroplasty, knee condyle and plateau: medial AND lateral compartments with or without patella resurfacing ("total knee replacement")                                     | 140 | 46  | 6   | 53,900,000 | 17,710,000 | 3,850,000    | 94,102,000 | 169,562,000 |
| 288<br>27448 | Osteotomy, femur, shaft or supracondylar: without fixation                                                                                                                 | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 16,450,000 | 51,100,000  |
| 289<br>27450 | Osteotomy, femur, shaft or supracondylar: with fixation                                                                                                                    | 105 | 35  | 1   | 40,425,000 | 13,475,000 | 3,850,000    | 24,837,000 | 82,587,000  |
| 290<br>27455 | Osteotomy, proximal tibia, including fibular excision or osteotomy (includes correction of genu varus or genu valgus): before or after epiphyseal closure                  | 95  | 31  | 1   | 36,575,000 | 11,935,000 | 3,850,000    | 21,790,000 | 74,150,000  |
| 291<br>27486 | Revision of total knee arthroplasty, with or without allograft: one component                                                                                              | 120 | 40  | 6   | 46,200,000 | 15,400,000 | 3,850,000    | 79,999,000 | 145,449,000 |
| 292<br>27487 | Revision of total knee arthroplasty, with or without allograft: all components                                                                                             | 160 | 53  | 6   | 61,600,000 | 20,405,000 | 3,850,000    | 69,385,000 | 155,240,000 |
| 293<br>27488 | Removal of knee prosthesis, including "total knee", methyl methacrylate and insertion of spacer, when                                                                      | 95  | 31  | 6   | 36,575,000 | 11,935,000 | 3,850,000    | 80,818,000 | 133,178,000 |
| 294<br>27502 | Closed treatment of femoral shaft fracture: with manipulation, with or without skin or skeletal traction                                                                   | 55  | 18  | 3   | 21,175,000 | 6,930,000  | 3,850,000    | 26,026,000 | 57,981,000  |



| CODE | OPERATION                                                                                                                                                                       | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 295  | 27503 Closed treatment of supracondylar or transcondylar femoral fracture with or without intercondylar extension: with manipulation, with or without skin or skeletal traction | 55  | 18  | 3   | 21,175,000 | 6,930,000  | 3,850,000    | 26,026,000 | 57,981,000  |
| 296  | 27510 Closed treatment of femoral fracture, distal end, medial or lateral condyle: with manipulation                                                                            | 55  | 18  | 3   | 21,175,000 | 6,930,000  | 3,850,000    | 26,026,000 | 57,981,000  |
| 297  | 27511 Open treatment of femoral supracondylar or transcondylar fracture without intercondylar extension, with internal                                                          | 85  | 28  | 5   | 32,725,000 | 10,780,000 | 3,850,000    | 49,297,000 | 96,652,000  |
| 298  | 27514 Open treatment of femoral fracture, distal end, medial or lateral condyle, with or without internal or external                                                           | 95  | 31  | 6   | 36,575,000 | 11,935,000 | 3,850,000    | 83,472,000 | 135,832,000 |
| 299  | 27517 Closed treatment of distal femoral epiphyseal separation: with manipulation, with or without skin or skeletal traction                                                    | 55  | 18  | 3   | 21,175,000 | 6,930,000  | 3,850,000    | 26,026,000 | 57,981,000  |
| 300  | 27519 Open treatment of distal femoral epiphyseal separation, with or without internal or external fixation                                                                     | 90  | 30  | 3   | 34,650,000 | 11,550,000 | 3,850,000    | 35,920,000 | 85,970,000  |
| 301  | 27532 Closed treatment of tibial fracture, proximal (plateau): with or without manipulation, with skeletal                                                                      | 55  | 18  | 3   | 21,175,000 | 6,930,000  | 3,850,000    | 26,026,000 | 57,981,000  |
| 302  | 27550 Closed treatment of knee dislocation                                                                                                                                      | 35  | 12  | 3   | 13,475,000 | 4,620,000  | 3,850,000    | 22,980,000 | 44,925,000  |
| 303  | 27558 Open treatment of knee dislocation with or without internal or external fixation: with primary ligamentous repair, with or without augmentation/reconstruction            | 100 | 33  | 5   | 38,500,000 | 12,705,000 | 3,850,000    | 71,967,000 | 127,022,000 |
| 304  | 27560 Closed treatment of patellar dislocation                                                                                                                                  | 35  | 12  | 3   | 13,475,000 | 4,620,000  | 3,850,000    | 22,980,000 | 44,925,000  |
| 305  | 27566 Open treatment of patellar dislocation, with or without partial or total patellectomy                                                                                     | 60  | 20  | 5   | 23,100,000 | 7,700,000  | 3,850,000    | 65,121,000 | 99,771,000  |
| 306  | 27570 Manipulation of knee joint under general anesthesia (includes application of traction or other fixation devices)                                                          | 15  | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 9,079,000  | 18,704,000  |
| 307  | 27625 Arthroscopy, ankle, for synovectomy                                                                                                                                       | 40  | 13  | 1   | 15,400,000 | 5,005,000  | 3,850,000    | 14,878,000 | 39,133,000  |
| 308  | 27626 Arthroscopy, ankle, for synovectomy: including tenosynovectomy                                                                                                            | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 17,892,000 | 52,542,000  |
| 309  | 27652 Repair, primary, open or percutaneous, ruptured Achilles tendon: with or without graft                                                                                    | 60  | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 19,333,000 | 53,983,000  |
| 310  | 27700 Arthroplasty, ankle                                                                                                                                                       | 75  | 25  | 1   | 28,875,000 | 9,625,000  | 3,850,000    | 19,497,000 | 61,847,000  |
| 311  | 27705 Osteotomy: tibia or tibia and fibula                                                                                                                                      | 80  | 26  | 1   | 30,800,000 | 10,010,000 | 3,850,000    | 24,148,000 | 68,808,000  |
| 312  | 27752 Closed treatment of tibial shaft fracture (with or without fibular fracture): with manipulation                                                                           | 40  | 13  | 4   | 15,400,000 | 5,005,000  | 3,850,000    | 31,569,000 | 55,824,000  |
| 313  | 27758 Open treatment of tibial shaft fracture (with or without fibular fracture), with plate/screws, with or without cerclage                                                   | 75  | 25  | 5   | 28,875,000 | 9,625,000  | 3,850,000    | 69,249,000 | 111,599,000 |
| 314  | 27781 Closed treatment of proximal or distal fibula or shaft fracture: with manipulation                                                                                        | 25  | 0   | 4   | 9,625,000  | 0          | 3,850,000    | 29,275,000 | 42,750,000  |
| 315  | 27784 Open treatment of proximal or distal fibula or shaft fracture, with or without internal or external                                                                       | 40  | 13  | 6   | 15,400,000 | 5,005,000  | 3,850,000    | 64,701,000 | 88,956,000  |
| 316  | 27830 Closed treatment of proximal tibiofibular joint dislocation                                                                                                               | 25  | 0   | 4   | 9,625,000  | 0          | 3,850,000    | 29,275,000 | 42,750,000  |
| 317  | 27842 Closed treatment of ankle dislocation, with percutaneous skeletal fixation                                                                                                | 40  | 13  | 4   | 15,400,000 | 5,005,000  | 3,850,000    | 31,569,000 | 55,824,000  |
| 318  | 27846 Open treatment of ankle dislocation, with or without percutaneous skeletal fixation: without repair or internal                                                           | 60  | 20  | 6   | 23,100,000 | 7,700,000  | 3,850,000    | 52,939,000 | 87,589,000  |
| 319  | 27848 Open treatment of ankle dislocation, with or without percutaneous skeletal fixation: with repair or internal or external fixation                                         | 75  | 25  | 3   | 28,875,000 | 9,625,000  | 3,850,000    | 33,759,000 | 76,109,000  |
| 320  | 27860 Manipulation of ankle under general anesthesia (includes application of traction or other fixation                                                                        | 15  | 0   | 3   | 5,775,000  | 0          | 3,850,000    | 20,686,000 | 30,311,000  |
| 321  | 27870 Arthrodesis, ankle, any method (separate procedure)                                                                                                                       | 90  | 30  | 6   | 34,650,000 | 11,550,000 | 3,850,000    | 59,787,000 | 109,837,000 |
| 322  | 27871 Arthrodesis, tibiofibular joint, proximal or distal (separate procedure)                                                                                                  | 60  | 20  | 6   | 23,100,000 | 7,700,000  | 3,850,000    | 67,747,000 | 102,397,000 |

| CODE      | OPERATION                                                                                                                                                                                                | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|-----------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|------------|------------|
| 323 28020 | Arthrotomy, with exploration, drainage or removal of loose or foreign body: intertarsal or tarsometatarsal joint or metatarsophalangeal joint or interphalangeal joint                                   | 35 | 12  | 1   | 13,475,000 | 4,620,000  | 3,850,000    | 12,781,000 | 34,726,000 |
| 324 28054 | Arthrotomy for synovial biopsy: interphalangeal joint or metatarsophalangeal or intertarsal or                                                                                                           | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,241,000 | 29,336,000 |
| 325 28070 | Synovectomy, intertarsal, tarsometatarsal or metatarsophalangeal joint, each                                                                                                                             | 35 | 12  | 1   | 13,475,000 | 4,620,000  | 3,850,000    | 12,781,000 | 34,726,000 |
| 326 28086 | Synovectomy, tendon sheath, foot: flexor or extensor                                                                                                                                                     | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,241,000 | 29,336,000 |
| 327 28140 | Metatarsectomy                                                                                                                                                                                           | 50 | 16  | 1   | 19,250,000 | 6,160,000  | 3,850,000    | 14,943,000 | 44,203,000 |
| 328 28160 | Hemiphalangectomy or interphalangeal joint excision, toe, single, each                                                                                                                                   | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,274,000 | 29,369,000 |
| 329 28192 | Removal of foreign body, foot: deep                                                                                                                                                                      | 35 | 12  | 1   | 13,475,000 | 4,620,000  | 3,850,000    | 12,223,000 | 34,168,000 |
| 330 28260 | Capsulotomy, midfoot: medial release only with or without tendon lengthening (separate procedure)                                                                                                        | 50 | 16  | 1   | 19,250,000 | 6,160,000  | 3,850,000    | 13,437,000 | 42,697,000 |
| 331 28288 | Osteotomy, partial, exostectomy or condylectomy, single, metatarsal head, first through fifth, each                                                                                                      | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 12,912,000 | 31,007,000 |
| 332 28296 | Hallux valgus (bunion) correction: with or without metatarsal osteotomy or tendon transfer                                                                                                               | 55 | 18  | 1   | 21,175,000 | 6,930,000  | 3,850,000    | 34,566,000 | 66,521,000 |
| 333 28406 | Closed treatment or percutaneous skeletal fixation of calcaneal fracture: with manipulation                                                                                                              | 35 | 12  | 1   | 13,475,000 | 4,620,000  | 3,850,000    | 11,634,000 | 33,579,000 |
| 334 28420 | Open treatment of closed or open calcaneal fracture, with or without internal or external skeletal fixation: with primary autogenous bone graft (includes obtaining graft)                               | 85 | 28  | 1   | 32,725,000 | 10,780,000 | 3,850,000    | 21,627,000 | 68,982,000 |
| 335 28436 | Closed treatment or percutaneous skeletal fixation of talus fracture: with manipulation                                                                                                                  | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,143,000 | 29,238,000 |
| 336 28445 | Open treatment of talus fracture, with or without internal or external fixation                                                                                                                          | 70 | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 16,974,000 | 56,629,000 |
| 337 28476 | Closed treatment or percutaneous skeletal fixation of metatarsal fracture: with manipulation                                                                                                             | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 10,521,000 | 28,616,000 |
| 338 28546 | Percutaneous skeletal fixation of tarsal bone dislocation other than talotarsal, with                                                                                                                    | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 10,521,000 | 28,616,000 |
| 339 28555 | Open treatment of tarsal bone dislocation, with or without internal or external fixation                                                                                                                 | 40 | 13  | 1   | 15,400,000 | 5,005,000  | 3,850,000    | 13,404,000 | 37,659,000 |
| 340 28600 | Closed treatment of tarsometatarsal joint dislocation                                                                                                                                                    | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 10,521,000 | 28,616,000 |
| 341 28636 | Closed treatment or percutaneous skeletal fixation of metatarsophalangeal joint dislocation, with                                                                                                        | 25 | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 10,521,000 | 28,616,000 |
| 342 28760 | Arthrodesis, great toe, interphalangeal joint, with extensor hallucis longus transfer to first metatarsal neck (Jones type procedure) (separate procedure)                                               | 50 | 16  | 6   | 19,250,000 | 6,160,000  | 3,850,000    | 52,939,000 | 82,199,000 |
| 343 28800 | Amputation, foot: midtarsal or transmetatarsal                                                                                                                                                           | 50 | 16  | 5   | 19,250,000 | 6,160,000  | 3,850,000    | 43,072,000 | 72,332,000 |
| 344 28810 | Amputation, metatarsal, with toe, single                                                                                                                                                                 | 40 | 13  | 5   | 15,400,000 | 5,005,000  | 3,850,000    | 41,533,000 | 65,788,000 |
| 345 28820 | Amputation, toe: metatarsophalangeal joint                                                                                                                                                               | 25 | 12  | 5   | 9,625,000  | 4,620,000  | 3,850,000    | 39,273,000 | 57,368,000 |
| 346 29000 | Application of halo type body cast                                                                                                                                                                       | 20 | 0   | 1   | 7,700,000  | 0          | 3,850,000    | 9,439,000  | 20,989,000 |
| 347 29040 | Application of body cast, shoulder to hips: including head and/or one or both thighs                                                                                                                     | 20 | 0   | 1   | 7,700,000  | 0          | 3,850,000    | 9,439,000  | 20,989,000 |
| 348 29305 | Application of hip spica cast: one leg                                                                                                                                                                   | 15 | 0   | 1   | 5,775,000  | 0          | 0            | 7,834,000  | 13,609,000 |
| 349 29325 | Application of hip spica cast: one and one half spica or both legs                                                                                                                                       | 20 | 0   | 1   | 7,700,000  | 0          | 3,850,000    | 9,439,000  | 20,989,000 |
| 350 29355 | Application of long leg cast (thigh to toes): walking or ambulatory type                                                                                                                                 | 10 | 0   | 1   | 3,850,000  | 0          | 0            | 7,081,000  | 10,931,000 |
| 351 29800 | Arthroscopy, diagnostic: any joint, with or without biopsy, limited debridement, partial synovectomy, removal of loose or foreign body, lysis and resection of adhesions or lavage: (separate procedure) | 40 | 13  | 1   | 15,400,000 | 5,005,000  | 3,850,000    | 17,956,000 | 42,211,000 |

| CODE                  |       | OPERATION                                                                                                                                                                                                  | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|-----------------------|-------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| NERVOUS SYSTEM        |       |                                                                                                                                                                                                            |     |     |     |            |            |              |             |             |
| 352                   | 61500 | Cranectomy: with excision of tumor or other bone lesion of skull                                                                                                                                           | 130 | 52  | 8   | 50,050,000 | 20,020,000 | 3,850,000    | 190,641,000 | 264,561,000 |
| 353                   | 61543 | Craniotomy, trephination, bone flap craniotomy: for partial or subtotal hemispherectomy                                                                                                                    | 145 | 58  | 8   | 55,825,000 | 22,330,000 | 3,850,000    | 152,442,000 | 234,447,000 |
| 354                   | 61548 | Hyphophysectomy or excision of pituitary tumor, transnasal or transscleral approach, non-stereotactic                                                                                                      | 160 | 64  | 8   | 61,600,000 | 24,640,000 | 3,850,000    | 132,589,000 | 222,679,000 |
| 355                   | 61550 | Craniotomy for craniostomosis: single or multiple sutures, or frontal or partial bone flap, or bifrontal                                                                                                   | 135 | 52  | 8   | 51,975,000 | 20,020,000 | 3,850,000    | 192,147,000 | 267,992,000 |
| 356                   | 62000 | Elevation of depressed skull fracture: simple, extradural                                                                                                                                                  | 80  | 28  | 8   | 30,800,000 | 10,780,000 | 3,850,000    | 182,155,000 | 227,585,000 |
| 357                   | 62194 | Replacement or irrigation, subarachnoid/subdural catheter                                                                                                                                                  | 35  | 16  | 6   | 13,475,000 | 6,160,000  | 3,850,000    | 52,120,000  | 75,605,000  |
| 358                   | 62201 | Ventriculocisternostomy, third ventricle: stereotactic method or any method                                                                                                                                | 90  | 32  | 10  | 34,650,000 | 12,320,000 | 3,850,000    | 94,731,000  | 145,551,000 |
| 359                   | 62230 | Replacement or revision of CSF shunt, obstructed valve, or distal catheter in shunt system                                                                                                                 | 70  | 25  | 4   | 26,950,000 | 9,625,000  | 3,850,000    | 59,775,000  | 100,200,000 |
| 360                   | 62258 | Removal of complete 'CSF' shunt system: with replacement by similar or other shunt at same operation                                                                                                       | 110 | 39  | 10  | 42,350,000 | 15,015,000 | 3,850,000    | 100,824,000 | 162,039,000 |
| 361                   | 62269 | Biopsy of spinal cord, percutaneous needle                                                                                                                                                                 | 30  | 0   | 1   | 11,550,000 | 0          | 3,850,000    | 14,779,000  | 30,179,000  |
| 362                   | 62270 | Spinal puncture, diagnostic                                                                                                                                                                                | 10  | 0   | 1   | 3,850,000  | 0          | 3,850,000    | 5,836,000   | 13,536,000  |
| 363                   | 63001 | Laminectomy with exploration and/or decompression of spinal cord and/or cauda equina, without facetectomy, foraminotomy or discectomy, one or two vertebral segments: cervical, thoracic, lumbar or sacral | 110 | 39  | 5   | 42,350,000 | 15,015,000 | 3,850,000    | 84,514,000  | 145,729,000 |
| 364                   | 63046 | Laminectomy, facetectomy and foraminotomy (unilateral or bilateral) with decompression of spinal cord, cauda equina and/or nerve root(s), single vertebral segment: thoracic or lumbar                     | 110 | 39  | 5   | 42,350,000 | 15,015,000 | 3,850,000    | 84,514,000  | 145,729,000 |
| 365                   | 63075 | Discectomy, anterior, with decompression of spinal cord and/or nerve root(s), including osteophylectomy: cervical or thoracic, single                                                                      | 135 | 48  | 5   | 51,975,000 | 18,480,000 | 3,850,000    | 89,854,000  | 164,159,000 |
| 366                   | 63650 | Percutaneous implantation of neurostimulator electrodes: epidural                                                                                                                                          | 45  | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 12,486,000  | 40,206,000  |
| 367                   | 64722 | Decompression of nerve                                                                                                                                                                                     | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 11,193,000  | 34,293,000  |
| 368                   | 63744 | Replacement, irrigation or revision of lumbosubarachnoid shunt                                                                                                                                             | 50  | 19  | 4   | 19,250,000 | 7,315,000  | 3,850,000    | 59,907,000  | 90,322,000  |
| 369                   | 64856 | Suture of major peripheral nerve, arm or leg: including transposition                                                                                                                                      | 95  | 32  | 2   | 36,575,000 | 12,320,000 | 3,850,000    | 25,792,000  | 78,537,000  |
| 370                   | 64861 | Suture of brachial or lumbar plexus                                                                                                                                                                        | 135 | 45  | 3   | 51,975,000 | 17,325,000 | 3,850,000    | 38,737,000  | 111,887,000 |
| EYE AND OCULAR ADNEXA |       |                                                                                                                                                                                                            |     |     |     |            |            |              |             |             |
| 371                   | 65280 | Repair of laceration: cornea and/or sclera, perforating, not involving uveal tissue                                                                                                                        | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 15,499,000  | 45,529,000  |
| 372                   | 65400 | Keratomy: lamellar, partial (except pterygium)                                                                                                                                                             | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 13,534,000  | 38,944,000  |
| 373                   | 65450 | Destruction of lesion of cornea by cryotherapy, photocoagulation or thermo-cauterization                                                                                                                   | 20  | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 7,441,000   | 23,611,000  |
| 374                   | 65710 | Keratoplasty: lamellar                                                                                                                                                                                     | 80  | 26  | 1   | 30,800,000 | 10,010,000 | 3,850,000    | 20,217,000  | 64,877,000  |
| 375                   | 65771 | Radial keratotomy                                                                                                                                                                                          | 85  | 28  | 1   | 32,725,000 | 10,780,000 | 3,850,000    | 19,267,000  | 66,622,000  |
| 376                   | 65855 | Trabeculoplasty by laser surgery, one or more sessions (defined treatment series)                                                                                                                          | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 11,667,000  | 37,077,000  |
| 377                   | 65860 | Severing adhesions of anterior segment, laser technique (separate procedure)                                                                                                                               | 30  | 15  | 1   | 11,550,000 | 5,775,000  | 3,850,000    | 8,620,000   | 29,795,000  |
| 378                   | 66220 | Repair of scleral staphyloma: without graft                                                                                                                                                                | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 14,287,000  | 44,317,000  |
| 379                   | 66225 | Repair of scleral staphyloma: with graft                                                                                                                                                                   | 75  | 25  | 1   | 28,875,000 | 9,625,000  | 3,850,000    | 17,826,000  | 60,176,000  |
| 380                   | 66625 | Iridectomy, with corneoscleral or corneal section: peripheral or sector, for glaucoma (separate                                                                                                            | 45  | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 12,781,000  | 40,501,000  |
| 381                   | 66635 | Iridectomy, with corneoscleral or corneal section: "optical" (separate procedure)                                                                                                                          | 45  | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 12,781,000  | 40,501,000  |



| CODE               | OPERATION                                                                                                                                                                        | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital ID | Total      |
|--------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|-------------|------------|
| 382                | 66680 Repair of iris, ciliary body (as for iridodialysis)                                                                                                                        | 45 | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 12,781,000  | 40,501,000 |
| 383                | 66700 Ciliary body destruction: diathermy, cyclophotocoagulation, cryotherapy or cyclodialysis                                                                                   | 35 | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 9,735,000   | 32,835,000 |
| 384                | 66761 Iridotomy/iridectomy by laser surgery (eg, for glaucoma)                                                                                                                   | 25 | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 4,689,000   | 23,169,000 |
| 385                | 66762 Iridoplasty by photocoagulation (eg, for improvement of vision, for widening of anterior chamber angle)                                                                    | 30 | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 6,229,000   | 27,019,000 |
| 386                | 66984 Extra- or intracapsular cataract removal with insertion of intraocular lens prosthesis (one stage procedure), manual or mechanical technique                               | 90 | 32  | 1   | 34,650,000 | 12,320,000 | 3,850,000    | 26,125,000  | 76,945,000 |
| 387                | 66985 Insertion of intraocular lens prosthesis (secondary implant), not associated with concurrent cataract removal, with or without anterior vitrectomy                         | 70 | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 21,691,000  | 61,346,000 |
| 388                | 67005 Removal of vitreous, anterior approach (open sky technique or limbal incision): partial, or subtotal removal with mechanical vitrectomy                                    | 45 | 18  | 1   | 17,325,000 | 6,930,000  | 3,850,000    | 14,026,000  | 42,131,000 |
| 389                | 67028 Intravitreal injection of pharmacologic agent (separate procedure)                                                                                                         | 20 | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 6,327,000   | 22,497,000 |
| 390                | 67311 Strabismus surgery: any technique, any number of muscles                                                                                                                   | 60 | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 20,512,000  | 55,162,000 |
| 391                | 67515 Injection of therapeutic agent into Tenon's capsule                                                                                                                        | 10 | 0   | 1   | 3,850,000  | 0          | 0            | 7,081,000   | 10,931,000 |
| 392                | 67700 Blepharotomy, drainage of abscess, eyelid                                                                                                                                  | 10 | 0   | 1   | 3,850,000  | 0          | 3,850,000    | 6,426,000   | 14,126,000 |
| 393                | 67710 Severing of tarsorrhaphy                                                                                                                                                   | 10 | 12  | 1   | 3,850,000  | 4,620,000  | 3,850,000    | 5,901,000   | 18,221,000 |
| 394                | 67914 Repair of ectropion: suture or thermocauterization                                                                                                                         | 25 | 13  | 1   | 9,625,000  | 5,005,000  | 3,850,000    | 10,980,000  | 29,460,000 |
| 395                | 68110 Excision of lesion, conjunctiva                                                                                                                                            | 15 | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 10,225,000  | 19,850,000 |
| 396                | 68130 Excision of lesion, conjunctiva: with adjacent sclera                                                                                                                      | 35 | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 14,386,000  | 37,486,000 |
| 397                | 68200 Subconjunctival injection                                                                                                                                                  | 5  | 0   | 1   | 1,925,000  | 0          | 3,850,000    | 6,327,000   | 12,102,000 |
| 398                | 68326 Conjunctivoplasty, with or without reconstruction cul-de-sac: with conjunctival graft, extensive rearrangement, or buccal mucous membrane graft (includes obtaining graft) | 50 | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 15,042,000  | 45,072,000 |
| 399                | 68340 Repair of symblepharon: division of symblepharon with or without insertion of conformer or contact                                                                         | 30 | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 10,488,000  | 31,278,000 |
| 400                | 68360 Conjunctival flap: bridge or partial                                                                                                                                       | 30 | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 10,488,000  | 31,278,000 |
| 401                | 68362 Conjunctival flap: total (eg, Gunderson thin flap or purse string flap)                                                                                                    | 50 | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 13,534,000  | 43,564,000 |
| RESPIRATORY SYSTEM |                                                                                                                                                                                  |    |     |     |            |            |              |             |            |
| 402                | 30140 Submucous resection turbinate, complete or partial                                                                                                                         | 30 | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 12,093,000  | 32,883,000 |
| 403                | 30520 Submucous resection of nasal septum                                                                                                                                        | 40 | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 11,962,000  | 37,372,000 |
| 404                | 30540 Repair choanal atresia: intranasal                                                                                                                                         | 60 | 20  | 1   | 23,100,000 | 7,700,000  | 3,850,000    | 17,073,000  | 51,723,000 |
| 405                | 30801 Cauterization and/or ablation, mucosa of turbinates (separate procedure)                                                                                                   | 15 | 0   | 1   | 5,775,000  | 0          | 3,850,000    | 8,719,000   | 18,344,000 |
| 406                | 30901 Control nasal hemorrhage, any method (separate procedure)                                                                                                                  | 15 | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 12,748,000  | 26,993,000 |
| 407                | 30920 Ligation arteries: ethmoidal or internal maxillary artery, transantral                                                                                                     | 55 | 19  | 1   | 21,175,000 | 7,315,000  | 3,850,000    | 18,022,000  | 50,362,000 |
| 408                | 31020 Sinusotomy, maxillary (antrotomy): intranasal                                                                                                                              | 20 | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 9,766,000   | 25,936,000 |
| 409                | 31030 Sinusotomy maxillary (antrotomy): radical (Caldwell-Luc), with or without removal of antrochoanal                                                                          | 40 | 16  | 2   | 15,400,000 | 6,160,000  | 3,850,000    | 21,402,000  | 46,812,000 |
| 410                | 31040 Pterygomaxillary fossa surgery, any approach                                                                                                                               | 60 | 20  | 2   | 23,100,000 | 7,700,000  | 3,850,000    | 22,188,000  | 56,838,000 |
| 411                | 31070 Sinusotomy, sphenoid, frontal or intranasal                                                                                                                                | 40 | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 12,322,000  | 37,732,000 |

| CODE      | OPERATION                                                                                                                                        | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|-----------|--------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 412 31075 | Sinusotomy frontal: transorbital, unilateral (for mucocele or osteoma, Lynch type)                                                               | 60  | 20  | 2   | 23,100,000 | 7,700,000  | 3,850,000    | 22,188,000 | 56,838,000  |
| 413 31080 | Sinusotomy frontal: obliterative or nonobliterative                                                                                              | 85  | 28  | 2   | 32,725,000 | 10,780,000 | 3,850,000    | 29,788,000 | 77,143,000  |
| 414 31090 | Sinusotomy combined, three or more sinuses                                                                                                       | 75  | 25  | 2   | 28,875,000 | 9,625,000  | 3,850,000    | 27,364,000 | 69,714,000  |
| 415 31200 | Ethmoidectomy                                                                                                                                    | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 18,121,000 | 48,151,000  |
| 416 31300 | Laryngotomy (thyrotomy, laryngofissure) with removal of tumor or laryngocoele, cordectomy                                                        | 70  | 28  | 3   | 26,950,000 | 10,780,000 | 3,850,000    | 33,660,000 | 75,240,000  |
| 417 31360 | Laryngectomy: total or subtotal supraglottic, without radical neck dissection                                                                    | 105 | 42  | 10  | 40,425,000 | 16,170,000 | 3,850,000    | 77,367,000 | 137,812,000 |
| 418 31370 | Partial laryngectomy (hemilaryngectomy)                                                                                                          | 100 | 40  | 10  | 38,500,000 | 15,400,000 | 3,850,000    | 75,861,000 | 133,611,000 |
| 419 31400 | Arytenoidectomy or arytenoidopexy, external approach                                                                                             | 60  | 24  | 5   | 23,100,000 | 9,240,000  | 3,850,000    | 41,664,000 | 77,854,000  |
| 420 31420 | Epiglottidectomy                                                                                                                                 | 60  | 24  | 1   | 23,100,000 | 9,240,000  | 3,850,000    | 17,532,000 | 53,722,000  |
| 421 31510 | Laryngoscopy, direct or indirect, diagnostic with or without biopsy (separate procedure)                                                         | 15  | 12  | 1   | 5,775,000  | 4,620,000  | 0            | 9,538,000  | 19,933,000  |
| 422 31580 | Laryngoplasty other than cricoid split                                                                                                           | 100 | 40  | 1   | 38,500,000 | 15,400,000 | 3,850,000    | 22,609,000 | 80,359,000  |
| 423 31600 | Tracheostomy, (separate procedure)                                                                                                               | 30  | 15  | 5   | 11,550,000 | 5,775,000  | 3,850,000    | 40,911,000 | 62,086,000  |
| 424 31611 | Construction of tracheoesophageal fistula and subsequent insertion of an alaryngeal speech prosthesis (eg, voice button, Blom-Singer prosthesis) | 30  | 15  | 1   | 11,550,000 | 5,775,000  | 3,850,000    | 11,995,000 | 33,170,000  |
| 425 31613 | Tracheostoma revision (separate procedure)                                                                                                       | 35  | 17  | 1   | 13,475,000 | 6,545,000  | 3,850,000    | 13,534,000 | 37,404,000  |
| 426 31750 | Tracheoplasty: cervical                                                                                                                          | 60  | 24  | 7   | 23,100,000 | 9,240,000  | 3,850,000    | 52,617,000 | 88,807,000  |
| 427 31760 | Tracheoplasty: intrathoracic                                                                                                                     | 140 | 56  | 7   | 53,900,000 | 21,560,000 | 3,850,000    | 86,752,000 | 166,062,000 |
| 428 31820 | Closure of tracheostomy or tracheal fistula: with or without plastic repair (separate procedure)                                                 | 30  | 15  | 4   | 11,550,000 | 5,775,000  | 3,850,000    | 43,362,000 | 64,537,000  |
| 429 32035 | Thoracostomy: with rib resection for empyema                                                                                                     | 50  | 20  | 7   | 19,250,000 | 7,700,000  | 3,850,000    | 83,149,000 | 113,949,000 |
| 430 32100 | Thoracotomy: with exploration and biopsy, control of hemorrhage or postoperative complications                                                   | 60  | 24  | 7   | 23,100,000 | 9,240,000  | 3,850,000    | 56,581,000 | 92,771,000  |
| 431 32310 | Pleurectomy, parietal (separate procedure)                                                                                                       | 85  | 34  | 7   | 32,725,000 | 13,090,000 | 3,850,000    | 59,365,000 | 109,030,000 |
| 432 32400 | Biopsy, pleura: percutaneous needle, one or more specimens                                                                                       | 15  | 0   | 1   | 5,775,000  | 0          | 0            | 10,161,000 | 15,936,000  |
| 433 32405 | Biopsy, lung or mediastinum, percutaneous needle                                                                                                 | 15  | 0   | 1   | 5,775,000  | 0          | 0            | 10,161,000 | 15,936,000  |
| 434 32480 | Lobectomy, total or segmental, with or without bronchoplasty or decortication                                                                    | 120 | 48  | 7   | 46,200,000 | 18,480,000 | 3,850,000    | 72,043,000 | 140,573,000 |
| 435 32601 | Thoracoscopy, diagnostic, with or without biopsy (separate procedure)                                                                            | 50  | 20  | 7   | 19,250,000 | 7,700,000  | 3,850,000    | 55,074,000 | 85,874,000  |
| 436 32653 | Thoracoscopy, surgical: with removal of intrapleural foreign body, fibrin or control of traumatic                                                | 80  | 32  | 7   | 30,800,000 | 12,320,000 | 3,850,000    | 59,628,000 | 106,598,000 |
| 437 32655 | Thoracoscopy, surgical: with excision-plication of bulae, including any pleural procedure, with or without parietal pleurectomy                  | 80  | 32  | 7   | 30,800,000 | 12,320,000 | 3,850,000    | 59,628,000 | 106,598,000 |
| 438 32663 | Thoracoscopy, surgical: with segmental or total lobectomy, or wedge resection(s) of lung                                                         | 100 | 40  | 7   | 38,500,000 | 15,400,000 | 3,850,000    | 62,674,000 | 120,424,000 |
| 439 32664 | Thoracoscopy, surgical: with thoracic sympathectomy                                                                                              | 85  | 34  | 7   | 32,725,000 | 13,090,000 | 3,850,000    | 60,381,000 | 110,046,000 |
| 440 32900 | Resection of ribs, extrapleural, all stages                                                                                                      | 60  | 24  | 3   | 23,100,000 | 9,240,000  | 3,850,000    | 26,715,000 | 62,905,000  |
| 441 32905 | Thoracoplasty                                                                                                                                    | 150 | 60  | 1   | 57,750,000 | 23,100,000 | 3,850,000    | 34,206,000 | 118,906,000 |
| 442 32960 | Pneumothorax, therapeutic                                                                                                                        | 15  | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 7,867,000  | 22,112,000  |

| CODE           |       | OPERATION                                                                                                                                                | MEDIASTINUM AND DIAPHRAGM |    |    |            |            |           |             |             |  |  | K ARE los |  | Surgeon | Anesthesia | Consultation | Hospital D | Total |
|----------------|-------|----------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------|----|----|------------|------------|-----------|-------------|-------------|--|--|-----------|--|---------|------------|--------------|------------|-------|
| 443            | 39200 | Excision of mediastinal cyst                                                                                                                             | 80                        | 32 | 7  | 30,800,000 | 12,320,000 | 3,850,000 | 60,873,000  | 107,843,000 |  |  |           |  |         |            |              |            |       |
| 444            | 39220 | Excision of mediastinal tumor                                                                                                                            | 100                       | 40 | 7  | 38,500,000 | 15,400,000 | 3,850,000 | 72,109,000  | 129,859,000 |  |  |           |  |         |            |              |            |       |
| 445            | 39400 | Mediastinoscopy, with or without biopsy                                                                                                                  | 30                        | 15 | 1  | 11,550,000 | 5,775,000  | 3,850,000 | 17,302,000  | 38,477,000  |  |  |           |  |         |            |              |            |       |
| 446            | 39501 | Repair of diaphragmatic laceration, any approach                                                                                                         | 90                        | 36 | 5  | 34,650,000 | 13,860,000 | 3,850,000 | 41,664,000  | 94,024,000  |  |  |           |  |         |            |              |            |       |
| 447            | 50020 | Drainage of peritoneal or renal abscess (separate procedure)                                                                                             | 70                        | 25 | 3  | 26,950,000 | 9,625,000  | 3,850,000 | 28,026,000  | 68,451,000  |  |  |           |  |         |            |              |            |       |
| URINARY SYSTEM |       |                                                                                                                                                          |                           |    |    |            |            |           |             |             |  |  |           |  |         |            |              |            |       |
| 448            | 50045 | Nephrotomy, with exploration                                                                                                                             | 80                        | 28 | 4  | 30,800,000 | 10,780,000 | 3,850,000 | 36,057,000  | 81,487,000  |  |  |           |  |         |            |              |            |       |
| 449            | 50065 | Nephrolithotomy: secondary surgical operation for calculus                                                                                               | 120                       | 42 | 6  | 46,200,000 | 16,170,000 | 3,850,000 | 67,747,000  | 133,967,000 |  |  |           |  |         |            |              |            |       |
| 450            | 50200 | Renal biopsy: percutaneous, by trocar or needle                                                                                                          | 20                        | 0  | 1  | 7,700,000  | 0          | 3,850,000 | 11,863,000  | 23,413,000  |  |  |           |  |         |            |              |            |       |
| 451            | 50205 | Renal biopsy: by surgical exposure of kidney                                                                                                             | 75                        | 27 | 1  | 28,875,000 | 10,395,000 | 3,850,000 | 10,947,000  | 54,067,000  |  |  |           |  |         |            |              |            |       |
| 452            | 50220 | Nephrectomy, including partial ureterectomy, any approach including rib resection                                                                        | 100                       | 35 | 6  | 38,500,000 | 13,475,000 | 3,850,000 | 65,977,000  | 121,802,000 |  |  |           |  |         |            |              |            |       |
| 453            | 50230 | Nephrectomy, including partial ureterectomy, any approach including rib resection: radical, with regional lymphadenectomy and/or vena caval thrombectomy | 140                       | 50 | 5  | 53,900,000 | 19,250,000 | 3,850,000 | 22,369,000  | 99,369,000  |  |  |           |  |         |            |              |            |       |
| 454            | 50234 | Nephrectomy, with total ureterectomy and bladder cuff                                                                                                    | 140                       | 50 | 5  | 53,900,000 | 19,250,000 | 3,850,000 | 68,430,000  | 145,430,000 |  |  |           |  |         |            |              |            |       |
| 455            | 50240 | Nephrectomy, partial                                                                                                                                     | 100                       | 35 | 6  | 38,500,000 | 13,475,000 | 3,850,000 | 68,304,000  | 124,129,000 |  |  |           |  |         |            |              |            |       |
| 456            | 50340 | Recipient nephrectomy (separate procedure), bilateral                                                                                                    | 100                       | 35 | 6  | 38,500,000 | 13,475,000 | 3,850,000 | 68,304,000  | 124,129,000 |  |  |           |  |         |            |              |            |       |
| 457            | 50393 | Introduction of ureteral catheter or stent into ureter through renal pelvis for drainage and/ or injection,                                              | 25                        | 0  | 1  | 9,625,000  | 0          | 3,850,000 | 10,980,000  | 24,455,000  |  |  |           |  |         |            |              |            |       |
| 458            | 50590 | Lithotripsy, extracorporeal shock wave                                                                                                                   | 65                        | 0  | 1  | 25,025,000 | 0          | 3,850,000 | 13,813,000  | 42,688,000  |  |  |           |  |         |            |              |            |       |
| 459            | 50610 | Ureterolithotomy                                                                                                                                         | 70                        | 25 | 6  | 26,950,000 | 9,625,000  | 3,850,000 | 52,153,000  | 92,578,000  |  |  |           |  |         |            |              |            |       |
| 460            | 50650 | Ureterectomy, with bladder cuff (separate procedure)                                                                                                     | 95                        | 34 | 6  | 36,575,000 | 13,090,000 | 3,850,000 | 69,123,000  | 122,638,000 |  |  |           |  |         |            |              |            |       |
| 461            | 50951 | Ureteral endoscopy through established ureteroscopy diagnostic or therapeutic                                                                            | 30                        | 0  | 1  | 11,550,000 | 0          | 3,850,000 | 14,157,000  | 29,557,000  |  |  |           |  |         |            |              |            |       |
| 462            | 51020 | Cystotomy or cystostomy: with fulguration and/ or insertion of radioactive material                                                                      | 25                        | 13 | 1  | 9,625,000  | 5,005,000  | 3,850,000 | 10,225,000  | 28,705,000  |  |  |           |  |         |            |              |            |       |
| 463            | 51045 | Cystotomy, with insertion of ureteral catheter or stent (separate procedure)                                                                             | 40                        | 16 | 1  | 15,400,000 | 6,160,000  | 3,850,000 | 12,486,000  | 37,896,000  |  |  |           |  |         |            |              |            |       |
| 464            | 51050 | Cystolithotomy, cystotomy with removal of calculus: without vesical neck dissection                                                                      | 40                        | 16 | 1  | 15,400,000 | 6,160,000  | 3,850,000 | 16,221,000  | 41,631,000  |  |  |           |  |         |            |              |            |       |
| 465            | 51060 | Transvesical ureterolithotomy                                                                                                                            | 45                        | 17 | 1  | 17,325,000 | 6,545,000  | 3,850,000 | 17,170,000  | 44,890,000  |  |  |           |  |         |            |              |            |       |
| 466            | 51530 | Cystotomy: for excision of bladder tumor                                                                                                                 | 75                        | 27 | 6  | 28,875,000 | 10,395,000 | 3,850,000 | 58,770,000  | 101,890,000 |  |  |           |  |         |            |              |            |       |
| 467            | 51575 | Cystectomy, complete: with bilateral pelvic lymphadenectomy, including external iliac, hypogastric and obturator                                         | 200                       | 70 | 12 | 77,000,000 | 26,950,000 | 3,850,000 | 154,626,000 | 262,426,000 |  |  |           |  |         |            |              |            |       |
| 468            | 51700 | Bladder irrigation, simple, lavage and/ or irrigation (separate procedure)                                                                               | 5                         | 0  | 1  | 1,925,000  | 0          | 3,850,000 | 4,689,000   | 10,464,000  |  |  |           |  |         |            |              |            |       |
| 469            | 51705 | Change of cystostomy tube (separate procedure)                                                                                                           | 10                        | 0  | 1  | 3,850,000  | 0          | 3,850,000 | 7,081,000   | 14,781,000  |  |  |           |  |         |            |              |            |       |
| 470            | 51785 | Electromyography studies (separate procedure)                                                                                                            | 10                        | 0  | 1  | 3,850,000  | 0          | 3,850,000 | 7,081,000   | 14,781,000  |  |  |           |  |         |            |              |            |       |
| 471            | 51792 | Stimulus evoked response (eg, measurement of bulbocavernous reflex latency time)                                                                         | 10                        | 0  | 1  | 3,850,000  | 0          | 3,850,000 | 7,081,000   | 14,781,000  |  |  |           |  |         |            |              |            |       |
| 472            | 51797 | Voiding pressure studies (V/P): intra-abdominal voiding pressure (A/P) (rectal, gastric, intra-peritoneal)                                               | 10                        | 0  | 1  | 3,850,000  | 0          | 3,850,000 | 5,443,000   | 13,143,000  |  |  |           |  |         |            |              |            |       |
| 473            | 51860 | Cystostaphy, suture of bladder wound, injury or rupture                                                                                                  | 70                        | 25 | 4  | 26,950,000 | 9,625,000  | 3,850,000 | 37,794,000  | 78,219,000  |  |  |           |  |         |            |              |            |       |
| 474            | 51900 | Closure of vesicovaginal fistula                                                                                                                         | 80                        | 26 | 6  | 30,800,000 | 10,010,000 | 3,850,000 | 57,657,000  | 102,317,000 |  |  |           |  |         |            |              |            |       |
| 475            | 52000 | Cystourethroscopy diagnostic or therapeutic                                                                                                              | 25                        | 12 | 1  | 9,625,000  | 4,620,000  | 3,850,000 | 12,618,000  | 30,713,000  |  |  |           |  |         |            |              |            |       |



| CODE                        | OPERATION                                                                                                                                                      | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 476 52204                   | Cystourethroscopy, with biopsy (separate procedure)                                                                                                            | 25  | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 13,011,000 | 31,106,000  |
| 477 52214                   | Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) of trigone, bladder neck, prostatic fossa, urethra, or perineurethral glands      | 25  | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 11,733,000 | 29,828,000  |
| 478 52277                   | Cystourethroscopy, with resection of external sphincter (sphincterotomy)                                                                                       | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 15,139,000 | 40,549,000  |
| 479 52290                   | Cystourethroscopy, with ureteral meatotomy, unilateral or bilateral (separate procedure)                                                                       | 30  | 0   | 1   | 11,550,000 | 0          | 3,850,000    | 11,569,000 | 26,969,000  |
| 480 52310                   | Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure)                                      | 30  | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 14,910,000 | 35,700,000  |
| 481 52317                   | Litholapaxy: crushing or fragmentation of calculus by any means in bladder and removal of fragments                                                            | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 16,713,000 | 46,743,000  |
| 482 52320                   | Cystourethroscopy (including ureteral catheterization): removal or fragmentation of ureteral calculus, with or without manipulation (separate procedure)       | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 26,769,000 | 52,179,000  |
| 483 52332                   | Cystourethroscopy, with insertion of indwelling ureteral stent (eg, Gibbons or double-J type) (separate procedure)                                             | 25  | 12  | 1   | 9,625,000  | 4,620,000  | 3,850,000    | 10,848,000 | 28,943,000  |
| 484 52334                   | Cystourethroscopy, with insertion of ureteral guide wire through kidney to establish a percutaneous nephrostomy, retrograde (separate procedure)               | 35  | 15  | 1   | 13,475,000 | 5,775,000  | 3,850,000    | 13,894,000 | 36,994,000  |
| 485 52450                   | Transurethral incision of prostate                                                                                                                             | 45  | 17  | 1   | 17,325,000 | 6,545,000  | 3,850,000    | 15,631,000 | 43,351,000  |
| 486 52500                   | Transurethral resection of bladder neck (separate procedure)                                                                                                   | 50  | 18  | 1   | 19,250,000 | 6,930,000  | 3,850,000    | 17,137,000 | 47,167,000  |
| 487 52510                   | Transurethral balloon dilation of the prostatic urethra, any method                                                                                            | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 13,501,000 | 38,911,000  |
| 488 52601                   | Transurethral resection of prostate including complete vasectomy, meatotomy, cystourethroscopy, urethral calibration and/or dilation, and internal urethrotomy | 100 | 33  | 6   | 38,500,000 | 12,705,000 | 3,850,000    | 68,827,000 | 123,882,000 |
| 489 52650                   | Transurethral cytosurgical removal of prostate (postoperative irrigations and aspiration of sloughing)                                                         | 70  | 23  | 1   | 26,950,000 | 8,855,000  | 3,850,000    | 20,152,000 | 59,807,000  |
| 490 52700                   | Transurethral drainage of prostatic abscess                                                                                                                    | 40  | 16  | 1   | 15,400,000 | 6,160,000  | 3,850,000    | 12,486,000 | 37,896,000  |
| 491 53200                   | Biopsy of urethra                                                                                                                                              | 15  | 12  | 1   | 5,775,000  | 4,620,000  | 3,850,000    | 9,472,000  | 23,717,000  |
| 492 53210                   | Urethrectomy, total, including cystostomy                                                                                                                      | 90  | 30  | 1   | 34,650,000 | 11,550,000 | 3,850,000    | 21,627,000 | 71,677,000  |
| 493 53670                   | Catheterization, urethra (sonde foley - foley cath)                                                                                                            | 5   | 0   | 1   | 1,925,000  | 0          | 0            | 4,821,000  | 6,746,000   |
| HEMIC AND LYMPHATIC SYSTEMS |                                                                                                                                                                |     |     |     |            |            |              |            |             |
| 494 38100                   | Splenectomy                                                                                                                                                    | 90  | 31  | 5   | 34,650,000 | 11,935,000 | 3,850,000    | 58,962,000 | 109,397,000 |
| 495 38500                   | Biopsy or excision of lymph node(s): superficial (separate procedure)                                                                                          | 20  | 12  | 1   | 7,700,000  | 4,620,000  | 3,850,000    | 11,208,000 | 27,378,000  |
| 496 38510                   | Biopsy or excision of lymph node(s): deep (cervical with or without excision of scalene fat pad, or axillary nodes) (separate procedure)                       | 30  | 14  | 1   | 11,550,000 | 5,390,000  | 3,850,000    | 12,748,000 | 33,538,000  |
| ENDOCRINE SYSTEM            |                                                                                                                                                                |     |     |     |            |            |              |            |             |
| 497 60220                   | Total thyroid lobectomy, unilateral (hemithyroidectomy)                                                                                                        | 90  | 30  | 3   | 34,650,000 | 11,550,000 | 3,850,000    | 34,708,000 | 84,758,000  |
| 498 60225                   | Total thyroid lobectomy, unilateral: with contralateral subtotal lobectomy, including isthmus                                                                  | 110 | 36  | 3   | 42,350,000 | 13,860,000 | 3,850,000    | 35,461,000 | 95,521,000  |
| 499 60240                   | Thyroidectomy, total or complete                                                                                                                               | 120 | 40  | 4   | 46,200,000 | 15,400,000 | 3,850,000    | 42,282,000 | 107,732,000 |
| 500 60500                   | Parathyroidectomy                                                                                                                                              | 105 | 35  | 4   | 40,425,000 | 13,475,000 | 3,850,000    | 39,202,000 | 96,952,000  |

ملحق رقم اثنين: أسعار الدرجة العامة (أسعار مقطوعة) في المستشفيات المتعاقدة مع الجيش والمصنفة (D) اعتباراً من 2024/04/01

| CODE            |       | OPERATION                                                                                                                                                                                              | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|-----------------|-------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| AUDITORY SYSTEM |       |                                                                                                                                                                                                        |     |     |     |            |            |              |             |             |
| 1               | 69200 | Removal foreign body from external auditory canal (separate procedure)                                                                                                                                 | 5   | 0   | 1   | 1,750,000  | 0          | 0            | 3,916,000   | 5,666,000   |
| 2               | 69420 | Myringotomy including aspiration and/or eustachian tube inflation (separate procedure)                                                                                                                 | 15  | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 6,742,000   | 15,492,000  |
| 3               | 69433 | Tympanostomy (requiring insertion of ventilating tube)                                                                                                                                                 | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,626,000   | 23,326,000  |
| 4               | 69501 | Mastoidectomy: simple                                                                                                                                                                                  | 75  | 25  | 2   | 26,250,000 | 8,750,000  | 3,500,000    | 22,303,000  | 60,803,000  |
| 5               | 69511 | Mastoidectomy: radical, any procedure                                                                                                                                                                  | 90  | 30  | 4   | 31,500,000 | 10,500,000 | 3,500,000    | 38,766,000  | 84,266,000  |
| 6               | 69620 | Myringoplasty, uncomplicated                                                                                                                                                                           | 60  | 20  | 2   | 21,000,000 | 7,000,000  | 3,500,000    | 18,508,000  | 50,008,000  |
| 7               | 69631 | Tympanoplasty without mastoidectomy (including canalplasty, atticotomy and/or middle ear surgery), initial or revision: any method                                                                     | 75  | 25  | 2   | 26,250,000 | 8,750,000  | 3,500,000    | 23,532,000  | 62,032,000  |
| 8               | 69635 | Tympanoplasty with antrotomy or mastoidectomy (including canalplasty, atticotomy, middle ear surgery, and/or tympanic membrane repair): with or without ossicular chain reconstruction, any ossicle(s) | 110 | 36  | 3   | 38,500,000 | 12,600,000 | 3,500,000    | 36,553,000  | 91,153,000  |
| 9               | 69660 | Stapedectomy or stapedotomy with reestablishment of ossicular continuity, with or without use of foreign material                                                                                      | 80  | 26  | 2   | 28,000,000 | 9,100,000  | 3,500,000    | 26,862,000  | 67,462,000  |
| 10              | 69801 | Labyrinthotomy, with or without cryosurgery or other nonexcisional destructive procedures or tack procedure: transcanal                                                                                | 50  | 18  | 2   | 17,500,000 | 6,300,000  | 3,500,000    | 19,054,000  | 46,354,000  |
| 11              | 69905 | Labyrinthectomy: transcanal                                                                                                                                                                            | 75  | 25  | 2   | 26,250,000 | 8,750,000  | 3,500,000    | 23,478,000  | 61,978,000  |
| CARDIO SYSTEM   |       |                                                                                                                                                                                                        |     |     |     |            |            |              |             |             |
| 12              | 33200 | Insertion of permanent pacemaker with epicardial electrode(s): open procedure                                                                                                                          | 75  | 33  | 1   | 26,250,000 | 11,550,000 | 3,500,000    | 30,930,000  | 72,230,000  |
| 13              | 33210 | Insertion or replacement of temporary transvenous single chamber cardiac electrode, or pacemaker catheter (separate procedure)                                                                         | 25  | 0   | 1   | 8,750,000  | 0          | 3,500,000    | 18,837,000  | 31,087,000  |
| 14              | 33245 | Implantation of automatic implantable cardioverter-defibrillator pads with or without sensing                                                                                                          | 85  | 0   | 1   | 29,750,000 | 0          | 3,500,000    | 21,129,000  | 54,379,000  |
| 15              | 33247 | Insertion or replacement of implantable cardioverter-defibrillator lead(s) by other than                                                                                                               | 65  | 0   | 1   | 22,750,000 | 0          | 3,500,000    | 14,140,000  | 40,390,000  |
| 16              | 33250 | Operative ablation of supraventricular arrhythmogenic focus or pathway (eg, Wolff-Parkinson-White, A-V node re-entry), tract(s), and or focus (foci)                                                   | 150 | 67  | 7   | 52,500,000 | 23,450,000 | 3,500,000    | 131,257,000 | 210,707,000 |
| 17              | 33411 | Replacement, aortic valve: with or without aortic annulus enlargement, noncoronary                                                                                                                     | 130 | 65  | 7   | 45,500,000 | 22,750,000 | 3,500,000    | 221,511,000 | 293,261,000 |
| 18              | 33416 | Resection or incision of subvalvular aortic stenosis                                                                                                                                                   | 175 | 87  | 5   | 61,250,000 | 30,450,000 | 3,500,000    | 152,578,000 | 247,778,000 |
| 19              | 33420 | Valvotomy, mitral valve (commissurotomy): closed                                                                                                                                                       | 145 | 72  | 7   | 50,750,000 | 25,200,000 | 3,500,000    | 64,099,000  | 143,549,000 |
| 20              | 33425 | Valvuloplasty, mitral valve, any method                                                                                                                                                                | 150 | 75  | 7   | 52,500,000 | 26,250,000 | 3,500,000    | 172,207,000 | 254,457,000 |
| 21              | 33430 | Replacement, mitral valve                                                                                                                                                                              | 125 | 65  | 7   | 43,750,000 | 22,750,000 | 3,500,000    | 236,635,000 | 306,635,000 |
| 22              | 33452 | Valvotomy, tricuspid valve                                                                                                                                                                             | 95  | 47  | 7   | 33,250,000 | 16,450,000 | 3,500,000    | 143,461,000 | 196,661,000 |
| 23              | 33460 | Valvuloplasty or valvectomy, tricuspid valve, with or without insertion of tricuspid ring                                                                                                              | 125 | 65  | 7   | 43,750,000 | 22,750,000 | 3,500,000    | 155,610,000 | 225,610,000 |
| 24              | 33468 | Tricuspid valve replacement or repositioning and plication for Ebstein anomaly                                                                                                                         | 130 | 65  | 7   | 45,500,000 | 22,750,000 | 3,500,000    | 154,162,000 | 225,912,000 |
| 25              | 33472 | Valvotomy, pulmonary valve (commissurotomy) closed or open                                                                                                                                             | 95  | 47  | 7   | 33,250,000 | 16,450,000 | 3,500,000    | 144,280,000 | 197,480,000 |

| CODE | OPERATION                                                  | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|------|------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 26   | 33478 Pulmonary artery patch for supraventricular stenosis | 140 | 70  | 6   | 49,000,000 | 24,500,000 | 3,500,000    | 143,379,000 | 220,379,000 |
| 27   | 33480 Double valve procedure                               | 250 | 125 | 6   | 87,500,000 | 43,750,000 | 3,500,000    | 217,881,000 | 352,631,000 |



| CODE     | OPERATION                                                                                                                                                         | K   | ARZ | los | Surgeon     | Anesthesia | Consultation | Hospital D  | Total       |
|----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|-------------|------------|--------------|-------------|-------------|
| 28 33641 | Repair atrial septal defect, secundum, with or without patch                                                                                                      | 100 | 50  | 7   | 35,000,000  | 17,500,000 | 3,500,000    | 137,700,000 | 193,700,000 |
| 29 33647 | Repair of atrial septal defect and ventricular septal defect, with direct or patch closure                                                                        | 200 | 100 | 6   | 70,000,000  | 35,000,000 | 3,500,000    | 137,700,000 | 246,200,000 |
| 30 33648 | Correction of cor triatriatum                                                                                                                                     | 190 | 95  | 6   | 66,500,000  | 33,250,000 | 3,500,000    | 152,388,000 | 255,638,000 |
| 31 33650 | Bicaval - bipulmonary bypass procedure                                                                                                                            | 270 | 135 | 6   | 94,500,000  | 47,250,000 | 3,500,000    | 136,963,000 | 282,213,000 |
| 32 33649 | Repair of tricuspid atresia                                                                                                                                       | 270 | 135 | 6   | 94,500,000  | 47,250,000 | 3,500,000    | 153,534,000 | 298,784,000 |
| 33 33670 | Repair of complete atrioventricular canal, with prosthetic valve                                                                                                  | 250 | 125 | 6   | 87,500,000  | 43,750,000 | 3,500,000    | 167,895,000 | 302,645,000 |
| 34 33684 | Closure of ventricular septal defect, with pulmonary valvotomy or infundibular resection, with or                                                                 | 200 | 100 | 6   | 70,000,000  | 35,000,000 | 3,500,000    | 164,073,000 | 272,573,000 |
| 35 33690 | Banding of pulmonary artery                                                                                                                                       | 100 | 50  | 6   | 35,000,000  | 17,500,000 | 3,500,000    | 146,299,000 | 202,299,000 |
| 36 33697 | Complete repair of tetralogy of Fallot: with or without closure of previous shunt                                                                                 | 250 | 125 | 6   | 87,500,000  | 43,750,000 | 3,500,000    | 177,996,000 | 312,746,000 |
| 37 33710 | Repair sinus of Valsalva fistula, with/ without repair of ventricular septal defect                                                                               | 150 | 75  | 6   | 52,500,000  | 26,250,000 | 3,500,000    | 151,378,000 | 233,628,000 |
| 38 33720 | Repair sinus of Valsalva aneurysm                                                                                                                                 | 90  | 45  | 6   | 31,500,000  | 15,750,000 | 3,500,000    | 136,171,000 | 186,921,000 |
| 39 33730 | Complete repair of total anomalous venous return                                                                                                                  | 200 | 100 | 6   | 70,000,000  | 35,000,000 | 3,500,000    | 164,073,000 | 272,573,000 |
| 40 33735 | Atrial septectomy or septostomy any method                                                                                                                        | 120 | 60  | 6   | 42,000,000  | 21,000,000 | 3,500,000    | 167,047,000 | 233,547,000 |
| 41 33750 | Shunt: systemic or vena cava to pulmonary artery, with or without graft                                                                                           | 120 | 60  | 6   | 42,000,000  | 21,000,000 | 3,500,000    | 151,378,000 | 217,878,000 |
| 42 33774 | Repair of transposition of the great arteries, any method                                                                                                         | 300 | 150 | 6   | 105,000,000 | 52,500,000 | 3,500,000    | 180,561,000 | 341,561,000 |
| 43 33784 | Total repair of double outlet ventricle                                                                                                                           | 350 | 175 | 6   | 122,500,000 | 61,250,000 | 3,500,000    | 174,201,000 | 361,451,000 |
| 44 33785 | Total repair of single ventricle (double inlet ventricle)                                                                                                         | 350 | 175 | 6   | 122,500,000 | 61,250,000 | 3,500,000    | 174,201,000 | 361,451,000 |
| 45 33786 | Total repair, truncus arteriosus (Rastelli type operation)                                                                                                        | 200 | 100 | 6   | 70,000,000  | 35,000,000 | 3,500,000    | 155,172,000 | 263,672,000 |
| 46 33788 | Reimplantation of anomalous pulmonary artery                                                                                                                      | 125 | 65  | 6   | 43,750,000  | 22,750,000 | 3,500,000    | 145,044,000 | 215,044,000 |
| 47 33800 | Aortic suspension (aortopexy) for tracheal decompression (eg, for tracheomalacia) (separate                                                                       | 100 | 50  | 5   | 35,000,000  | 17,500,000 | 3,500,000    | 132,705,000 | 188,705,000 |
| 48 33820 | Patent ductus arteriosus: ligation and/or division, any age                                                                                                       | 120 | 60  | 7   | 42,000,000  | 21,000,000 | 3,500,000    | 59,787,000  | 126,287,000 |
| 49 33840 | Incision or repair of coarctation of aorta, with or without associated patent ductus arteriosus, any type                                                         | 180 | 90  | 5   | 63,000,000  | 31,500,000 | 3,500,000    | 119,601,000 | 217,601,000 |
| 50 33870 | Transverse arch graft, with or without cardiopulmonary by-pass                                                                                                    | 210 | 105 | 5   | 73,500,000  | 36,750,000 | 3,500,000    | 107,043,000 | 220,793,000 |
| 51 33875 | Descending thoracic aorta graft, with or without cardiopulmonary by-pass                                                                                          | 175 | 90  | 5   | 61,250,000  | 31,500,000 | 3,500,000    | 121,975,000 | 218,225,000 |
| 52 33877 | Repair of thoracoabdominal aortic aneurysm with graft                                                                                                             | 230 | 115 | 5   | 80,500,000  | 40,250,000 | 3,500,000    | 112,174,000 | 236,424,000 |
| 53 33916 | Pulmonary embolectomy or endarterectomy with or without embolectomy                                                                                               | 125 | 65  | 6   | 43,750,000  | 22,750,000 | 3,500,000    | 126,453,000 | 196,453,000 |
| 54 34001 | Arterial embolectomy or thrombectomy, with or without catheter: carotid, subclavian, innominate, axillary, brachial, radial, or ulnar artery (separate procedure) | 85  | 34  | 2   | 29,750,000  | 11,900,000 | 3,500,000    | 22,932,000  | 68,082,000  |
| 55 34203 | Arterial embolectomy or thrombectomy, with or without catheter: popliteal-tibio-peroneal, femoropopliteal, or aortofemoral artery (separate procedure)            | 80  | 30  | 3   | 28,000,000  | 10,500,000 | 3,500,000    | 30,166,000  | 72,166,000  |
| 56 34451 | Venous thrombectomy, direct or with catheter: vena cava, iliac, or femoropopliteal vein, by abdominal and leg incision (separate procedure)                       | 90  | 35  | 3   | 31,500,000  | 12,250,000 | 3,500,000    | 29,101,000  | 76,351,000  |
| 57 34471 | Venous thrombectomy, direct or with catheter: axillary and subclavian vein, by neck or arm incision (separate procedure)                                          | 65  | 25  | 1   | 22,750,000  | 8,750,000  | 3,500,000    | 15,669,000  | 50,669,000  |
| 58 34501 | Valvuloplasty, femoral vein (separate procedure)                                                                                                                  | 120 | 40  | 3   | 42,000,000  | 14,000,000 | 3,500,000    | 31,668,000  | 91,168,000  |

| <i>CODE</i> |       | <i>OPERATION</i>                                                | <i>K</i> | <i>ARZ</i> | <i>los</i> | <i>Surgeon</i> | <i>Anesthesia</i> | <i>Consultation</i> | <i>Hospital D</i> | <i>Total</i> |
|-------------|-------|-----------------------------------------------------------------|----------|------------|------------|----------------|-------------------|---------------------|-------------------|--------------|
| 59          | 34510 | Venous valve transposition, any vein donor (separate procedure) | 120      | 40         | 3          | 42,000,000     | 14,000,000        | 3,500,000           | 31,668,000        | 91,168,000   |
| 60          | 34530 | Saphenopopliteal vein anastomosis (separate procedure)          | 120      | 40         | 3          | 42,000,000     | 14,000,000        | 3,500,000           | 31,668,000        | 91,168,000   |

| CODE | OPERATION                                                                                                                                                                                                                                     | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 61   | 35001 Direct repair of aneurysm, false aneurysm, or excision and graft insertion, with or without patch graft for aneurysm, ruptured aneurysm, or occlusive disease: carotid, subclavian, innominate, vertebral, or axillary- brachial artery | 130 | 50  | 5   | 45,500,000 | 17,500,000 | 3,500,000    | 94,948,000  | 161,448,000 |
| 62   | 35045 Direct repair of aneurysm, false aneurysm, or excision and graft insertion, with or without patch graft for aneurysm, false aneurysm, ruptured aneurysm or occlusive disease, radial or ulnar artery                                    | 75  | 30  | 1   | 26,250,000 | 10,500,000 | 3,500,000    | 17,335,000  | 57,585,000  |
| 63   | 35231 Repair blood vessel, with graft: neck, extremity, hand, finger                                                                                                                                                                          | 80  | 26  | 1   | 28,000,000 | 9,100,000  | 3,500,000    | 18,591,000  | 59,191,000  |
| 64   | 35241 Repair blood vessel, with graft: intrathoracic, with bypass                                                                                                                                                                             | 150 | 75  | 5   | 52,500,000 | 26,250,000 | 3,500,000    | 116,079,000 | 198,329,000 |
| 65   | 35246 Repair blood vessel, with graft: intrathoracic without bypass                                                                                                                                                                           | 125 | 55  | 5   | 43,750,000 | 19,250,000 | 3,500,000    | 70,542,000  | 137,042,000 |
| 66   | 35301 Thromboendarterectomy, with or without patch graft: carotid, vertebral, subclavian,                                                                                                                                                     | 125 | 50  | 5   | 43,750,000 | 17,500,000 | 3,500,000    | 75,757,000  | 140,507,000 |
| 67   | 35331 Thromboendarterectomy, with or without patch graft: abdominal aorta, and/or major branches, iliac -                                                                                                                                     | 175 | 70  | 5   | 61,250,000 | 24,500,000 | 3,500,000    | 102,319,000 | 191,569,000 |
| 68   | 35381 Thromboendarterectomy, with or without patch graft: axillary, brachial, common femoral, deep (profunda), femoral and/or popliteal, and/or tibioperoneal                                                                                 | 100 | 35  | 5   | 35,000,000 | 12,250,000 | 3,500,000    | 83,509,000  | 134,259,000 |
| 69   | 35526 Bypass graft, with vein or prosthesis: carotid, subclavian, vertebral, axillary,                                                                                                                                                        | 125 | 44  | 5   | 43,750,000 | 15,400,000 | 3,500,000    | 81,354,000  | 144,004,000 |
| 70   | 35531 Bypass graft, with vein or prosthesis: aorto-splenic, renal, iliac, celiac, or mesenteric                                                                                                                                               | 165 | 66  | 5   | 57,750,000 | 23,100,000 | 3,500,000    | 91,782,000  | 176,132,000 |
| 71   | 36010 Introduction of catheter, superior or inferior vena cava (separate procedure)                                                                                                                                                           | 15  | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 7,125,000   | 15,875,000  |
| 72   | 36215 Selective catheter placement, arterial system: any site (separate procedure)                                                                                                                                                            | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,345,000  | 31,345,000  |
| 73   | 36260 Insertion of implantable intra-arterial infusion pump (eg, for chemotherapy of liver) (separate procedure)                                                                                                                              | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 13,513,000  | 45,013,000  |
| 74   | 36420 Placement of peripheral venous catheter by cutdown (outside O.R.) (separate                                                                                                                                                             | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 5,841,000   | 12,841,000  |
| 75   | 36488 Placement of central venous catheter (subclavian, jugular, or other vein): percutaneous or cutdown separate procedure)                                                                                                                  | 15  | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 7,125,000   | 15,875,000  |
| 76   | 36510 Catheterization of umbilical vein (separate procedure)                                                                                                                                                                                  | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 5,841,000   | 12,841,000  |
| 77   | 36530 Percutaneous insertion or revision of implantable intravenous infusion pump chamber or Broviac catheter (separate procedure)                                                                                                            | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,345,000  | 31,345,000  |
| 78   | 36821 Arterio-venous anastomosis, direct, any site                                                                                                                                                                                            | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 13,513,000  | 45,013,000  |
| 79   | 36825 Creation of arteriovenous fistula: any graft                                                                                                                                                                                            | 70  | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 16,051,000  | 52,101,000  |
| 80   | 37205 Transcatheter placement of an intravascular stent, (non coronary vessel), percutaneous or open: initial                                                                                                                                 | 55  | 20  | 1   | 19,250,000 | 7,000,000  | 3,500,000    | 12,256,000  | 42,006,000  |
| 81   | 93548 Combined left heart catheterization, selective coronary angiography, one or more coronary arteries, selective left ventricular angiography, with aortic root aortography                                                                | 50  | 0   | 1   | 17,500,000 | 0          | 3,500,000    | 12,858,000  | 33,858,000  |
| 82   | 93549 Combined right and left heart catheterization, selective coronary angiography, one or more coronary arteries, and selective ventricular angiography                                                                                     | 60  | 0   | 1   | 21,000,000 | 0          | 3,500,000    | 13,650,000  | 38,150,000  |
| 83   | 92982 Percutaneous transluminal angioplasty: single vessel                                                                                                                                                                                    | 85  | 0   | 2   | 29,750,000 | 0          | 3,500,000    | 26,781,000  | 60,031,000  |
| 84   | 33510 Coronary artery bypass, single coronary graft, vein or artery, (includes obtaining graft)                                                                                                                                               | 170 | 85  | 5   | 59,500,000 | 29,750,000 | 3,500,000    | 159,909,000 | 252,659,000 |
| 85   | 33511 Coronary artery bypass, double coronary graft, vein or artery, (includes obtaining grafts), with or without endarterectomy                                                                                                              | 190 | 95  | 5   | 66,500,000 | 33,250,000 | 3,500,000    | 161,178,000 | 264,428,000 |
| 86   | 33512 Coronary artery bypass, triple coronary graft, vein or artery, (includes obtaining grafts), with or without                                                                                                                             | 200 | 100 | 5   | 70,000,000 | 35,000,000 | 3,500,000    | 162,912,000 | 271,412,000 |



| CODE | OPERATION                                                                                                                                                                                    | DIGESTIVE SYSTEM |     |     |            |            |              |             | Total       |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------|-----|-----|------------|------------|--------------|-------------|-------------|
|      |                                                                                                                                                                                              | K                | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D  |             |
| 87   | 42505 Plastic repair of salivary duct, sialodochoplasty: secondary or complicated                                                                                                            | 40               | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 8,653,000   | 31,753,000  |
| 88   | 42821 Tonsillectomy and adenoidectomy, including treatment of postoperative complications: any age                                                                                           | 35               | 16  | 1   | 12,250,000 | 5,600,000  | 3,500,000    | 11,356,000  | 32,706,000  |
| 89   | 42830 Adenoidectomy (separate procedure): primary or secondary                                                                                                                               | 20               | 13  | 1   | 7,000,000  | 4,550,000  | 3,500,000    | 9,855,000   | 24,905,000  |
| 90   | 43200 Esophagoscopy, rigid or flexible fiberoptic: diagnostic (separate procedure)                                                                                                           | 15               | 0   | 0   | 5,250,000  | 0          | 0            | 1,036,000   | 6,286,000   |
| 91   | 43205 Esophagoscopy, rigid or flexible fiberoptic: therapeutic                                                                                                                               | 30               | 15  | 0   | 10,500,000 | 5,250,000  | 0            | 7,888,000   | 23,638,000  |
| 92   | 43260 Endoscopic retrograde cholangiopancreatography (ERCP) diagnostic (separate procedure)                                                                                                  | 40               | 17  | 1   | 14,000,000 | 5,950,000  | 3,500,000    | 8,817,000   | 32,267,000  |
| 93   | 43300 Esophagoplasty (plastic repair or reconstruction), cervical approach: without repair of tracheoesophageal fistula                                                                      | 60               | 20  | 5   | 21,000,000 | 7,000,000  | 3,500,000    | 37,537,000  | 69,037,000  |
| 94   | 43305 Esophagoplasty (plastic repair or reconstruction), cervical approach: with repair of tracheoesophageal fistula                                                                         | 100              | 40  | 7   | 35,000,000 | 14,000,000 | 3,500,000    | 54,327,000  | 106,827,000 |
| 95   | 43340 Esophagojejunostomy (without total gastrectomy)                                                                                                                                        | 100              | 34  | 5   | 35,000,000 | 11,900,000 | 3,500,000    | 45,262,000  | 95,662,000  |
| 96   | 43450 Dilation of esophagus, by unguided sound or bougie, single or multiple passes (separate procedure)                                                                                     | 15               | 0   | 1   | 5,250,000  | 0          | 0            | 7,971,000   | 13,221,000  |
| 97   | 43500 Gastrotomy: with exploration or removal of foreign body                                                                                                                                | 70               | 24  | 5   | 24,500,000 | 8,400,000  | 3,500,000    | 41,413,000  | 77,813,000  |
| 98   | 43620 Gastrectomy, total: with repair by intestinal transplant, without lymphadenectomy                                                                                                      | 160              | 56  | 8   | 56,000,000 | 19,600,000 | 3,500,000    | 100,900,000 | 180,000,000 |
| 99   | 43761 Repositioning of the gastric feeding tube through the duodenum for enteric nutrition (separate procedure)                                                                              | 15               | 0   | 1   | 5,250,000  | 0          | 0            | 7,125,000   | 12,375,000  |
| 100  | 43825 Gastrojejunostomy with vagotomy, any type                                                                                                                                              | 115              | 40  | 7   | 40,250,000 | 14,000,000 | 3,500,000    | 57,603,000  | 115,353,000 |
| 101  | 43830 Gastrotomy                                                                                                                                                                             | 70               | 24  | 1   | 24,500,000 | 8,400,000  | 3,500,000    | 15,042,000  | 51,442,000  |
| 102  | 43860 Revision of gastrojejunostomy with reconstruction, with or without vagotomy                                                                                                            | 120              | 42  | 5   | 42,000,000 | 14,700,000 | 3,500,000    | 52,497,000  | 112,697,000 |
| 103  | 44020 Enterotomy, small bowel other than duodenum: for exploration, biopsy, or foreign body removal (separate procedure)                                                                     | 75               | 27  | 4   | 26,250,000 | 9,450,000  | 3,500,000    | 38,793,000  | 77,993,000  |
| 104  | 44120 Enterectomy: with anastomosis                                                                                                                                                          | 95               | 34  | 6   | 33,250,000 | 11,900,000 | 3,500,000    | 53,262,000  | 101,912,000 |
| 105  | 44146 Colectomy, partial: with coloproctostomy (low pelvic anastomosis), with or without colostomy                                                                                           | 130              | 46  | 5   | 45,500,000 | 16,100,000 | 3,500,000    | 56,511,000  | 121,611,000 |
| 106  | 44150 Colectomy, total, abdominal, without proctectomy: with continent ileostomy or                                                                                                          | 135              | 44  | 6   | 47,250,000 | 15,400,000 | 3,500,000    | 59,787,000  | 125,937,000 |
| 107  | 44153 Colectomy, total or subtotal, with proctectomy: with rectal mucosectomy, ileoanal or coloanal anastomosis, creation of reservoir (S or J), with or without loop ileostomy or colostomy | 180              | 63  | 10  | 63,000,000 | 22,050,000 | 3,500,000    | 88,915,000  | 177,465,000 |
| 108  | 44345 Reconstruction of colostomy (separate procedure)                                                                                                                                       | 70               | 25  | 5   | 24,500,000 | 8,750,000  | 3,500,000    | 43,980,000  | 80,730,000  |
| 109  | 44388 Fiberoptic colonoscopy through colostomy: diagnostic or therapeutic (separate procedure)                                                                                               | 15               | 0   | 1   | 5,250,000  | 0          | 0            | 6,196,000   | 11,446,000  |
| 110  | 44625 Closure of enterostomy, large or small intestine: with or without resection and anastomosis                                                                                            | 80               | 28  | 5   | 28,000,000 | 9,800,000  | 3,500,000    | 46,354,000  | 87,654,000  |
| 111  | 44950 Appendectomy, any method (non-incidental procedure)                                                                                                                                    | 60               | 21  | 3   | 21,000,000 | 7,350,000  | 3,500,000    | 26,481,000  | 58,331,000  |
| 112  | 45000 Transrectal drainage of pelvic abscess (separate procedure)                                                                                                                            | 25               | 14  | 1   | 8,750,000  | 4,900,000  | 3,500,000    | 9,063,000   | 26,213,000  |
| 113  | 45020 Incision and drainage of deep supralevator, pelvic, or retrorectal abscess                                                                                                             | 25               | 14  | 1   | 8,750,000  | 4,900,000  | 3,500,000    | 9,063,000   | 26,213,000  |
| 114  | 45110 Proctectomy: complete, combined abdominoperineal, with colostomy, one or two stages                                                                                                    | 150              | 53  | 7   | 52,500,000 | 18,550,000 | 3,500,000    | 68,194,000  | 142,744,000 |
| 115  | 45505 Proctoplasty: for prolapse of mucous membrane or stenosis                                                                                                                              | 50               | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 12,529,000  | 39,829,000  |

| CODE | OPERATION                                                                                                                                                                                     | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital ID | Total       |
|------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 116  | 45905 Dilaton of anal or rectal sphincter (separate procedure) under anesthesia                                                                                                               | 15  | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 7,342,000   | 20,292,000  |
| 117  | 46040 Incision and drainage of ischiorectal, perirectal or perianal abscess (separate procedure)                                                                                              | 35  | 16  | 1   | 12,250,000 | 5,600,000  | 3,500,000    | 9,063,000   | 30,413,000  |
| 118  | 46060 Incision and drainage of ischiorectal or intramural abscess, with fistulectomy, submuscular                                                                                             | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 11,437,000  | 34,537,000  |
| 119  | 46080 Sphincterotomy, anal (separate procedure)                                                                                                                                               | 30  | 15  | 1   | 10,500,000 | 5,250,000  | 3,500,000    | 8,244,000   | 27,494,000  |
| 120  | 46200 Fissurectomy, with or without sphincterotomy                                                                                                                                            | 35  | 16  | 1   | 12,250,000 | 5,600,000  | 3,500,000    | 10,237,000  | 31,587,000  |
| 121  | 46262 Hemorrhoidectomy, internal and external: with fistulectomy and/or fissurectomy                                                                                                          | 50  | 18  | 2   | 17,500,000 | 6,300,000  | 3,500,000    | 19,383,000  | 46,683,000  |
| 122  | 46270 Surgical treatment of anal fistula: fistulotomy / fistulectomy (separate procedure)                                                                                                     | 45  | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 12,994,000  | 38,194,000  |
| 123  | 46750 Sphincteroplasty, anal, for incontinence or prolapse                                                                                                                                    | 65  | 22  | 3   | 22,750,000 | 7,700,000  | 3,500,000    | 25,662,000  | 59,612,000  |
| 124  | 46760 Sphincteroplasty, anal, for incontinence: muscle transplant                                                                                                                             | 150 | 50  | 10  | 52,500,000 | 17,500,000 | 3,500,000    | 77,040,000  | 150,540,000 |
| 125  | 46937 Cryosurgery of rectal tumor: benign (separate procedure)                                                                                                                                | 20  | 13  | 1   | 7,000,000  | 4,550,000  | 3,500,000    | 9,964,000   | 25,014,000  |
| 126  | 46938 Cryosurgery of rectal tumor: malignant (separate procedure)                                                                                                                             | 30  | 15  | 1   | 10,500,000 | 5,250,000  | 3,500,000    | 9,336,000   | 28,586,000  |
| 127  | 46940 Curettage or cauterization of anal fissure, including dilation of anal sphincter (separate procedure)                                                                                   | 20  | 13  | 1   | 7,000,000  | 4,550,000  | 3,500,000    | 7,971,000   | 23,021,000  |
| 128  | 46945 Ligation of internal hemorrhoids (separate procedure)                                                                                                                                   | 20  | 13  | 1   | 7,000,000  | 4,550,000  | 3,500,000    | 8,434,000   | 23,484,000  |
| 129  | 47000 Biopsy of liver, percutaneous needle (separate procedure)                                                                                                                               | 15  | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 9,663,000   | 18,413,000  |
| 130  | 47010 Hepatotomy for drainage of abscess or cyst, one or two stages                                                                                                                           | 65  | 23  | 5   | 22,750,000 | 8,050,000  | 3,500,000    | 42,069,000  | 76,369,000  |
| 131  | 47130 Hepatectomy: total right lobectomy                                                                                                                                                      | 200 | 80  | 6   | 70,000,000 | 28,000,000 | 3,500,000    | 63,363,000  | 164,863,000 |
| 132  | 47425 Cholecystectomy or choledochostomy with exploration, drainage, or removal of calculus, with or without cholecystotomy: with or without transduodenal sphincterotomy or sphincteroplasty | 110 | 39  | 7   | 38,500,000 | 13,650,000 | 3,500,000    | 73,437,000  | 129,087,000 |
| 133  | 47480 Cholecystotomy or cholecystostomy with exploration, drainage, or removal of calculus (separate procedure)                                                                               | 55  | 20  | 3   | 19,250,000 | 7,000,000  | 3,500,000    | 31,039,000  | 60,789,000  |
| 134  | 47600 Cholecystectomy: with or without cholangiography, any method                                                                                                                            | 80  | 28  | 3   | 28,000,000 | 9,800,000  | 3,500,000    | 29,620,000  | 70,920,000  |
| 135  | 47610 Cholecystectomy: with exploration of common duct                                                                                                                                        | 110 | 39  | 7   | 38,500,000 | 13,650,000 | 3,500,000    | 63,936,000  | 119,586,000 |
| 136  | 48100 Biopsy of pancreas (separate procedure)                                                                                                                                                 | 70  | 25  | 3   | 24,500,000 | 8,750,000  | 3,500,000    | 29,046,000  | 65,796,000  |
| 137  | 48145 Pancreatectomy, distal subtotal, with or without splenectomy: with or without pancreaticojejunostomy                                                                                    | 130 | 46  | 7   | 45,500,000 | 16,100,000 | 3,500,000    | 71,826,000  | 136,926,000 |
| 138  | 48180 Pancreaticejejunostomy, side-to-side anastomosis (Puestow type operation)                                                                                                               | 120 | 42  | 7   | 42,000,000 | 14,700,000 | 3,500,000    | 74,119,000  | 134,319,000 |
| 139  | 49000 Exploratory laparotomy, exploratory celiotomy, with or without biopsy (separate procedure)                                                                                              | 80  | 28  | 5   | 28,000,000 | 9,800,000  | 3,500,000    | 42,478,000  | 83,778,000  |
| 140  | 49002 Reopening of recent laparotomy (separate procedure)                                                                                                                                     | 70  | 25  | 4   | 24,500,000 | 8,750,000  | 3,500,000    | 32,158,000  | 68,908,000  |
| 141  | 49020 Drainage of peritoneal abscess or localized peritonitis, transabdominal (separate                                                                                                       | 70  | 25  | 7   | 24,500,000 | 8,750,000  | 3,500,000    | 61,506,000  | 98,256,000  |
| 142  | 49180 Biopsy, abdominal or retroperitoneal mass, percutaneous needle                                                                                                                          | 15  | 0   | 1   | 5,250,000  | 0          | 0            | 9,009,000   | 14,259,000  |
| 143  | 49496 Repair initial inguinal hernia, under age 5 years, with or without hydrocelectomy                                                                                                       | 55  | 20  | 1   | 19,250,000 | 7,000,000  | 3,500,000    | 12,694,000  | 42,444,000  |
| 144  | 49507 Repair inguinal hernia, age 5 years or over, initial, recurrent, or sliding, with or without prosthesis, with or without hydrocelectomy                                                 | 70  | 24  | 1   | 24,500,000 | 8,400,000  | 3,500,000    | 15,205,000  | 51,605,000  |
| 145  | 49550 Repair femoral, umbilical, or lumbar hernia, any age, initial                                                                                                                           | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 12,967,000  | 42,017,000  |
| 146  | 49553 Repair femoral, umbilical, or lumbar hernia, any age, recurrent, with or without                                                                                                        | 70  | 24  | 1   | 24,500,000 | 8,400,000  | 3,500,000    | 16,024,000  | 52,424,000  |
| 147  | 49560 Repair incisional (abdominal) hernia, reducible, with or without prosthesis: initial separate procedure)                                                                                | 70  | 24  | 1   | 24,500,000 | 8,400,000  | 3,500,000    | 18,372,000  | 54,772,000  |

| CODE |       | OPERATION                                                                                                                                     |  | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------|--|----|-----|-----|------------|------------|--------------|------------|------------|
| 148  | 45378 | Colonoscopy, fiberoptic, beyond splenic flexure: diagnostic                                                                                   |  | 40 | 16  | 1   | 14,000,000 | 5,600,000  | 0            | 6,415,000  | 26,015,000 |
| 149  | 43235 | Upper gastrointestinal endoscopy (esophagus, stomach, and either the duodenum and/or jejunum as appropriate): diagnostic (separate procedure) |  | 25 | 0   | 1   | 8,750,000  | 0          | 0            | 5,431,000  | 14,181,000 |



| CODE                  | OPERATION                                                                                                                                                                                            | K   | ARE | LOS | Surgeon    | Anesthesia | Consultation | Hospital D  | Total       |
|-----------------------|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| FEMALE GENITAL SYSTEM |                                                                                                                                                                                                      |     |     |     |            |            |              |             |             |
| 150                   | 56605 Biopsy of vulva or perineum (separate procedure)                                                                                                                                               | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 6,933,000   | 13,933,000  |
| 151                   | 57000 Colpotomy: with exploration or drainage of pelvic abscess                                                                                                                                      | 20  | 12  | 3   | 7,000,000  | 4,200,000  | 3,500,000    | 17,116,000  | 31,816,000  |
| 152                   | 57110 Vaginectomy, complete removal of vagina                                                                                                                                                        | 45  | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 18,864,000  | 44,064,000  |
| 153                   | 57135 Excision of vaginal cyst or tumor                                                                                                                                                              | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 9,363,000   | 24,063,000  |
| 154                   | 57200 Colporrhaphy: suture of injury of vagina (non obstetrical)                                                                                                                                     | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 10,564,000  | 29,464,000  |
| 155                   | 57240 Anterior colporrhaphy, repair of cystocele with or without repair of urethrocele (separate procedure)                                                                                          | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,974,000  | 34,074,000  |
| 156                   | 57250 Posterior colporrhaphy, repair of rectocele with or without perineorrhaphy (separate procedure)                                                                                                | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 9,718,000   | 30,718,000  |
| 157                   | 57265 Combined anteroposterior colporrhaphy: with or without enterocele repair (separate procedure)                                                                                                  | 55  | 19  | 1   | 19,250,000 | 6,650,000  | 3,500,000    | 16,926,000  | 46,326,000  |
| 158                   | 57280 Colpexy, abdominal approach                                                                                                                                                                    | 55  | 19  | 1   | 19,250,000 | 6,650,000  | 3,500,000    | 14,250,000  | 43,650,000  |
| 159                   | 57282 Sacrospinous ligament fixation for prolapse of vagina following hysterectomy (separate procedure)                                                                                              | 55  | 19  | 1   | 19,250,000 | 6,650,000  | 3,500,000    | 14,250,000  | 43,650,000  |
| 160                   | 57310 Closure of urethrovaginal fistula: any method                                                                                                                                                  | 50  | 18  | 2   | 17,500,000 | 6,300,000  | 3,500,000    | 17,608,000  | 44,908,000  |
| 161                   | 57452 Colposcopy (vaginocopy): (separate procedure)                                                                                                                                                  | 10  | 0   | 1   | 3,500,000  | 0          | 0            | 6,552,000   | 10,052,000  |
| 162                   | 57454 Colposcopy: with biopsies, or biopsy of the cervix (separate procedure)                                                                                                                        | 10  | 0   | 1   | 3,500,000  | 0          | 0            | 7,861,000   | 11,361,000  |
| 163                   | 57460 Colposcopy: with loop electrosurgical excision(s) of the cervix (LEEP) (separate procedure)                                                                                                    | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 9,363,000   | 24,063,000  |
| 164                   | 57500 Cervix, biopsy, single or multiple, or local excision of lesion, with or without fulguration (separate procedure)                                                                              | 10  | 0   | 1   | 3,500,000  | 0          | 0            | 7,234,000   | 10,734,000  |
| 165                   | 57505 Endocervical curettage (not done as part of a dilation and curettage) (separate procedure)                                                                                                     | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 7,452,000   | 14,452,000  |
| 166                   | 57510 Cauterization of cervix: electro, thermal, cryo, or laser ablation (separate procedure)                                                                                                        | 15  | 0   | 1   | 5,250,000  | 0          | 0            | 7,179,000   | 12,429,000  |
| 167                   | 57700 Cerclage of uterine cervix, non obstetrical                                                                                                                                                    | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 10,318,000  | 27,118,000  |
| 168                   | 58150 Total abdominal hysterectomy (corpus and cervix), with or without removal of tube(s), with or without removal of ovary(ies)                                                                    | 90  | 30  | 6   | 31,500,000 | 10,500,000 | 3,500,000    | 54,190,000  | 99,690,000  |
| 169                   | 58200 Total abdominal hysterectomy, including partial vaginectomy, with para-aortic and pelvic lymph node sampling, with or without removal of tube(s), with or without removal of ovary(ies)        | 130 | 43  | 6   | 45,500,000 | 15,050,000 | 3,500,000    | 82,336,000  | 146,386,000 |
| 170                   | 58240 Pelvic exenteration for gynecologic malignancy (total abdominal hysterectomy, removal of bladder, ureteral transplantations and/or abdominopelvic resection of rectum and colon and colostomy) | 210 | 73  | 10  | 73,500,000 | 25,550,000 | 3,500,000    | 103,357,000 | 205,907,000 |
| 171                   | 58267 Vaginal hysterectomy: with colpo-urethrocytostomy (Marshall-Marchetti-Krantz or Ptereyra type, with/without endoscopic control)                                                                | 100 | 33  | 6   | 35,000,000 | 11,550,000 | 3,500,000    | 52,906,000  | 102,956,000 |
| 172                   | 58275 Vaginal hysterectomy, with total or partial colpocomy                                                                                                                                          | 110 | 36  | 6   | 38,500,000 | 12,600,000 | 3,500,000    | 55,473,000  | 110,073,000 |
| 173                   | 58520 Hysterorrhaphy, repair or ruptured uterus (non obstetrical)                                                                                                                                    | 55  | 19  | 4   | 19,250,000 | 6,650,000  | 3,500,000    | 34,752,000  | 64,152,000  |
| 174                   | 58700 Salpingectomy, complete or partial, unilateral or bilateral (separate procedure)                                                                                                               | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 12,967,000  | 36,067,000  |
| 175                   | 58800 Drainage of ovarian cyst(s), unilateral or bilateral: vaginal approach                                                                                                                         | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 10,647,000  | 27,447,000  |

| CODE                 | OPERATION                                                                                                                                                                   | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 176 58805            | Drainage of ovarian cyst(s), unilateral or bilateral: abdominal approach                                                                                                    | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 15,915,000 | 39,015,000  |
| 177 58900            | Biopsy of ovary, unilateral or bilateral                                                                                                                                    | 45  | 18  | 1   | 15,750,000 | 6,300,000  | 3,500,000    | 12,312,000 | 37,862,000  |
| 178 59300            | Episiotomy or vaginal repair only, by other than attending physician                                                                                                        | 15  | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 6,742,000  | 19,692,000  |
| 179 59320            | Cerclage of cervix, during pregnancy: vaginal                                                                                                                               | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,025,000  | 22,725,000  |
| 180 59325            | Cerclage of cervix, during pregnancy: abdominal                                                                                                                             | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 13,594,000 | 36,694,000  |
| 181 59100            | Hysterectomy, abdominal (eg, for removal of hydatiform mole, abortion)                                                                                                      | 60  | 20  | 4   | 21,000,000 | 7,000,000  | 3,500,000    | 34,888,000 | 66,388,000  |
| 182 59151            | Laparoscopic treatment of ectopic pregnancy: with or without salpingectomy and/or                                                                                           | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 19,191,000 | 50,691,000  |
| 183 59350            | Hysterorrhaphy of ruptured uterus                                                                                                                                           | 45  | 17  | 4   | 15,750,000 | 5,950,000  | 3,500,000    | 32,923,000 | 58,123,000  |
| 184 59410            | Vaginal delivery only (with or without episiotomy and/or forceps) including postpartum care                                                                                 | 60  | 0   | 1   | 21,000,000 | 0          | 3,500,000    | 12,421,000 | 36,921,000  |
| 185 59515            | Cesarean delivery including postpartum care, with or without hysterectomy                                                                                                   | 80  | 26  | 4   | 28,000,000 | 9,100,000  | 3,500,000    | 38,220,000 | 78,820,000  |
| 186 59840            | Induced abortion, by dilation and curettage                                                                                                                                 | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,736,000  | 23,436,000  |
| MALE GENITAL SYSTEM  |                                                                                                                                                                             |     |     |     |            |            |              |            |             |
| 187 54150            | Circumcision, using clamp or other device: newborn                                                                                                                          | 10  | 0   | 1   | 3,500,000  | 0          | 0            | 7,398,000  | 10,898,000  |
| 188 54161            | Circumcision, surgical excision other than clamp, device, or dorsal slit: except newborn                                                                                    | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 9,828,000  | 26,628,000  |
| 189 54322            | One stage distal hypospadias repair (with or without choiced or circumcision): with simple meatal advancement (eg, Magpi, V-flap) or with urethroplasty by local skin flaps | 80  | 26  | 1   | 28,000,000 | 9,100,000  | 3,500,000    | 15,396,000 | 55,996,000  |
| 190 54500            | Biopsy of testis: needle (separate procedure)                                                                                                                               | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 7,698,000  | 14,698,000  |
| 191 54520            | Orchiectomy: simple (including subcapsular), with or without testicular prosthesis, scrotal or                                                                              | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 12,612,000 | 35,712,000  |
| 192 54530            | Orchiectomy, radical, for tumor: any approach                                                                                                                               | 60  | 20  | 3   | 21,000,000 | 7,000,000  | 3,500,000    | 28,801,000 | 60,301,000  |
| 193 54640            | Orchiopexy, any type, with or without hernia repair                                                                                                                         | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 13,377,000 | 44,877,000  |
| 194 54700            | Incision and drainage of epididymis, testis, and/or scrotal space (eg, abscess or hematoma)                                                                                 | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 8,817,000  | 25,617,000  |
| 195 55040            | Excision of hydrocele: unilateral                                                                                                                                           | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 11,547,000 | 32,547,000  |
| 196 55700            | Biopsy, prostate: needle or punch, single or multiple, any approach                                                                                                         | 15  | 0   | 1   | 5,250,000  | 0          | 0            | 9,526,000  | 14,776,000  |
| 197 55705            | Biopsy, prostate: incisional, any approach                                                                                                                                  | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 11,056,000 | 29,956,000  |
| 198 55720            | Prostatectomy, external drainage of prostatic abscess, any approach                                                                                                         | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 12,256,000 | 35,356,000  |
| 199 55801            | Prostatectomy, perineal, subtotal (including control of postoperative bleeding, vasectomy, meatotomy, urethralcalibration and/or dilation, and internal urethrotomy)        | 90  | 30  | 6   | 31,500,000 | 10,500,000 | 3,500,000    | 57,793,000 | 103,293,000 |
| INTEGUMENTARY SYSTEM |                                                                                                                                                                             |     |     |     |            |            |              |            |             |
| 200 11770            | Excision of pilonidal cyst or sinus                                                                                                                                         | 40  | 15  | 1   | 14,000,000 | 5,250,000  | 3,500,000    | 12,585,000 | 35,335,000  |
| 201 19020            | Mastectomy with exploration and drainage of abscess, deep                                                                                                                   | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 7,534,000  | 22,234,000  |
| 202 19100            | Biopsy of breast: needle aspiration (separate procedure)                                                                                                                    | 10  | 0   | 1   | 3,500,000  | 0          | 0            | 8,517,000  | 12,017,000  |
| 203 19140            | Mastectomy for gynecomastia                                                                                                                                                 | 40  | 15  | 1   | 14,000,000 | 5,250,000  | 3,500,000    | 12,831,000 | 35,581,000  |
| 204 19160            | Mastectomy, partial, for excision of cyst or tumor                                                                                                                          | 40  | 15  | 1   | 14,000,000 | 5,250,000  | 3,500,000    | 14,469,000 | 37,219,000  |
| 205 19162            | Mastectomy, partial: with axillary lymphadenectomy                                                                                                                          | 100 | 33  | 1   | 35,000,000 | 11,550,000 | 3,500,000    | 30,520,000 | 80,570,000  |
| 206 19180            | Mastectomy, simple, complete                                                                                                                                                | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 18,399,000 | 49,899,000  |

| CODE      | OPERATION                                                             | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|-----------|-----------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 207 19200 | Mastectomy, radical, including pectoral muscles, axillary lymph nodes | 100 | 33  | 5   | 35,000,000 | 11,550,000 | 3,500,000    | 54,790,000 | 104,840,000 |



| CODE | OPERATION                                                                                                                                                                        | MUSCULOSKELETAL SYSTEM |     |     |            |            |              | Hospital D | Total       |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|------------------------|-----|-----|------------|------------|--------------|------------|-------------|
|      |                                                                                                                                                                                  | K                      | ARZ | los | Surgeon    | Anesthesia | Consultation |            |             |
| 208  | 20900 Bone graft, any donor area                                                                                                                                                 | 35                     | 14  | 1   | 12,250,000 | 4,900,000  | 3,500,000    | 12,285,000 | 32,935,000  |
| 209  | 20920 Fascia lata graft                                                                                                                                                          | 35                     | 14  | 1   | 12,250,000 | 4,900,000  | 3,500,000    | 10,510,000 | 31,160,000  |
| 210  | 21245 Reconstruction of mandible or maxilla, subperiosteal implant                                                                                                               | 75                     | 27  | 2   | 26,250,000 | 9,450,000  | 3,500,000    | 21,948,000 | 61,148,000  |
| 211  | 21315 Closed treatment, nasal bone or septum fracture: with or without stabilization                                                                                             | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 11,329,000 | 26,029,000  |
| 212  | 21338 Open treatment of nasoethmoid fracture: with or without external fixation                                                                                                  | 50                     | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 12,858,000 | 40,158,000  |
| 213  | 21445 Open treatment of mandibular or maxillary alveolar ridge fracture (separate procedure)                                                                                     | 35                     | 16  | 2   | 12,250,000 | 5,600,000  | 3,500,000    | 29,974,000 | 51,324,000  |
| 214  | 21462 Open treatment of closed or open mandibular fracture: with or without interdental fixation                                                                                 | 60                     | 21  | 2   | 21,000,000 | 7,350,000  | 3,500,000    | 22,440,000 | 54,290,000  |
| 215  | 21465 Open treatment of mandibular condylar fracture                                                                                                                             | 65                     | 22  | 2   | 22,750,000 | 7,700,000  | 3,500,000    | 23,722,000 | 57,672,000  |
| 216  | 21470 Open treatment of complicated mandibular fracture by multiple surgical approaches, including internal fixation, interdental fixation, and/or wiring of dentures or splints | 100                    | 35  | 3   | 35,000,000 | 12,250,000 | 3,500,000    | 31,912,000 | 82,662,000  |
| 217  | 21805 Open treatment of rib fracture: without fixation, each                                                                                                                     | 15                     | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 7,861,000  | 20,811,000  |
| 218  | 21810 Treatment of rib fracture: requiring external fixation ("flail chest")                                                                                                     | 35                     | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,401,000 | 31,401,000  |
| 219  | 22315 Closed treatment of vertebral body fracture and/or dislocation, with or without anesthesia, by manipulation or traction, each                                              | 50                     | 18  | 2   | 17,500,000 | 6,300,000  | 3,500,000    | 18,645,000 | 45,945,000  |
| 220  | 22505 Spine manipulation requiring anesthesia, any region                                                                                                                        | 15                     | 12  | 2   | 5,250,000  | 4,200,000  | 3,500,000    | 14,223,000 | 27,173,000  |
| 221  | 22554 Arthrodesis, anterior interbody technique: cervical below C2, with bone graft (separate procedure)                                                                         | 120                    | 40  | 8   | 42,000,000 | 14,000,000 | 3,500,000    | 72,699,000 | 132,199,000 |
| 222  | 22558 Arthrodesis, anterior interbody technique: lumbar, with bone graft (separate procedure)                                                                                    | 150                    | 50  | 8   | 52,500,000 | 17,500,000 | 3,500,000    | 88,423,000 | 161,923,000 |
| 223  | 22585 Arthrodesis, anterior or anterolateral, each additional interspace (list separately in addition to single level)                                                           | 40                     | 16  | 8   | 14,000,000 | 5,600,000  | 3,500,000    | 73,218,000 | 96,318,000  |
| 224  | 22610 Arthrodesis, posterior or posterolateral technique, with local bone or bone allograft and/or internal fixation: thoracic or lumbar (separate procedure)                    | 135                    | 45  | 8   | 47,250,000 | 15,750,000 | 3,500,000    | 71,061,000 | 137,561,000 |
| 225  | 23450 Capsulorrhaphy for recurrent dislocation of shoulder, anterior or posterior, any method, any type                                                                          | 85                     | 28  | 3   | 29,750,000 | 9,800,000  | 3,500,000    | 39,147,000 | 82,197,000  |
| 226  | 23505 Closed treatment of clavicular fracture: with manipulation                                                                                                                 | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,217,000  | 22,917,000  |
| 227  | 23515 Open treatment of clavicular fracture, with or without internal or external skeletal traction                                                                              | 50                     | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 13,513,000 | 40,813,000  |
| 228  | 23575 Closed treatment of scapular fracture: with manipulation, with or without skeletal traction (with or without shoulder joint involvement)                                   | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,407,000  | 23,107,000  |
| 229  | 23605 Closed treatment of proximal humeral (surgical or anatomical neck) fracture: with manipulation, with or without skeletal traction                                          | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 10,401,000 | 25,101,000  |
| 230  | 23660 Open treatment of acute shoulder dislocation                                                                                                                               | 40                     | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 43,734,000 | 66,834,000  |
| 231  | 23665 Closed treatment of shoulder dislocation, with fracture of greater tuberosity, with manipulation                                                                           | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,899,000  | 23,599,000  |
| 232  | 23700 Manipulation under anesthesia, shoulder joint, including application of fixation apparatus (dislocation)                                                                   | 20                     | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,899,000  | 23,599,000  |
| 233  | 24102 Arthrotoomy, elbow: for synovectomy                                                                                                                                        | 50                     | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 12,939,000 | 40,239,000  |
| 234  | 24505 Closed treatment of humeral shaft fracture: with manipulation, with or without skeletal traction                                                                           | 35                     | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 12,639,000 | 33,639,000  |
| 235  | 24516 Open treatment of humeral shaft fracture, with insertion of intramedullary implant, with or without cerclage and/or locking screws                                         | 75                     | 25  | 4   | 26,250,000 | 8,750,000  | 3,500,000    | 49,276,000 | 87,776,000  |

| CODE | OPERATION                                                                                                                                                          | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 236  | 24600 Treatment of closed elbow dislocation                                                                                                                        | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 12,639,000 | 33,639,000  |
| 237  | 24615 Open treatment of acute or chronic elbow dislocation                                                                                                         | 50  | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 12,939,000 | 40,239,000  |
| 238  | 24655 Closed treatment of radial head or neck fracture: with manipulation                                                                                          | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,264,000 | 31,264,000  |
| 239  | 24675 Closed treatment of ulnar fracture, proximal end (olecranon process): with manipulation                                                                      | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,264,000 | 31,264,000  |
| 240  | 25105 Arthrotoomy, wrist joint: for synovectomy                                                                                                                    | 45  | 15  | 1   | 15,750,000 | 5,250,000  | 3,500,000    | 13,267,000 | 37,767,000  |
| 241  | 25505 Closed treatment of radial shaft fracture: with manipulation                                                                                                 | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 10,264,000 | 29,164,000  |
| 242  | 25515 Open treatment of radial shaft fracture: with/without internal or external fixation                                                                          | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 24,160,000 | 55,660,000  |
| 243  | 25535 Closed treatment of ulnar shaft fracture: with manipulation                                                                                                  | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 10,618,000 | 27,418,000  |
| 244  | 25545 Open treatment of ulnar shaft fracture: with/without internal or external fixation                                                                           | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 56,428,000 | 87,928,000  |
| 245  | 25565 Closed treatment of radial and ulnar shaft fractures: with manipulation                                                                                      | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 10,537,000 | 31,537,000  |
| 246  | 25574 Open treatment of radial and ulnar shaft fractures, with internal or external fixation of radius or ulna                                                     | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 14,823,000 | 35,823,000  |
| 247  | 25575 Open treatment of radial and ulnar shaft fractures, with internal or external fixation: of radius and ulna                                                   | 70  | 23  | 3   | 24,500,000 | 8,050,000  | 3,500,000    | 34,096,000 | 70,146,000  |
| 248  | 25620 Open treatment of distal radial fracture, or epiphyseal separation, with or without fracture of ulnar styloid, with or without internal or external fixation | 60  | 20  | 3   | 21,000,000 | 7,000,000  | 3,500,000    | 26,617,000 | 58,117,000  |
| 249  | 25670 Open treatment of radiocarpal or intercarpal dislocation, one or more bones                                                                                  | 45  | 15  | 1   | 15,750,000 | 5,250,000  | 3,500,000    | 12,885,000 | 37,385,000  |
| 250  | 25675 Closed treatment of distal radioulnar dislocation with manipulation                                                                                          | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 8,653,000  | 25,453,000  |
| 251  | 25800 Arthrodesis, wrist joint (including radiocarpal and/or ulnocarpal fusion): without bone graft (separate procedure)                                           | 70  | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 14,359,000 | 50,409,000  |
| 252  | 26025 Drainage of palmar bursa                                                                                                                                     | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 9,882,000  | 28,782,000  |
| 253  | 26040 Fasciotomy, palmar, for Dupuytren's contracture: closed (subcutaneous)                                                                                       | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 11,902,000 | 32,902,000  |
| 254  | 26100 Arthrotoomy for synovial biopsy: carpometaacarpal or metacarpophalangeal or                                                                                  | 25  | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,772,000  | 26,222,000  |
| 255  | 26499 Correction claw finger, other methods                                                                                                                        | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 13,677,000 | 45,177,000  |
| 256  | 26605 Closed treatment of metacarpal fracture, single: with manipulation, each bone                                                                                | 25  | 0   | 1   | 8,750,000  | 0          | 3,500,000    | 8,790,000  | 21,040,000  |
| 257  | 26615 Open treatment of metacarpal fracture, single, with or without internal or external fixation, each bone                                                      | 40  | 13  | 1   | 14,000,000 | 4,550,000  | 3,500,000    | 10,837,000 | 32,887,000  |
| 258  | 26735 Open treatment of phalangeal shaft fracture, proximal or middle phalanx, finger or thumb, with or without internal or external fixation, each                | 40  | 13  | 1   | 14,000,000 | 4,550,000  | 3,500,000    | 14,086,000 | 36,136,000  |
| 259  | 26785 Open treatment of interphalangeal joint dislocation, with or without internal or external fixation, single                                                   | 30  | 12  | 1   | 10,500,000 | 4,200,000  | 3,500,000    | 11,602,000 | 29,802,000  |
| 260  | 27125 Partial hip replacement, prosthesis (eg, femoral stem prosthesis, bipolar arthroplasty)                                                                      | 105 | 35  | 6   | 36,750,000 | 12,250,000 | 3,500,000    | 60,114,000 | 112,614,000 |
| 261  | 27130 Arthroplasty, acetabular and proximal femoral prosthetic replacement (total hip replacement), with or without autograft or allograft                         | 150 | 50  | 6   | 52,500,000 | 17,500,000 | 3,500,000    | 79,278,000 | 152,778,000 |
| 262  | 27235 Percutaneous skeletal fixation of femoral fracture, proximal end, neck, undisplaced, mildly displaced or impacted fracture                                   | 70  | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 18,099,000 | 54,149,000  |
| 263  | 27236 Open treatment of femoral fracture, proximal end, neck, internal fixation or prosthetic replacement (direct fracture exposure)                               | 95  | 32  | 6   | 33,250,000 | 11,200,000 | 3,500,000    | 83,755,000 | 131,705,000 |

| CODE |       | OPERATION                                                                                                                                                 | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|------|-------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|------------|------------|
| 264  | 27240 | Closed treatment of intertrochanteric, pertrochanteric, or subtrochanteric femoral fracture, with manipulation: with or without skin or skeletal traction | 50 | 16  | 3   | 17,500,000 | 5,600,000  | 3,500,000    | 22,740,000 | 49,340,000 |



| CODE      | OPERATION                                                                                                                                                         | K   | ARZ | LOS | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|-----------|-------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 265 27244 | Open treatment of intertrochanteric, pertrochanteric, or subtrochanteric femoral fracture: with plate/screw type implant, with or without cerclage                | 100 | 33  | 6   | 35,000,000 | 11,550,000 | 3,500,000    | 74,227,000 | 124,277,000 |
| 266 27245 | Open treatment of intertrochanteric, pertrochanteric or subtrochanteric femoral fracture: with intramedullary implant, with or without interlocking screws and/or | 100 | 33  | 1   | 35,000,000 | 11,550,000 | 3,500,000    | 27,490,000 | 77,540,000  |
| 267 27250 | Closed treatment of hip dislocation, traumatic                                                                                                                    | 30  | 12  | 3   | 10,500,000 | 4,200,000  | 3,500,000    | 20,229,000 | 38,429,000  |
| 268 27253 | Open treatment of hip dislocation, traumatic, without internal fixation                                                                                           | 70  | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 15,561,000 | 51,611,000  |
| 269 27332 | Arthrotomy, knee, for meniscectomy: medial OR lateral                                                                                                             | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 13,513,000 | 42,563,000  |
| 270 27333 | Arthrotomy, knee, for meniscectomy: medial AND lateral                                                                                                            | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 14,167,000 | 45,667,000  |
| 271 27335 | Arthrotomy, knee, for synovectomy: anterior AND/OR posterior including popliteal                                                                                  | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 13,513,000 | 42,563,000  |
| 272 27350 | Patellectomy or hemipatellectomy                                                                                                                                  | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 15,532,000 | 44,582,000  |
| 273 27372 | Removal of foreign body, deep, thigh region or knee area                                                                                                          | 35  | 12  | 1   | 12,250,000 | 4,200,000  | 3,500,000    | 10,455,000 | 30,405,000  |
| 274 27400 | Tendon or muscle transfer, hamstrings to femur (Eggers type procedure)                                                                                            | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 13,513,000 | 42,563,000  |
| 275 27403 | Arthrotomy with open meniscus repair                                                                                                                              | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 14,140,000 | 45,640,000  |
| 276 27405 | Repair, primary, torn ligament and/or capsule, knee: collateral or cruciate                                                                                       | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 12,885,000 | 41,935,000  |
| 277 27409 | Repair, primary, torn ligament and/or capsule, knee: collateral and cruciate                                                                                      | 95  | 31  | 1   | 33,250,000 | 10,850,000 | 3,500,000    | 27,436,000 | 75,036,000  |
| 278 27418 | Anterior tibial tubercle plasty for chondromalacia patellae (Mauguet procedure)                                                                                   | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 13,513,000 | 45,013,000  |
| 279 27424 | Reconstruction for recurrent dislocating patella: with patellectomy                                                                                               | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 21,538,000 | 50,588,000  |
| 280 27427 | Ligamentous reconstruction (augmentation), knee: extra-articular                                                                                                  | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 19,819,000 | 48,869,000  |
| 281 27428 | Ligamentous reconstruction (augmentation), knee: intra-articular (open)                                                                                           | 75  | 25  | 1   | 26,250,000 | 8,750,000  | 3,500,000    | 17,962,000 | 56,462,000  |
| 282 27435 | Capsulotomy, knee, posterior capsular release                                                                                                                     | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 17,362,000 | 46,412,000  |
| 283 27438 | Arthroplasty, patella: with prosthesis                                                                                                                            | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 19,000,000 | 50,500,000  |
| 284 27440 | Arthroplasty, knee, tibial plateau                                                                                                                                | 55  | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 14,277,000 | 43,327,000  |
| 285 27443 | Arthroplasty, knee, femoral condyles or tibial plateaus: with or without debridement and partial                                                                  | 60  | 20  | 3   | 21,000,000 | 7,000,000  | 3,500,000    | 34,206,000 | 65,706,000  |
| 286 27446 | Arthroplasty, knee condyle and plateau: medial OR lateral compartment                                                                                             | 95  | 31  | 6   | 33,250,000 | 10,850,000 | 3,500,000    | 77,094,000 | 124,694,000 |
| 287 27447 | Arthroplasty, knee condyle and plateau: medial AND lateral compartments with or without patella resurfacing ("total knee replacement")                            | 140 | 46  | 6   | 49,000,000 | 16,100,000 | 3,500,000    | 81,844,000 | 150,444,000 |
| 288 27448 | Osteotomy, femur, shaft or supracondylar: without fixation                                                                                                        | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 14,277,000 | 45,777,000  |
| 289 27450 | Osteotomy, femur, shaft or supracondylar: with fixation                                                                                                           | 105 | 35  | 1   | 36,750,000 | 12,250,000 | 3,500,000    | 21,265,000 | 73,765,000  |
| 290 27455 | Osteotomy, proximal tibia, including fibular excision or osteotomy (includes correction of genu varus or genu valgus): before or after epiphyseal closure         | 95  | 31  | 1   | 33,250,000 | 10,850,000 | 3,500,000    | 18,727,000 | 66,327,000  |
| 291 27466 | Revision of total knee arthroplasty, with or without allograft: one component                                                                                     | 120 | 40  | 6   | 42,000,000 | 14,000,000 | 3,500,000    | 70,078,000 | 129,578,000 |
| 292 27487 | Revision of total knee arthroplasty, with or without allograft: all components                                                                                    | 160 | 53  | 6   | 56,000,000 | 18,550,000 | 3,500,000    | 61,233,000 | 139,283,000 |
| 293 27488 | Removal of knee prosthesis, including "total knee", methyl methacrylate and insertion of spacer,                                                                  | 95  | 31  | 6   | 33,250,000 | 10,850,000 | 3,500,000    | 70,761,000 | 118,361,000 |
| 294 27502 | Closed treatment of femoral shaft fracture: with manipulation, with or without skin or                                                                            | 55  | 18  | 3   | 19,250,000 | 6,300,000  | 3,500,000    | 23,395,000 | 52,445,000  |

| CODE | OPERATION                                                                                                                                                                       | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 295  | 27503 Closed treatment of supracondylar or transcondylar femoral fracture with or without intercondylar extension: with manipulation, with or without skin or skeletal traction | 55  | 18  | 3   | 19,250,000 | 6,300,000  | 3,500,000    | 23,395,000 | 52,445,000  |
| 296  | 27510 Closed treatment of femoral fracture, distal end, medial or lateral condyle: with manipulation                                                                            | 55  | 18  | 3   | 19,250,000 | 6,300,000  | 3,500,000    | 23,395,000 | 52,445,000  |
| 297  | 27511 Open treatment of femoral supracondylar or transcondylar fracture without intercondylar extension, with internal fixation                                                 | 85  | 28  | 5   | 29,750,000 | 9,800,000  | 3,500,000    | 43,924,000 | 86,974,000  |
| 298  | 27514 Open treatment of femoral fracture, distal end, medial or lateral condyle, with or without internal or external fixation                                                  | 95  | 31  | 6   | 33,250,000 | 10,850,000 | 3,500,000    | 72,972,000 | 120,572,000 |
| 299  | 27517 Closed treatment of distal femoral epiphyseal separation: with manipulation, with or without skin or skeletal traction                                                    | 55  | 18  | 3   | 19,250,000 | 6,300,000  | 3,500,000    | 23,395,000 | 52,445,000  |
| 300  | 27519 Open treatment of distal femoral epiphyseal separation, with or without internal or external fixation                                                                     | 90  | 30  | 3   | 31,500,000 | 10,500,000 | 3,500,000    | 31,639,000 | 77,139,000  |
| 301  | 27532 Closed treatment of tibial fracture, proximal (plateau): with or without manipulation, with skeletal traction                                                             | 55  | 18  | 3   | 19,250,000 | 6,300,000  | 3,500,000    | 23,395,000 | 52,445,000  |
| 302  | 27550 Closed treatment of knee dislocation                                                                                                                                      | 35  | 12  | 3   | 12,250,000 | 4,200,000  | 3,500,000    | 20,856,000 | 40,806,000  |
| 303  | 27558 Open treatment of knee dislocation with or without internal or external fixation: with primary ligamentous repair, with or without augmentation/reconstruction            | 100 | 33  | 5   | 35,000,000 | 11,550,000 | 3,500,000    | 62,817,000 | 112,867,000 |
| 304  | 27560 Closed treatment of patellar dislocation                                                                                                                                  | 35  | 12  | 3   | 12,250,000 | 4,200,000  | 3,500,000    | 20,856,000 | 40,806,000  |
| 305  | 27566 Open treatment of patellar dislocation, with or without partial or total patellectomy                                                                                     | 60  | 20  | 5   | 21,000,000 | 7,000,000  | 3,500,000    | 57,111,000 | 88,611,000  |
| 306  | 27570 Manipulation of knee joint under general anesthesia (includes application of traction or other                                                                            | 15  | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 8,134,000  | 16,884,000  |
| 307  | 27625 Arthroscopy, ankle, for synovectomy                                                                                                                                       | 40  | 13  | 1   | 14,000,000 | 4,550,000  | 3,500,000    | 12,967,000 | 35,017,000  |
| 308  | 27626 Arthroscopy, ankle, for synovectomy: including tenosynovectomy                                                                                                            | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 15,478,000 | 46,978,000  |
| 309  | 27652 Repair, primary, open or percutaneous, ruptured Achilles tendon: with or without graft                                                                                    | 60  | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 16,680,000 | 48,180,000  |
| 310  | 27700 Arthroplasty, ankle                                                                                                                                                       | 75  | 25  | 1   | 26,250,000 | 8,750,000  | 3,500,000    | 16,816,000 | 55,316,000  |
| 311  | 27705 Osteotomy: tibia or tibia and fibula                                                                                                                                      | 80  | 26  | 1   | 28,000,000 | 9,100,000  | 3,500,000    | 20,692,000 | 61,292,000  |
| 312  | 27752 Closed treatment of tibial shaft fracture (with or without fibular fracture): with manipulation                                                                           | 40  | 13  | 4   | 14,000,000 | 4,550,000  | 3,500,000    | 28,582,000 | 50,632,000  |
| 313  | 27758 Open treatment of tibial shaft fracture (with or without fibular fracture), with plate/screws, with or without cerclage                                                   | 75  | 25  | 5   | 26,250,000 | 8,750,000  | 3,500,000    | 60,550,000 | 99,050,000  |
| 314  | 27781 Closed treatment of proximal or distal fibula or shaft fracture: with manipulation                                                                                        | 25  | 0   | 4   | 8,750,000  | 0          | 3,500,000    | 26,671,000 | 38,921,000  |
| 315  | 27784 Open treatment of proximal or distal fibula or shaft fracture, with or without internal or external fixation                                                              | 40  | 13  | 6   | 14,000,000 | 4,550,000  | 3,500,000    | 57,330,000 | 79,380,000  |
| 316  | 27830 Closed treatment of proximal tibiofibular joint dislocation                                                                                                               | 25  | 0   | 4   | 8,750,000  | 0          | 3,500,000    | 26,671,000 | 38,921,000  |
| 317  | 27842 Closed treatment of ankle dislocation, with percutaneous skeletal fixation                                                                                                | 40  | 13  | 4   | 14,000,000 | 4,550,000  | 3,500,000    | 28,582,000 | 50,632,000  |
| 318  | 27846 Open treatment of ankle dislocation, with or without percutaneous skeletal fixation: without repair or internal fixation                                                  | 60  | 20  | 6   | 21,000,000 | 7,000,000  | 3,500,000    | 47,529,000 | 79,029,000  |
| 319  | 27848 Open treatment of ankle dislocation, with or without percutaneous skeletal fixation: with repair or internal or external fixation                                         | 75  | 25  | 3   | 26,250,000 | 8,750,000  | 3,500,000    | 29,838,000 | 68,338,000  |
| 320  | 27860 Manipulation of ankle under general anesthesia (includes application of traction or other fixation apparatus)                                                             | 15  | 0   | 3   | 5,250,000  | 0          | 3,500,000    | 18,945,000 | 27,695,000  |
| 321  | 27870 Arthrodesis, ankle, any method (separate procedure)                                                                                                                       | 90  | 30  | 6   | 31,500,000 | 10,500,000 | 3,500,000    | 53,235,000 | 98,735,000  |

| CODE |       | OPERATION                                                                |  | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|------|-------|--------------------------------------------------------------------------|--|----|-----|-----|------------|------------|--------------|------------|------------|
| 322  | 27871 | Arthrodesis, tibiofibular joint, proximal or distal (separate procedure) |  | 60 | 20  | 6   | 21,000,000 | 7,000,000  | 3,500,000    | 59,868,000 | 91,368,000 |



| CODE | OPERATION                                                                                                                                                                                                                  | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|------------|------------|
| 323  | 28020 Arthroctomy, with exploration, drainage or removal of loose or foreign body: intertarsal or tarsometatarsal joint or metatarsophalangeal joint or interphalangeal joint                                              | 35 | 12  | 1   | 12,250,000 | 4,200,000  | 3,500,000    | 11,220,000 | 31,170,000 |
| 324  | 28054 Arthroctomy for synovial biopsy: interphalangeal joint or metatarsophalangeal or intertarsal or                                                                                                                      | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,936,000  | 26,386,000 |
| 325  | 28070 Synovectomy, intertarsal, tarsometatarsal or metatarsophalangeal joint, each                                                                                                                                         | 35 | 12  | 1   | 12,250,000 | 4,200,000  | 3,500,000    | 11,220,000 | 31,170,000 |
| 326  | 28086 Synovectomy, tendon sheath, foot: flexor or extensor                                                                                                                                                                 | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,936,000  | 26,386,000 |
| 327  | 28140 Metatarsectomy                                                                                                                                                                                                       | 50 | 16  | 1   | 17,500,000 | 5,600,000  | 3,500,000    | 13,021,000 | 39,621,000 |
| 328  | 28160 Hemiphalangectomy or interphalangeal joint excision, toe, single, each                                                                                                                                               | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,964,000  | 26,414,000 |
| 329  | 28192 Removal of foreign body, foot: deep                                                                                                                                                                                  | 35 | 12  | 1   | 12,250,000 | 4,200,000  | 3,500,000    | 10,755,000 | 30,705,000 |
| 330  | 28260 Capsulotomy, midfoot: medial release only with or without tendon lengthening (separate                                                                                                                               | 50 | 16  | 1   | 17,500,000 | 5,600,000  | 3,500,000    | 11,766,000 | 38,366,000 |
| 331  | 28288 Osteotomy, partial, exostectomy or condylectomy, single, metatarsal head, first through fifth, each metatarsal head                                                                                                  | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 11,329,000 | 27,779,000 |
| 332  | 28296 Hallux valgus (bunion) correction: with or without metatarsal osteotomy or tendon transfer                                                                                                                           | 55 | 18  | 1   | 19,250,000 | 6,300,000  | 3,500,000    | 29,374,000 | 58,424,000 |
| 333  | 28406 Closed treatment or percutaneous skeletal fixation of calcaneal fracture: with manipulation                                                                                                                          | 35 | 12  | 1   | 12,250,000 | 4,200,000  | 3,500,000    | 10,264,000 | 30,214,000 |
| 334  | 28420 Open treatment of closed or open calcaneal fracture, with or without internal or external skeletal fixation: with primary autogenous bone graft (includes obtaining graft)                                           | 85 | 28  | 1   | 29,750,000 | 9,800,000  | 3,500,000    | 18,591,000 | 61,641,000 |
| 335  | 28436 Closed treatment or percutaneous skeletal fixation of talus fracture: with manipulation                                                                                                                              | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,855,000  | 26,305,000 |
| 336  | 28445 Open treatment of talus fracture, with or without internal or external fixation                                                                                                                                      | 70 | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 14,713,000 | 50,763,000 |
| 337  | 28476 Closed treatment or percutaneous skeletal fixation of metatarsal fracture: with manipulation                                                                                                                         | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,336,000  | 25,786,000 |
| 338  | 28546 Percutaneous skeletal fixation of tarsal bone dislocation other than talotarsal, with manipulation                                                                                                                   | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,336,000  | 25,786,000 |
| 339  | 28555 Open treatment of tarsal bone dislocation, with or without internal or external fixation                                                                                                                             | 40 | 13  | 1   | 14,000,000 | 4,550,000  | 3,500,000    | 11,739,000 | 33,789,000 |
| 340  | 28600 Closed treatment of tarsometatarsal joint dislocation                                                                                                                                                                | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,336,000  | 25,786,000 |
| 341  | 28636 Closed treatment or percutaneous skeletal fixation of metatarsophalangeal joint dislocation, with                                                                                                                    | 25 | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,336,000  | 25,786,000 |
| 342  | 28760 Arthrodesis, great toe, interphalangeal joint, with extensor hallucis longus transfer to first metatarsal neck (Jones type procedure) (separate procedure)                                                           | 50 | 16  | 6   | 17,500,000 | 5,600,000  | 3,500,000    | 47,529,000 | 74,129,000 |
| 343  | 28800 Amputation, foot: midtarsal or transmetatarsal                                                                                                                                                                       | 50 | 16  | 5   | 17,500,000 | 5,600,000  | 3,500,000    | 38,737,000 | 65,337,000 |
| 344  | 28810 Amputation, metatarsal, with toe, single                                                                                                                                                                             | 40 | 13  | 5   | 14,000,000 | 4,550,000  | 3,500,000    | 37,455,000 | 59,505,000 |
| 345  | 28820 Amputation, toe: metatarsophalangeal joint                                                                                                                                                                           | 25 | 12  | 5   | 8,750,000  | 4,200,000  | 3,500,000    | 35,571,000 | 52,021,000 |
| 346  | 29000 Application of halo type body cast                                                                                                                                                                                   | 20 | 0   | 1   | 7,000,000  | 0          | 3,500,000    | 8,434,000  | 18,934,000 |
| 347  | 29040 Application of body cast, shoulder to hips: including head and/or one or both thighs                                                                                                                                 | 20 | 0   | 1   | 7,000,000  | 0          | 3,500,000    | 8,434,000  | 18,934,000 |
| 348  | 29305 Application of hip spica cast: one leg                                                                                                                                                                               | 15 | 0   | 1   | 5,250,000  | 0          | 0            | 7,098,000  | 12,348,000 |
| 349  | 29325 Application of hip spica cast: one and one half spica or both legs                                                                                                                                                   | 20 | 0   | 1   | 7,000,000  | 0          | 3,500,000    | 8,434,000  | 18,934,000 |
| 350  | 29355 Application of long leg cast (thigh to toes): walking or ambulatory type                                                                                                                                             | 10 | 0   | 1   | 3,500,000  | 0          | 0            | 6,469,000  | 9,969,000  |
| 351  | 29800 Arthroscopy, diagnostic: any joint, with or without biopsy, limited debridement, partial synovectomy, removal of loose or foreign body, lysis and resection of adhesions or lavage and drainage (separate procedure) | 40 | 13  | 1   | 14,000,000 | 4,550,000  | 3,500,000    | 15,532,000 | 37,582,000 |

| CODE                  | OPERATION                                                                                                                                                                                                 | NERVOUS SYSTEM |     |     |            |            |              | Hospital D  | Total       |
|-----------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|-----|-----|------------|------------|--------------|-------------|-------------|
|                       |                                                                                                                                                                                                           | K              | ARE | los | Surgeon    | Anesthesia | Consultation |             |             |
| 352                   | 61500 Craniectomy: with excision of tumor or other bone lesion of skull                                                                                                                                   | 130            | 52  | 8   | 45,500,000 | 18,200,000 | 3,500,000    | 163,417,000 | 230,617,000 |
| 353                   | 61543 Craniotomy, trephination, bone flap craniectomy: for partial or subtotal hemispherectomy                                                                                                            | 145            | 58  | 8   | 50,750,000 | 20,300,000 | 3,500,000    | 131,586,000 | 200,136,000 |
| 354                   | 61548 Hypophysectomy or excision of pituitary tumor, transnasal or transsphenoidal approach, non-stereotactic                                                                                             | 160            | 64  | 8   | 56,000,000 | 22,400,000 | 3,500,000    | 115,041,000 | 196,941,000 |
| 355                   | 61550 Craniectomy for craniostomosis: single or multiple sutures, or frontal or partial bone flap, or                                                                                                     | 135            | 52  | 8   | 47,250,000 | 18,200,000 | 3,500,000    | 164,673,000 | 233,623,000 |
| 356                   | 62000 Elevation of depressed skull fracture: simple, extradural                                                                                                                                           | 80             | 28  | 8   | 28,000,000 | 9,800,000  | 3,500,000    | 156,346,000 | 197,646,000 |
| 357                   | 62194 Replacement or irrigation, subarachnoid/ subdural catheter                                                                                                                                          | 35             | 16  | 6   | 12,250,000 | 5,600,000  | 3,500,000    | 46,846,000  | 68,196,000  |
| 358                   | 62201 Ventriculocisternostomy, third ventricle: stereotactic method or any method                                                                                                                         | 90             | 32  | 10  | 31,500,000 | 11,200,000 | 3,500,000    | 84,630,000  | 130,830,000 |
| 359                   | 62230 Replacement or revision of CSF shunt, obstructed valve, or distal catheter in shunt system                                                                                                          | 70             | 25  | 4   | 24,500,000 | 8,750,000  | 3,500,000    | 52,087,000  | 88,837,000  |
| 360                   | 62258 Removal of complete CSF shunt system: with replacement by similar or other shunt at same operation                                                                                                  | 110            | 39  | 10  | 38,500,000 | 13,650,000 | 3,500,000    | 89,707,000  | 145,357,000 |
| 361                   | 62269 Biopsy of spinal cord, percutaneous needle                                                                                                                                                          | 30             | 0   | 1   | 10,500,000 | 0          | 3,500,000    | 12,885,000  | 26,885,000  |
| 362                   | 62270 Spinal puncture, diagnostic                                                                                                                                                                         | 10             | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 5,431,000   | 12,431,000  |
| 363                   | 63001 Laminectomy with exploration and/or decompression of spinal cord and/or cauda equina, without facetectomy, foraminotomy or diskectomy, one or two vertebral segments: cervical, thoracic, lumbar or | 110            | 39  | 5   | 38,500,000 | 13,650,000 | 3,500,000    | 73,272,000  | 128,922,000 |
| 364                   | 63046 Laminectomy, facetectomy and foraminotomy (unilateral or bilateral) with decompression of spinal cord, cauda equina and/ or nerve root(s), single vertebral segment: thoracic or lumbar             | 110            | 39  | 5   | 38,500,000 | 13,650,000 | 3,500,000    | 73,272,000  | 128,922,000 |
| 365                   | 63075 Diskectomy, anterior, with decompression of spinal cord and/ or nerve root(s), including osteophylectomy: cervical or thoracic, single                                                              | 135            | 48  | 5   | 47,250,000 | 16,800,000 | 3,500,000    | 77,722,000  | 145,272,000 |
| 366                   | 63650 Percutaneous implantation of neurostimulator electrodes: epidural                                                                                                                                   | 45             | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 10,974,000  | 36,174,000  |
| 367                   | 64722 Decompression of nerve                                                                                                                                                                              | 35             | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 9,909,000   | 30,909,000  |
| 368                   | 63744 Replacement, irrigation or revision of lumbosubarachnoid shunt                                                                                                                                      | 50             | 19  | 4   | 17,500,000 | 6,650,000  | 3,500,000    | 52,197,000  | 79,847,000  |
| 369                   | 64856 Suture of major peripheral nerve, arm or leg: including transposition                                                                                                                               | 95             | 32  | 2   | 33,250,000 | 11,200,000 | 3,500,000    | 22,630,000  | 70,580,000  |
| 370                   | 64861 Suture of brachial or lumbar plexus                                                                                                                                                                 | 135            | 45  | 3   | 47,250,000 | 15,750,000 | 3,500,000    | 33,988,000  | 100,488,000 |
| EYE AND OCULAR ADNEXA |                                                                                                                                                                                                           |                |     |     |            |            |              |             |             |
| 371                   | 65280 Repair of laceration: cornea and/ or sclera, perforating, not involving uveal tissue                                                                                                                | 50             | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 13,485,000  | 40,785,000  |
| 372                   | 65400 Keratectomy: lamellar, partial (except pterygium)                                                                                                                                                   | 40             | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 11,847,000  | 34,947,000  |
| 373                   | 65450 Destruction of lesion of cornea by cryotherapy, photocoagulation or thermo-cauterization                                                                                                            | 20             | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 6,769,000   | 21,469,000  |
| 374                   | 65710 Keratoplasty: lamellar                                                                                                                                                                              | 80             | 26  | 1   | 28,000,000 | 9,100,000  | 3,500,000    | 17,416,000  | 58,016,000  |
| 375                   | 65771 Radial keratotomy                                                                                                                                                                                   | 85             | 28  | 1   | 29,750,000 | 9,800,000  | 3,500,000    | 16,624,000  | 59,674,000  |
| 376                   | 65855 Trabeculoplasty by laser surgery, one or more sessions (defined treatment series)                                                                                                                   | 40             | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,291,000  | 33,391,000  |
| 377                   | 65860 Severing adhesions of anterior segment, laser technique (separate procedure)                                                                                                                        | 30             | 15  | 1   | 10,500,000 | 5,250,000  | 3,500,000    | 7,752,000   | 27,002,000  |
| 378                   | 66220 Repair of scleral staphyloma: without graft                                                                                                                                                         | 50             | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 12,475,000  | 39,775,000  |
| 379                   | 66225 Repair of scleral staphyloma: with graft                                                                                                                                                            | 75             | 25  | 1   | 26,250,000 | 8,750,000  | 3,500,000    | 15,424,000  | 53,924,000  |
| 380                   | 66625 Iridectomy, with corneoscleral or corneal section: peripheral or sector, for glaucoma                                                                                                               | 45             | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 11,220,000  | 36,420,000  |

| CODE |       | OPERATION                                                                         | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|------|-------|-----------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|------------|------------|
| 381  | 66635 | Iridectomy, with corneoscleral or corneal section: "optical" (separate procedure) | 45 | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 11,220,000 | 36,420,000 |



| CODE                      | OPERATION                                                                                                                                                                        | K  | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total      |
|---------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----|-----|-----|------------|------------|--------------|------------|------------|
| 382                       | 66680 Repair of iris, ciliary body (as for iridodialysis)                                                                                                                        | 45 | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 11,220,000 | 36,420,000 |
| 383                       | 66700 Ciliary body destruction: diathermy, cyclophotocoagulation, cryotherapy or cycloablation                                                                                   | 35 | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 8,680,000  | 29,680,000 |
| 384                       | 66761 Iridotomy/iridectomy by laser surgery (eg, for glaucoma)                                                                                                                   | 25 | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 4,476,000  | 21,276,000 |
| 385                       | 66762 Iridoplasty by photocoagulation (eg, for improvement of vision, for widening of anterior chamber angle)                                                                    | 30 | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 5,760,000  | 24,660,000 |
| 386                       | 66984 Extra- or intracapsular cataract removal with insertion of intraocular lens prosthesis (one stage procedure), manual or mechanical technique                               | 90 | 32  | 1   | 31,500,000 | 11,200,000 | 3,500,000    | 22,357,000 | 68,557,000 |
| 387                       | 66985 Insertion of intraocular lens prosthesis (secondary implant), not associated with concurrent cataract removal, with or without anterior vitrectomy                         | 70 | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 18,645,000 | 54,695,000 |
| 388                       | 67005 Removal of vitreous, anterior approach (open sky technique or limbal incision): partial, or subtotal removal with mechanical vitrectomy                                    | 45 | 18  | 1   | 15,750,000 | 6,300,000  | 3,500,000    | 12,256,000 | 37,806,000 |
| 389                       | 67028 Intravitreal injection of pharmacologic agent (separate procedure)                                                                                                         | 20 | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 5,841,000  | 20,541,000 |
| 390                       | 67311 Strabismus surgery: any technique, any number of muscles                                                                                                                   | 60 | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 17,662,000 | 49,162,000 |
| 391                       | 67515 Injection of therapeutic agent into Tenon's capsule                                                                                                                        | 10 | 0   | 1   | 3,500,000  | 0          | 0            | 6,469,000  | 9,969,000  |
| 392                       | 67700 Blepharotomy, drainage of abscess, eyelid                                                                                                                                  | 10 | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 5,923,000  | 12,923,000 |
| 393                       | 67710 Severing of tarsorrhaphy                                                                                                                                                   | 10 | 12  | 1   | 3,500,000  | 4,200,000  | 3,500,000    | 5,487,000  | 16,687,000 |
| 394                       | 67914 Repair of ectropion: suture or thermocauterization                                                                                                                         | 25 | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 9,718,000  | 26,518,000 |
| 395                       | 68110 Excision of lesion, conjunctiva                                                                                                                                            | 15 | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 9,090,000  | 17,840,000 |
| 396                       | 68130 Excision of lesion, conjunctiva: with adjacent sclera                                                                                                                      | 35 | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 12,558,000 | 33,558,000 |
| 397                       | 68200 Subconjunctival injection                                                                                                                                                  | 5  | 0   | 1   | 1,750,000  | 0          | 3,500,000    | 5,841,000  | 11,091,000 |
| 398                       | 68326 Conjunctivoplasty, with or without reconstruction cul-de-sac: with conjunctival graft, extensive rearrangement, or buccal mucous membrane graft (includes obtaining graft) | 50 | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 13,104,000 | 40,404,000 |
| 399                       | 68340 Repair of symblepharon: division of symblepharon with or without insertion of conformer or                                                                                 | 30 | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 9,309,000  | 28,209,000 |
| 400                       | 68360 Conjunctival flap: bridge or partial                                                                                                                                       | 30 | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 9,309,000  | 28,209,000 |
| 401                       | 68362 Conjunctival flap: total (eg, Gunderson thin flap or purse string flap)                                                                                                    | 50 | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 11,847,000 | 39,147,000 |
| <b>RESPIRATORY SYSTEM</b> |                                                                                                                                                                                  |    |     |     |            |            |              |            |            |
| 402                       | 30140 Submucous resection turbinate, complete or partial                                                                                                                         | 30 | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 10,647,000 | 29,547,000 |
| 403                       | 30520 Submucous resection of nasal septum                                                                                                                                        | 40 | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,537,000 | 33,637,000 |
| 404                       | 30540 Repair choanal atresia: intranasal                                                                                                                                         | 60 | 20  | 1   | 21,000,000 | 7,000,000  | 3,500,000    | 14,796,000 | 46,296,000 |
| 405                       | 30801 Cauterization and/or ablation, mucosa of turbinates (separate procedure)                                                                                                   | 15 | 0   | 1   | 5,250,000  | 0          | 3,500,000    | 7,834,000  | 16,584,000 |
| 406                       | 30901 Control nasal hemorrhage, any method (separate procedure)                                                                                                                  | 15 | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 11,193,000 | 24,143,000 |
| 407                       | 30920 Ligation arteries: ethmoidal or internal maxillary artery, transantral                                                                                                     | 55 | 19  | 1   | 19,250,000 | 6,650,000  | 3,500,000    | 15,588,000 | 44,988,000 |
| 408                       | 31020 Sinusotomy, maxillary (antrotomy): intranasal                                                                                                                              | 20 | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 8,707,000  | 23,407,000 |
| 409                       | 31030 Sinusotomy maxillary (antrotomy): radical (aldwell-Jac), with or without removal of antrochoanal polyps                                                                    | 40 | 16  | 2   | 14,000,000 | 5,600,000  | 3,500,000    | 18,973,000 | 42,073,000 |
| 410                       | 31040 Pterygomaxillary fossa surgery, any approach                                                                                                                               | 60 | 20  | 2   | 21,000,000 | 7,000,000  | 3,500,000    | 19,627,000 | 51,127,000 |
| 411                       | 31070 Sinusotomy, sphenoid, frontal or intranasal                                                                                                                                | 40 | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,837,000 | 33,937,000 |

| CODE | OPERATION                                                                                                                                              | K   | ARZ | los | Surgeon    | Anesthesia | Consultation | Hospital D | Total       |
|------|--------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|------------|-------------|
| 412  | 31075 Sinusotomy frontal: transorbital, unilateral (for mucocoele or osteoma, Lynch type)                                                              | 60  | 20  | 2   | 21,000,000 | 7,000,000  | 3,500,000    | 19,627,000 | 51,127,000  |
| 413  | 31080 Sinusotomy frontal: obliterative or nonobliterative                                                                                              | 85  | 28  | 2   | 29,750,000 | 9,800,000  | 3,500,000    | 25,962,000 | 69,012,000  |
| 414  | 31090 Sinusotomy combined, three or more sinuses                                                                                                       | 75  | 25  | 2   | 26,250,000 | 8,750,000  | 3,500,000    | 23,941,000 | 62,441,000  |
| 415  | 31200 Ethmoidectomy                                                                                                                                    | 50  | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 15,669,000 | 42,969,000  |
| 416  | 31300 Laryngotomy (thyrotomy, laryngofissure): with removal of tumor or laryngocoele,                                                                  | 70  | 28  | 3   | 24,500,000 | 9,800,000  | 3,500,000    | 29,757,000 | 67,557,000  |
| 417  | 31360 Laryngectomy: total or subtotal supraglottic, without radical neck dissection                                                                    | 105 | 42  | 10  | 36,750,000 | 14,700,000 | 3,500,000    | 70,161,000 | 125,111,000 |
| 418  | 31370 Partial laryngectomy (hemilaryngectomy)                                                                                                          | 100 | 40  | 10  | 35,000,000 | 14,000,000 | 3,500,000    | 68,904,000 | 121,404,000 |
| 419  | 31400 Arytenoidectomy or arytenoidopexy, external approach                                                                                             | 60  | 24  | 5   | 21,000,000 | 8,400,000  | 3,500,000    | 37,564,000 | 70,464,000  |
| 420  | 31420 Epiglottidectomy                                                                                                                                 | 60  | 24  | 1   | 21,000,000 | 8,400,000  | 3,500,000    | 15,178,000 | 48,078,000  |
| 421  | 31510 Laryngoscopy, direct or indirect, diagnostic with or without biopsy (separate procedure)                                                         | 15  | 12  | 1   | 5,250,000  | 4,200,000  | 0            | 8,517,000  | 17,967,000  |
| 422  | 31580 Laryngoplasty other than cricoid split                                                                                                           | 100 | 40  | 1   | 35,000,000 | 14,000,000 | 3,500,000    | 19,410,000 | 71,910,000  |
| 423  | 31600 Tracheostomy, (separate procedure)                                                                                                               | 30  | 15  | 5   | 10,500,000 | 5,250,000  | 3,500,000    | 36,936,000 | 56,186,000  |
| 424  | 31611 Construction of tracheoesophageal fistula and subsequent insertion of an alaryngeal speech prosthesis (eg, voice button, Blom-Singer prosthesis) | 30  | 15  | 1   | 10,500,000 | 5,250,000  | 3,500,000    | 10,564,000 | 29,814,000  |
| 425  | 31613 Tracheostoma revision (separate procedure)                                                                                                       | 35  | 17  | 1   | 12,250,000 | 5,950,000  | 3,500,000    | 11,847,000 | 33,547,000  |
| 426  | 31750 Tracheoplasty: cervical                                                                                                                          | 60  | 24  | 7   | 21,000,000 | 8,400,000  | 3,500,000    | 47,829,000 | 80,729,000  |
| 427  | 31760 Tracheoplasty: intrathoracic                                                                                                                     | 140 | 56  | 7   | 49,000,000 | 19,600,000 | 3,500,000    | 76,275,000 | 148,375,000 |
| 428  | 31820 Closure of tracheostomy or tracheal fistula: with or without plastic repair (separate procedure)                                                 | 30  | 15  | 4   | 10,500,000 | 5,250,000  | 3,500,000    | 38,410,000 | 57,660,000  |
| 429  | 32035 Thoracostomy: with rib resection for empyema                                                                                                     | 50  | 20  | 7   | 17,500,000 | 7,000,000  | 3,500,000    | 73,272,000 | 101,272,000 |
| 430  | 32100 Thoracotomy: with exploration and biopsy, control of hemorrhage or postoperative complications                                                   | 60  | 24  | 7   | 21,000,000 | 8,400,000  | 3,500,000    | 51,132,000 | 84,032,000  |
| 431  | 32310 Pleurectomy, parietal (separate procedure)                                                                                                       | 85  | 34  | 7   | 29,750,000 | 11,900,000 | 3,500,000    | 53,452,000 | 98,602,000  |
| 432  | 32400 Biopsy, pleura: percutaneous needle, one or more specimens                                                                                       | 15  | 0   | 1   | 5,250,000  | 0          | 0            | 9,036,000  | 14,286,000  |
| 433  | 32405 Biopsy, lung or mediastinum, percutaneous needle                                                                                                 | 15  | 0   | 1   | 5,250,000  | 0          | 0            | 9,036,000  | 14,286,000  |
| 434  | 32480 Lobectomy, total or segmental, with or without bronchoplasty or decortication                                                                    | 120 | 48  | 7   | 42,000,000 | 16,800,000 | 3,500,000    | 64,018,000 | 126,318,000 |
| 435  | 32601 Thoracoscopy, diagnostic, with or without biopsy (separate procedure)                                                                            | 50  | 20  | 7   | 17,500,000 | 7,000,000  | 3,500,000    | 49,876,000 | 77,876,000  |
| 436  | 32653 Thoracoscopy, surgical: with removal of intrapleural foreign body, fibrin or control of traumatic hemorrhage,                                    | 80  | 32  | 7   | 28,000,000 | 11,200,000 | 3,500,000    | 53,671,000 | 96,371,000  |
| 437  | 32655 Thoracoscopy, surgical: with excision-plication of bullae, including any pleural procedure, with or without parietal pleurectomy                 | 80  | 32  | 7   | 28,000,000 | 11,200,000 | 3,500,000    | 53,671,000 | 96,371,000  |
| 438  | 32663 Thoracoscopy, surgical with segmental or total lobectomy, or wedge resection(s) of lung                                                          | 100 | 40  | 7   | 35,000,000 | 14,000,000 | 3,500,000    | 56,209,000 | 108,709,000 |
| 439  | 32664 Thoracoscopy, surgical: with thoracic sympathectomy                                                                                              | 85  | 34  | 7   | 29,750,000 | 11,900,000 | 3,500,000    | 54,298,000 | 99,448,000  |
| 440  | 32900 Resection of ribs, extrapleural, all stages                                                                                                      | 60  | 24  | 3   | 21,000,000 | 8,400,000  | 3,500,000    | 23,968,000 | 56,868,000  |
| 441  | 32905 Thoracoplasty                                                                                                                                    | 150 | 60  | 1   | 52,500,000 | 21,000,000 | 3,500,000    | 29,074,000 | 106,074,000 |
| 442  | 32960 Pneumothorax, therapeutic                                                                                                                        | 15  | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 7,125,000  | 20,075,000  |

| CODE                      | OPERATION                                                                                                                                                 | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital ID | Total       |
|---------------------------|-----------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| MEDIASTINUM AND DIAPHRAGM |                                                                                                                                                           |     |     |     |            |            |              |             |             |
| 443                       | Excision of mediastinal cyst                                                                                                                              | 80  | 32  | 7   | 28,000,000 | 11,200,000 | 3,500,000    | 54,708,000  | 97,408,000  |
| 444                       | Excision of mediastinal tumor                                                                                                                             | 100 | 40  | 7   | 35,000,000 | 14,000,000 | 3,500,000    | 64,072,000  | 116,572,000 |
| 445                       | Mediastinoscopy, with or without biopsy                                                                                                                   | 30  | 15  | 1   | 10,500,000 | 5,250,000  | 3,500,000    | 14,986,000  | 34,256,000  |
| 446                       | Repair of diaphragmatic laceration, any approach                                                                                                          | 90  | 36  | 5   | 31,500,000 | 12,600,000 | 3,500,000    | 37,564,000  | 85,164,000  |
| 447                       | Drainage of perirenal or renal abscess (separate procedure)                                                                                               | 70  | 25  | 3   | 24,500,000 | 8,750,000  | 3,500,000    | 25,060,000  | 61,810,000  |
| URINARY SYSTEM            |                                                                                                                                                           |     |     |     |            |            |              |             |             |
| 448                       | Nephrotomy, with exploration                                                                                                                              | 80  | 28  | 4   | 28,000,000 | 9,800,000  | 3,500,000    | 32,322,000  | 73,622,000  |
| 449                       | Nephrolithotomy: secondary surgical operation for calculus                                                                                                | 120 | 42  | 6   | 42,000,000 | 14,700,000 | 3,500,000    | 59,868,000  | 120,068,000 |
| 450                       | Renal biopsy: percutaneous, by trocar or needle                                                                                                           | 20  | 0   | 1   | 7,000,000  | 0          | 3,500,000    | 10,455,000  | 20,955,000  |
| 451                       | Renal biopsy: by surgical exposure of kidney                                                                                                              | 75  | 27  | 1   | 26,250,000 | 9,450,000  | 3,500,000    | 9,691,000   | 48,891,000  |
| 452                       | Nephrectomy, including partial ureterectomy, any approach including rib resection                                                                         | 100 | 35  | 6   | 35,000,000 | 12,250,000 | 3,500,000    | 58,393,000  | 109,143,000 |
| 453                       | Nephrectomy, including partial ureterectomy, any approach including rib resection: radical, with regional lymphadenectomy and/ or vena caval thrombectomy | 140 | 50  | 5   | 49,000,000 | 17,500,000 | 3,500,000    | 61,288,000  | 131,288,000 |
| 454                       | Nephrectomy, with total ureterectomy and bladder cuff                                                                                                     | 140 | 50  | 5   | 49,000,000 | 17,500,000 | 3,500,000    | 59,868,000  | 129,868,000 |
| 455                       | Nephrectomy, partial                                                                                                                                      | 100 | 35  | 6   | 35,000,000 | 12,250,000 | 3,500,000    | 60,333,000  | 111,083,000 |
| 456                       | Recipient nephrectomy (separate procedure), bilateral                                                                                                     | 100 | 35  | 6   | 35,000,000 | 12,250,000 | 3,500,000    | 60,333,000  | 111,083,000 |
| 457                       | Introduction of ureteral catheter or stent into ureter through renal pelvis for drainage and/ or                                                          | 25  | 0   | 1   | 8,750,000  | 0          | 3,500,000    | 9,718,000   | 21,968,000  |
| 458                       | Lithotripsy, extracorporeal shock wave                                                                                                                    | 65  | 0   | 1   | 22,750,000 | 0          | 3,500,000    | 12,079,000  | 38,329,000  |
| 459                       | Ureterolithotomy                                                                                                                                          | 70  | 25  | 6   | 24,500,000 | 8,750,000  | 3,500,000    | 46,873,000  | 83,623,000  |
| 460                       | Ureterectomy, with bladder cuff (separate procedure)                                                                                                      | 95  | 34  | 6   | 33,250,000 | 11,900,000 | 3,500,000    | 61,015,000  | 109,665,000 |
| 461                       | Ureteral endoscopy through established ureterostomy diagnostic or therapeutic                                                                             | 30  | 0   | 1   | 10,500,000 | 0          | 3,500,000    | 12,366,000  | 26,366,000  |
| 462                       | Cystotomy or cystostomy: with fulguration and/ or insertion of radioactive material                                                                       | 25  | 13  | 1   | 8,750,000  | 4,550,000  | 3,500,000    | 9,090,000   | 25,890,000  |
| 463                       | Cystotomy, with insertion of ureteral catheter or stent (separate procedure)                                                                              | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,974,000  | 34,074,000  |
| 464                       | Cystolithotomy, cystotomy with removal of calculus: without vesical neck dissection                                                                       | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 14,086,000  | 37,186,000  |
| 465                       | Transvesical ureterolithotomy                                                                                                                             | 45  | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 14,878,000  | 40,078,000  |
| 466                       | Cystotomy: for excision of bladder tumor                                                                                                                  | 75  | 27  | 6   | 26,250,000 | 9,450,000  | 3,500,000    | 52,387,000  | 91,587,000  |
| 467                       | Cystectomy, complete: with bilateral pelvic lymphadenectomy, including external iliac, hypogastric and obturator nodes                                    | 200 | 70  | 12  | 70,000,000 | 24,500,000 | 3,500,000    | 135,681,000 | 233,681,000 |
| 468                       | Bladder irrigation, simple, lavage and/ or irrigation (separate procedure)                                                                                | 5   | 0   | 1   | 1,750,000  | 0          | 3,500,000    | 4,476,000   | 9,726,000   |
| 469                       | Change of cystostomy tube (separate procedure)                                                                                                            | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 6,469,000   | 13,469,000  |
| 470                       | Electromyography studies (EMG) of anal or urethral sphincter, any technique                                                                               | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 6,469,000   | 13,469,000  |
| 471                       | Stimulus evoked response (eg, measurement of bulbocavernous reflex latency time)                                                                          | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 6,469,000   | 13,469,000  |
| 472                       | Voiding pressure studies (VP): intra-abdominal voiding pressure (VP) (rectal, gastric, intra-                                                             | 10  | 0   | 1   | 3,500,000  | 0          | 3,500,000    | 5,104,000   | 12,104,000  |
| 473                       | Cystorrhaphy, suture of bladder wound, injury or rupture                                                                                                  | 70  | 25  | 4   | 24,500,000 | 8,750,000  | 3,500,000    | 33,769,000  | 70,519,000  |

| <i>CODE</i> | <i>OPERATION</i>                                  | <i>K</i> | <i>ARE</i> | <i>los</i> | <i>Surgeon</i> | <i>Anesthesia</i> | <i>Consultation</i> | <i>Hospital D</i> | <i>Total</i> |
|-------------|---------------------------------------------------|----------|------------|------------|----------------|-------------------|---------------------|-------------------|--------------|
| 474         | 51900 Closure of vesicovaginal fistula            | 80       | 26         | 6          | 28,000,000     | 9,100,000         | 3,500,000           | 51,460,000        | 92,060,000   |
| 475         | 52000 Cystourethroscopy diagnostic or therapeutic | 25       | 12         | 1          | 8,750,000      | 4,200,000         | 3,500,000           | 11,083,000        | 27,533,000   |



| CODE                        | OPERATION                                                                                                                                                      | K   | ARE | los | Surgeon    | Anesthesia | Consultation | Hospital ID | Total       |
|-----------------------------|----------------------------------------------------------------------------------------------------------------------------------------------------------------|-----|-----|-----|------------|------------|--------------|-------------|-------------|
| 476 52204                   | Cystourethroscopy, with biopsy (separate procedure)                                                                                                            | 25  | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 11,410,000  | 27,860,000  |
| 477 52214                   | Cystourethroscopy, with fulguration (including cryosurgery or laser surgery) of trigone, bladder neck, prostatic fossa, urethra, or perirethral glands         | 25  | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 10,345,000  | 26,795,000  |
| 478 52277                   | Cystourethroscopy, with resection of external sphincter (sphincterotomy)                                                                                       | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 13,185,000  | 36,285,000  |
| 479 52290                   | Cystourethroscopy, with ureteral meatotomy, unilateral or bilateral (separate procedure)                                                                       | 30  | 0   | 1   | 10,500,000 | 0          | 3,500,000    | 10,209,000  | 24,209,000  |
| 480 52310                   | Cystourethroscopy, with removal of foreign body, calculus, or ureteral stent from urethra or bladder (separate procedure)                                      | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 12,994,000  | 31,894,000  |
| 481 52317                   | Litholapaxy: crushing or fragmentation of calculus by any means in bladder and removal of fragments                                                            | 50  | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 14,496,000  | 41,796,000  |
| 482 52320                   | Cystourethroscopy (including ureteral catheterization): removal or fragmentation of ureteral calculus, with or without manipulation (separate procedure)       | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 22,876,000  | 45,976,000  |
| 483 52332                   | Cystourethroscopy, with insertion of indwelling ureteral stent (eg, Gibbons or double-J type) (separate procedure)                                             | 25  | 12  | 1   | 8,750,000  | 4,200,000  | 3,500,000    | 9,609,000   | 26,059,000  |
| 484 52334                   | Cystourethroscopy, with insertion of ureteral guide wire through kidney to establish a percutaneous nephrostomy, retrograde (separate procedure)               | 35  | 15  | 1   | 12,250,000 | 5,250,000  | 3,500,000    | 12,148,000  | 33,148,000  |
| 485 52450                   | Transurethral incision of prostate                                                                                                                             | 45  | 17  | 1   | 15,750,000 | 5,950,000  | 3,500,000    | 13,594,000  | 38,794,000  |
| 486 52500                   | Transurethral resection of bladder neck (separate procedure)                                                                                                   | 50  | 18  | 1   | 17,500,000 | 6,300,000  | 3,500,000    | 14,850,000  | 42,150,000  |
| 487 52510                   | Transurethral balloon dilation of the prostatic urethra, any method                                                                                            | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 11,820,000  | 34,920,000  |
| 488 52601                   | Transurethral resection of prostate including complete vasectomy, meatotomy, cystourethroscopy, urethral calibration and/or dilation, and internal urethrotomy | 100 | 33  | 6   | 35,000,000 | 11,550,000 | 3,500,000    | 60,769,000  | 110,819,000 |
| 489 52650                   | Transurethral cryosurgical removal of prostate (postoperative irrigations and aspiration of                                                                    | 70  | 23  | 1   | 24,500,000 | 8,050,000  | 3,500,000    | 17,362,000  | 53,412,000  |
| 490 52700                   | Transurethral drainage of prostatic abscess                                                                                                                    | 40  | 16  | 1   | 14,000,000 | 5,600,000  | 3,500,000    | 10,974,000  | 34,074,000  |
| 491 53200                   | Biopsy of urethra                                                                                                                                              | 15  | 12  | 1   | 5,250,000  | 4,200,000  | 3,500,000    | 8,463,000   | 21,413,000  |
| 492 53210                   | Urethrectomy, total, including cystostomy                                                                                                                      | 90  | 30  | 1   | 31,500,000 | 10,500,000 | 3,500,000    | 18,591,000  | 64,091,000  |
| 493 53670                   | Catheterization, urethra (sonde foley - foley cath)                                                                                                            | 5   | 0   | 1   | 1,750,000  | 0          | 0            | 4,585,000   | 6,335,000   |
| HEMIC AND LYMPHATIC SYSTEMS |                                                                                                                                                                |     |     |     |            |            |              |             |             |
| 494 38100                   | Splenectomy                                                                                                                                                    | 90  | 31  | 5   | 31,500,000 | 10,850,000 | 3,500,000    | 51,978,000  | 97,828,000  |
| 495 38500                   | Biopsy or excision of lymph node(s): superficial (separate procedure)                                                                                          | 20  | 12  | 1   | 7,000,000  | 4,200,000  | 3,500,000    | 9,909,000   | 24,609,000  |
| 496 38510                   | Biopsy or excision of lymph node(s): deep (cervical with or without excision of scalene fat pad, or axillary nodes) (separate procedure)                       | 30  | 14  | 1   | 10,500,000 | 4,900,000  | 3,500,000    | 11,193,000  | 30,093,000  |
| ENDOCRINE SYSTEM            |                                                                                                                                                                |     |     |     |            |            |              |             |             |
| 497 60220                   | Total thyroid lobectomy, unilateral (hemithyroidectomy)                                                                                                        | 90  | 30  | 3   | 31,500,000 | 10,500,000 | 3,500,000    | 30,630,000  | 76,130,000  |
| 498 60225                   | Total thyroid lobectomy, unilateral: with contralateral subtotal lobectomy, including isthmus                                                                  | 110 | 36  | 3   | 38,500,000 | 12,600,000 | 3,500,000    | 31,258,000  | 85,858,000  |
| 499 60240                   | Thyroidectomy, total or complete                                                                                                                               | 120 | 40  | 4   | 42,000,000 | 14,000,000 | 3,500,000    | 37,509,000  | 97,009,000  |
| 500 60500                   | Parathyroidectomy                                                                                                                                              | 105 | 35  | 4   | 36,750,000 | 12,250,000 | 3,500,000    | 34,944,000  | 87,444,000  |