

لائحة الأسعار العائدة لمناقصة

تلزم شراء أجهزة لزوم مشروع تسويق نظام رصد ومتابعة آلي ضد ذباب الزيتون والفاكهة المتوسطة في منطقة المتوسط

“Commercialization of an Automated Monitoring and Control System against the Olive and Med Fruit Flies of the Mediterranean Region” الذي ينفذ في مصلحة الأبحاث العلمية الزراعية

..... إسم العارض:

..... عنوان ورقم الهاتف والفاكس:

N°	Item/Name	Specification		Unit	Qty	Unit price L.L.	Total price L.L.	Total price in letter
1	GPS	System		nb	2			
		Operating System	Android <sup>TM</sup> Most recent (10 or higher)					

		CPU	Octa-core 2.2 GHz (or higher)					
		RAM	>= 4 GB					
		ROM	>= 64 GB					
		Extension	>= 128 GBmicro SD card					
		<b>GNSS accuracy</b>						
		Channel	>= 184					
		Constellation	GPS L1C/A L2C, GLONASS L1 OF L20F, GALILEO E1 B/C E5b, BDS B1I B2I.					
		RTK	5cm HRMS					
		Autonomous	<1m HRMS					
		<b>Display</b>						
		Size	>= 8" touch screen					
		Resolution	1920 x 1200 or higher					
		Brightness	450 cd/m2					

		Touch Screen	Capacitive multi-touch, 10 points					
		Screen technology	IPS display panel Corning® Gorilla® Glass 3					
		<b>Camera</b>						
		Front	>= 8MP, autofocus, flash, highlight LED					
		Rear	>= 13MP, autofocus, flash, highlight LED					
		Flashlight	Integrated					
		<b>Physical</b>						
		Dust and Waterproof	IP67 or IP68					
		Shock	>= 1.5 m fall onto concrete					
		Humidity	5% - 95% RH (without condensation)					
		Size (LxWxH)	240 mm 151 mm x 32 mm					
		Weight	<= 675 g with battery and bracket					
		Environment	Operating: -20°C to + 60°C Storage: -30°C to + 70°C					

		<b>Communication</b>						
		Wi-fi	802.11 a/b/g/n/ac					
		Bluetooth	Bluetooth™ 4.1					
		USB	Type C, OTG					
		Network 4G/5G modem	GSM: 850/900/1800/1900 WCDMA: B1, B2, B5, B8 FDD-LTE: Band1, Band2, Band3, Band4, Band5, Band7, Band8, Band17, Band20, Band28					
		<b>Battery</b>						
		Li-ion battery	8000 mAh					
		Voltage	3.8 V					
		Battery life	12 h					
		Charging time	5.5 h					
		<b>Sensors</b>						

		Internal sensors	NFC G-Sensor Light Sensor E-Compass Gyroscope					
<b>2</b>	Tablet	<b>System</b>		<b>nb</b>	<b>1</b>			
		Operating System	Android <sup>TM</sup> Most recent (10 or higher)					
		CPU	Octa-core 2.0 GHz (or higher)					
		RAM	>= 6 GB					
		ROM	>= 64 GB					
		Extension	>= 128 GBmicro SD card					
		<b>GNSS accuracy</b>						
		Channel	>= 184					
		Constellation	GPS L1C/A L2C, GLONASS L1 OF L20F, GALILEO E1 B/C E5b, BDS B1 B2, QZSS L1 C/A L2C SBAS					
		Single Point Positioning	3m					
		SBAS	1m					

		RTK	5cm HRMS					
		<b>Display</b>						
		Size	>= 8" touch screen					
		Resolution	1920 x 1200 or higher					
		Brightness	450 cd/m <sup>2</sup>					
		Touch Screen	Capacitive					
		<b>Camera</b>						
		Front	>= 8MP, autofocus, flash, highlight LED					
		Rear	>= 13MP, autofocus, flash, highlight LED					
		Flashlight	Integrated					
		<b>Physical</b>						
		Dust and Waterproof	IP67(1.2m free drop) or IP68					
		Shock	>= 1.5 m fall onto concrete					
		Humidity	5% - 95% RH (without condensation)					

	Size (LxWxH)	220mm*130mm*18.5mm				
	Weight	<= 680 g with battery and bracket				
	Environment	Operating: -40°C to +75°C Storage: -50°C to +85°C				
	<b>Communication</b>					
	Wi-fi	IEEE 802.11 b/g/n AP, WAP				
	Bluetooth	Bluetooth 2.0/4.0 BLE				
	NFS	Support				
	Dual SIM	Support Nano SIM				
	USB	Type C, OTG				
	Network type	TDD-LTE, TD-SCDMA, FDD-LTE, WCDMA, GSM, CDMA, EVD				
	<b>Battery</b>					
	Li-ion battery	10000 mAh				
	Voltage	3.7 V				

		Battery life	10-15 h					
		Charging time	5.5 h					
		<b>Sensors</b>						
		Internal sensors	G-Sensor, E-Compass, Barometer, Gyroscope, Light Sensor Distance sensor					
<b>Total price L.L.</b>								

.....التفقيط الإجمالي بالليرة اللبنانية:

حرر في

توقيع المتعهد