




**The Lebanese Republic
Ministry of Energy and Water
Directorate General of Oil
The Minister**

الجمهورية اللبنانية
وزارة الطاقة والمياه
المديرية العامة للنفط
الوزير



توضيح دفتر الشروط رقم ١٢٧/ت تاريخ ٢٠٢٢/١١/٠٣
عملاً بالذكرة رقم ٤/هـش.ع-٢٠٢٢-٢٠٢٢

Issued by Chairman of Public Procurement Authority on 19/08/2022 ٢٠٢٢/٠٨/١٩

Buyer's Name	Ministry of Energy and Water- Directorate General of Oil	وزارة الطاقة والمياه- المديرية العامة للنفط	اسم الجهة الشارية
Buyer's Address	Beirut, Furn El Chebbeck, Gharios Center, 11 th Floor	بيروت، فرن الشباك، سنتر غاريوس، الطابق ١١	عنوان الجهة الشارية

Registration No.: 127/T/٢ dated ٠٨/١١/٢٠٢٢

رقم التسجيل: ١٢٧/ت/٤ تاريخ ٢٠٢٢/١١/٠٨

Information About the Deal

معلومات عن الصفقة

Title of the Deal	Purchase of a Gas Oil Quantity for the month of December/2022 for Electricite Du Liban needs.	شراء كمية من مادة الغاز أويل خلال شهر كانون الأول / ٢٠٢٢ تلبية لحاجات مؤسسة كهرباء لبنان.	عنوان الصفقة
Description of the Deal.	Purchase of a Quantity of /66,000/ MT +/- 5% of Gas Oil product to be delivered DAP (Delivery At Place) one or more safe port(s)/ berth(s) Lebanon, during the delivery window (15-20/12/2022), according to the terms and conditions and appendices of the Public Tender under ref. No. 127/T dated 03/11/2022.	شراء كمية / ٦٦,٠٠٠ +/- ٥% من مادة الغاز اويل ليتم تسليمه DAP (التسليم في المكان) في واحد أو أكثر من المرافق الآمنة / المصبات الآمنة في لبنان، خلال فترة التسليم (١٥-٢٠/١٢/٢٠٢٢) وفقاً لأحكام وبنود وملحقات دفتر شروط المناقصة العمومية رقم ١٢٧/ت تاريخ ٢٠٢٢/١١/٠٣.	وصف الصفقة.

1) Offer validity: It is 19 December which is after the delivery period. Please clarify. Assume the award is given on 19 December, it will be impossible to deliver the cargo during 15-20 December.

Clarification:

The award shall be made at the end of the freezing period.

2) We understand that there is a 10 days freezing period after the submission so that the award cannot be made till the 26th of November. Can you confirm please?

Clarification:

The award shall be made at the end of the freezing period.

3) Tender Conditions - Article 6. Participation is limited to international oil companies or Lebanese companies provided they are international. What is considered to be an "international company"?

Clarification:

Companies which conduct their business outside Lebanon are considered international companies.

4) Tender Conditions - Article 8-A.General uniform conditions, document number 4: Please confirm whether this Certificate is required for International companies not registered in Lebanon. If required, how, and where, can a Foreign Company get a non-registration certificate?

Clarification:

Document number 4 is required for international companies that are **registered** in Lebanon.

5) Draft Purchase contract - Clause 4.Country of Origin: Refers to free origin except Israel. Please confirm whether Russian Origin goods are acceptable. Please confirm that Banque Du Liban, as well as the L/C confirming bank, is able to effect payment for Goods of Russian Origin.

Clarification:

Waiting for the reply from the concerned authorities in Lebanon.

6) Draft Purchase contract - Clause 9, Method of Payment:

- Method of payment is by Letter of Credit from Banque Du Liban.

توضيحات.

"confirmed". Please advise which bank is confirming the Letter of Credit.

- Who pays for the confirmation cost?
- How much is the confirmation cost for 30 days and for 180 days?
- Payment is made either at 30 days or at 180 days after NOR. Should the Seller offer for both options, or he can offer for only one of these options?

Clarification:

Waiting for the reply from the concerned authorities in Lebanon.

7) **Appendix No. 1:** Quantity refers to "with possible rolls and extensions". Please confirm how rolls and extensions would apply. What is the procedure to roll and extend? Does it mean that the contract can be extended for delivery of additional cargoes other than the cargoes mentioned in the tenders?

Clarification:

The possible rolls would be for the Quantity in metric ton within the +/- 5 % tolerance.

The possible extensions would be for the Requested Date Range of Delivery.

It does not mean that the contract can be extended for delivery of additional cargoes other than the cargoes mentioned in the tenders.

8) With regards to the tender opening session, would we be able to attend it by Zoom meeting please?

Clarification:

A representative of your company would be able to attend the opening session at the time and in the place of the offers unsealing session.

Minister of Energy and Water

وزير الطاقة والمياه

Dr. Walid Fayad

د. وليد فياض





Clarification of the Tender Document No.127/T dated 03/11/2022- ٢٠٢٢/١١/٠٣ تاریخ ١٢٧ رقم الشروط دفتر	
عملًا بالذكر رقم ٤/هـ.ش.ع ٢٠٢٢-٢٠٢٢/٠٨/١٩ تاريخ هيئة الشراء العام	
الصادرة عن رئيس هيئة الشراء العام بتاريخ ٢٠٢٢/٠٨/١٩ Issued by Chairman of Public Procurement Authority on 19/08/2022	
Buyer's Name	Ministry of Energy and Water- Directorate General of Oil
Buyer's Address	Beirut, Furn El Chebbeck, Gharios Center, 11 th Floor

Registration No.: 127/T/٣ dated ٩/١١/٢٠٢٢

٢٠٢٢/١١/٠٣ تاريخ ١٢٧ رقم التسجيل:

Information About the Deal

معلومات عن الصفقة	
Title of the Deal	Purchase of a Gas Oil Quantity for the month of December/2022 for Electricite Du Liban needs.
Description of the Deal.	Purchase of a Quantity of /66,000/ MT +/- 5% of Gas Oil product to be delivered DAP (Delivery At Place) one or more safe port(s)/ berth(s) Lebanon, during the delivery window (15-20/12/2022), according to the terms and conditions and appendices of the Public Tender under ref. No. 127/T dated 03/11/2022.

1) We note the submission of offers will be on 18 November 2022 at 12:00 hrs. Beirut Time, however please note that the offer validity mentioned is 19 December 2022 which is a one month validity and is completely unusual as per the industry standards. We request you to amend this to a maximum validity of 48 hours.

Clarification:

Article (10): Validity of the offer of the tender Document complies with the article 22 of the Public Procurement Law No. 244 dated 09/07/2021.

2) With regards to Article 3: Goods intended to be purchased, It is unclear what “buyers option” stands for and does not indicate what the buyer is choosing. If it is the quantity tolerance, please clarify that it will be as per Seller’s option.

Clarification:

Buyer's option stands for the specifications of the product as per Appendix No.

(a). It is not quantity tolerance.

توضيحات.

3) With regards to Postponement: under Article (5), the statement “ buyer may request postponing the delivery date of one shipment” would not be applicable to a spot (non-term) contract, therefore please delete this point.

Clarification:

We maintain this point as it is when needed in unexpected circumstances that may compel the Ministry of Energy and Water to postpone the delivery date of the shipment subject of this tender document.

4) Article 6-Delivery dates:

Please note that 30 days notice is insufficient at the time of physical delivery of cargos. Therefore please delete this point.

Clarification:

The following paragraph of Article 6- Delivery Dates is deleted



AF.

"Buyer can request from Seller to postpone the delivery date of the cargo provided that Seller is officially notified, at least 30 calendar days prior to the first day of the scheduled delivery date range. And in this case, no penalties or fines are incurred by the Buyer, and the delay penalty shall be effective on Seller from the new date of delivery in accordance with clause (7)."

تلغى الفقرة التالية من آ- تاریخ التسليم
"يمكن للشاري ان يطلب تأجيل تاریخ تسليم الشحنة شرط تبليغ البائع رسميًا في فقرة لا تقل عن ٣٠ يوماً تقویمیاً قبل اليوم الاول من الفترة المحددة للتسليم. وفي هذه الحالة، لا تترتب على الشاری أية جزاءات او غرامات، ويسري جزاء التأخير على البائع ابتداءً من تاريخ التسليم الجديد وفقاً للبند (٧) جزاء التأخير".

5) We would like to clarify that the delivery of gasoil will be in 1-2 lots in Seller's option.

Clarification:

The aim is to secure the delivery of the requested quantity whether in one lot or two lots.

6) Draft Purchase contract - Clause 4.Country of Origin: Refers to free origin except Israel. Please confirm whether Russian Origin goods are acceptable. Please confirm that Banque Du Liban, as well as the L/C confirming bank, is able to effect payment for Goods of Russian Origin.

Clarification:

Russian Origin goods are not acceptable. Banque Du Liban, as well as the L/C confirming bank, will not effect payment for Goods of Russian Origin.

Minister of Energy and Water

وزير الطاقة والمياه

Dr. Walid Fayad

د. ولید فیاض





The Lebanese Republic
Ministry of Energy and Water
Directorate General of Oil
The Minister

الجمهورية اللبنانية
وزارة الطاقة والمياه
المديرية العامة للنفط
الوزير

توضيح دفتر الشروط رقم ١٢٧/٢٠٢٢/١١/٠٣ ت تاريخ ٢٠٢٢/١١/٠٣
عماً بالذكر رقم ٤/٢٢-٢٠٢٢-٢٠٢٢/٠٨/١٩
الصادرة عن رئيس هيئة الشراء العام بتاريخ ٢٠٢٢/٠٨/١٩
Issued by Chairman of Public Procurement Authority on 19/08/2022

Buyer's Name	Ministry of Energy and Water- Directorate General of Oil	وزارة الطاقة والمياه- المديرية العامة للنفط	اسم الجهة الشاربة
Buyer's Address	Beirut, Furn El Chebbeck, Gharios Center, 11 th Floor	بيروت، فرن الشباك، سنتر غاريوس، الطابق ١١	عنوان الجهة الشاربة

Registration No.: 127/T/٥ dated ١٠/١١/٢٠٢٢

رقم التسجيل: ١٢٧/٢٠٢٢/١١/٠٣ ت تاريخ ١٠/١١/٢٠٢٢

Information About the Deal

معلومات عن الصفقة

Title of the Deal	Purchase of a Gas Oil Quantity for the month of December/2022 for Electricite Du Liban needs.	شراء كمية من مادة الغاز أولى خلال شهر كانون الأول ٢٠٢٢ تلبية لاحتاجات مؤسسة كهرباء لبنان.	عنوان الصفقة
Description of the Deal.	Purchase of a Quantity of /66,000/ MT +/- 5% of Gas Oil product to be delivered DAP (Delivery At Place) one or more safe port(s)/ berth(s) Lebanon, during the delivery window (15-20/12/2022), according to the terms and conditions and appendices of the Public Tender under ref. No. 127/T dated 03/11/2022.	شراء كمية /٦٦,٠٠٠/ +/- ٥% من مادة الغاز اويل ليتم تسليمه DAP (التسليم في المكان) في واحد أو أكثر من المرافق الآمنة / المصبات الآمنة في لبنان، خلال فترة التسليم (٢٠٢٢/١٢/٢٠-١٥) وفقاً لأحكام وبنود وملحقات دفتر شروط المناقصة العمومية رقم ١٢٧/٢٠٢٢/١١/٠٣ ت تاريخ ٢٠٢٢/١١/٠٣.	وصف الصفقة.
Clarifications.	We confirm that the following attached clear gas oil specifications .(Total 6 pages from 42 till 47) are the same Gas Oil 0.1 % sulfur specifications requested as per Appendix No. (a) included in the tender document No. 127/T dated 03/11/2022		توضيحات.

Minister of Energy and Water

وزير الطاقة والمياه

Dr. Walid Fayad

د. وليد فياض



Appendix No. (a)
PRODUCT SPECIFICATION
Product : Gas Oil

هام و عاجل جداً

كهرباء لبنان
 "مؤسسة عامة"
 ELECTRICITE DU LIBAN
 "Etablissement Public"

٢٠٢١/٥/١٧
 ٢٠٢١/٥/١٨

شارع النهر - بيروت - تلفون : ٢٩ - ٤٤٢٧٢٠ - ٩٦١-١-٥٨٢٠٨٤
 فاكس : ١٣١
 رقم المحفوظات : ٢١٠٤
 رقم الصادر : ٢٠٢١/٥/١٧
 بيروت في ٢٠٢١/٥/١١

الموضوع : ملاحظات حول المواصفات الفنية لمادة الغاز أويل موضوع استدراج العروض الفوري رقم T ١١١
 تاريخ ٢٠٢١/٤/٢٩
 المراجع : - كتاب المديرية العامة للنفط الى مؤسسة كهرباء لبنان تاريخ ٢٠٢١/٥/١١

بالإشارة الى الموضوع والمرجع أعلاه

و عطفاً على كتاب المديرية العامة لإدارة المناقصات رقم ١٠/٤٢ تاريخ ٢٠٢١/٥/٠٦ (مستند رقم ١)،
 بأن الخبر الأوروبى يوصى من حيث المبدأ باخذ رأى الشركة الصانعة في طريقة الاختبار ASTMD381، وأن هذا
 الأمر يقرر بالنهاية بالاتفاق ما بين مؤسسة كهرباء لبنان والشركة الصانعة، وهو خارج عن اختصاص إدارة
 المناقصات،

و عطفاً على كتابكم تاريخ ٢٠٢١/٥/١١ (مستند رقم ٢)، وبعد الاطلاع على كتب الشركات المرفقة بكتابكم
 و درس الملاحظات، نفيدكم بالتالي:
أولاً: بالنسبة لملاحظات شركة "ZR Energy DMCC" وفق كتابها رقم T0408-42-MEW-PT0802 تاريخ ٢٠٢١/٥/٠٤ (مستند رقم ٣):

- **Gum Content:** Can you please clarify if what is meant is "washed gums" or "unwashed gums"? Please confirm the correct testing method that is applicable for gasoil not jet fuel. The notes also mention "washed and unwashed" – does this actually mean "washed or unwashed"?

Answer: The value 7mg/100 mL is for both washed and unwashed Gum content. We confirm that the applicable test method is ASTM D381 as per Siemens request. As for the notes, it is "washed and unwashed".

- **Heat of Combustion:** This test method (ASTM D4809) is not industry standard. We suggest using ASTM D4868 which is industry standard.

Answer: This is the applicable test method (ASTM D4809) as per the manufacturer Company Siemens' Manual. Knowing that, this method was applied for testing the "LHV" of Gas oil sample from the last two cargos by the certified laboratory Bureau Veritas – Dubai contracted by the General Directorate of Oil.

- **Sediment particulates:** We would like to point out that the test methods applicable are not suitable. The standard test method relevant for gasoil is ASTM D6217 or IP415. Testing method of DIN 51419 is obsolete and was cancelled in 1983. We suggest you remove all test methods that are not ASTM 6217 + IP415.

Answer: All these test methods are according to Siemens Manual, which are applied by the certified laboratory Bureau Veritas – Dubai, contracted by the General Directorate of Oil, for testing the Sediment particulates in the Gas oil sample from the last two cargos.

- **Sediment particulates:** The particulates size specified is " $d < 10 \mu\text{m}$, $10 \leq d \leq 25 \mu\text{m}$, $d > 25 \mu\text{m}$ " which are unknown parameters and seem to look for the sizes of particles, rather than overall quantity. These methods are designed for determination of total quantity of contamination particles and do not imply to calculate their quantity depending on size of each particle as is requested in the spec. If it is necessary to count the particles according to their diameters, then the suggested method is ASTM D7619.

Answer: This test method is according to Siemens Manual, which is applied by the certified laboratory Bureau Veritas – Dubai, contracted by the General Directorate of Oil, for testing the Sediment particulates in the Gas oil sample from the last two cargos.

- **Acid number:** The Unit need to be corrected – mg KOH/g instead of mg /g KOH.

Answer: The correct unit for acid number is mg/g KOH as per Siemens Manual.

- **Chlorine:** The test method requested is not suitable. The methods to be used are IP510 or UOP779.

Answer: The method D4929 / ISO15597 for testing "Cl" is requested by the manufacturer Company Siemens.



- **Notes for evaluation:** This section is extremely unclear. We request further clarifications on this section.

Answer: Kindly specify the exact points that are not clear in the evaluation.

٢٠٢١/٠٥/٤ "وفقاً كتابها تاريخ" "Independent Petroleum Group Limited" ثانية، بالنسبة لملاحظة شركة (مستند رقم ٤):

- Requesting a waiver in the Gum which will make us in a better position to participate in your tender for subject requirement.

Answer: The Gum Content is requested by the Manufacturer company Siemens. knowing that the additional set of parameters marked as "Ranges as per Siemens Experience" will be evaluated if the Gum Content (washed and/or unwashed) are outside the specified range 7mg/100mL, where two Gas oil cargos were evaluated and approved according to these additional parameters.

٢٠٢١/٠٥/٥ "وفقاً كتابها تاريخ" "ELINOIL Hellenic Petroleum Company" ثالثة، بالنسبة لملاحظات شركة (مستند رقم ٥):

- Given that Gasoil should be tested for Gums under ASTM381 if unwashed and , if unwashed, we presume that the second set of parameters marked as "Ranges as per Siemens Experience", will always be applicable.

Answer: Correct, if the unwashed Gum Content exceeds 7mg/100mL.

- We are still reviewing the relative values for C, H, and O.


Answer: Noted.

- Regarding distillation, we have noticed that the rejection criteria are totally vague. In ASTMD86, there is no reference boiling curve. Therefore, we don't understand where the requested specification refers to. Furthermore, the notion of a "strong deviation" is totally subjective and open to wide interpretation. Could you please specify what stands for strong deviation? We would strongly recommend that you revise the specification to indicate min/max values for the distillation, as per the diesel specification for example.


Answer: Kindly find below the reference boiling curve according to ASTM D86, where the requested curve shall be parallel to this reference curve, taking into consideration that there is already a max limit for the 90 % volume of Distillation which is set to 365 °C.



٢٠٢١/٠٥/٥
 ٤٦٨ ✓



As an example, kindly find below the distillation curves for two Gas oil Cargos that were evaluated accordingly and accepted in the last couple of months.



رابة، بالنسبة للاحظات مختبر "Bureau Veritas" - دبي وفق البريد الالكتروني تاريخ ٢٠٢١/٠٥/٠٩
(مستند رقم ٦):

- Recommends splitting the Gum content test into two lines, for the unwashed and washed, while stating the conditions at which the test was performed at, such as temperature and time.

Page 4 - 67

Answer: Siemens has already clarified to Bureau Veritas during the online meeting held on 29/03/2021 that the performed modifications to ASTM D381 by BV are plausible and this depends on the core know how of the laboratory itself, and this was mentioned in Siemens letter dated 02/04/2021 as follows:

"As stated in the meeting from 29th of March 2021 and the customer letter (dated 30.3.2021) the performed modifications are plausible. Necessary modifications to ASTM D381 depending on fuel quality and sample are core know how of the individual laboratories."

كما نفيكم بأننا سنقوم بمراسلة مختبر Bureau Veritas - دبي والشركة الصانعة Siemens لمراجعة ملاحظات شركة ZR Energy، علماً أنه تم تطبيق طرق الفحص المذكورة من شركة ZR Energy من قبل مختبر ZR Energy - دبي دون تدوين أي اعتراض، Bureau Veritas

استناداً إلى ما ورد أعلاه، تجدون ربطاً جدول المواصفات المطلوبة للغاز أولي حيث تم توضيح طريقة تقييم الـ Distillation range، مع وضع رسم بياني كمرجع لاعتماده لدى تقييم نتيجة فحص هذا المكون. كما تجدر الإشارة إلى أن مختبر Bureau Veritas - دبي قد أجرى جميع الفحوصات الأساسية والإضافية المذكورة في الجدول المرفق على عيني الغاز أولي الماخوذتين من البالخرتين Perla و Histira و Antares خلال الشهرين الماضيين حيث تم قبول تفريغ البالخرتين على أساسها، وبالتالي، نتمنى عليكم إطلاق مناقصة تأمين شحنة الغاز أولي فوراً وبالسرعة القصوى وفق ما ورد أعلاه واستناداً إلى جدول المواصفات الموضح المرفق، وعطفاً على كتاب موسسة كهرباء لبنان رقم ٢٠١٦ تاريخ ٢٠٢١/٠٥/١١.

وتفضلاً بقبول فائق الاحترام.

ب.ج. - ب.ع.
أ.ع. - ط.ب. - ب.س.
ف.ج. - خ.ج.

رئيس مجلس الإدارة
المدير العام

كمال الحايك

نسخة إلى: - معايير وزير الطاقة والمياه



Parameters	Test Method	Unit	Limits as per Siemens Manual		For Evaluation
			Min	Max	
Total Sulfur (S)	ASTM D3246/D5453/ ISO6326	Mass %		0.2	
Fuel Bound Nitrogen (FBN)	ASTM D4629	Mass %		0.015	
Lower Heating Value (LHV)	ASTM D4809/DIN51900	MJ/kg	42		
Density (at 15°C)	ASTM D1298/DIN51757	kg/m3	820	870	
Kinematic Viscosity (at 40°C)	ASTM D445/ISO-3104/DIN51562-1	mm2/s(cSt)	1.3	5.5	
Distillation, 90 % volume recovered @ °C max	ASTM D86/ISO3405	°C		365	
Carbon Residue	ASTM D4530/ISO10370/DIN51551	Mass %		0.15	
Oxidation Stability	ASTM D2274/IP365/95	mg/100ml		2.5	
Sediment & Water	ASTM D2709	Vol %		0.1	
sediment Particulates		mg/kg			
d<10µm			20		
10sds>25µm	ASTM D6217/IP415/DIN51419/DIN EN 12662		18		
d>25µm			2		
Water	ASTM D95	Vol %		0	
Sediment	ASTM D473/ISO3737/DIN51789/DIN EN 12662	Mass %		0.05	
Gum Content (Unwashed)	ASTM D381	mg/100ml		0.01	
Pour Point (9PP)	ASTM D97/ISO3018	°C		7	
Flashpoint (9FP)	ASTM D93/ISO6/ISO2719	°C	60	0	
Acid Number	ASTM D684	mg/g KOH		0.1	
Ash content	ASTM D482/ISO6245/DIN51575/DIN EN 2645	Mass %		0.01	
Na + K	ASTM D3605 / DIN 51790	mg/kg		0.5	
V	ASTM D3605 / DIN 51790	mg/kg		0.5	
Pb	ASTM D3605 / DIN 51790	mg/kg		1	
Ca	ASTM D3605 / DIN 51790	mg/kg		1	
Cl	ASTM D4929/ISO15597	mg/kg		6	
Parameters	Test Method	Unit	Ranges as per Siemens Experience		
Carbon (C)	D5291 / DIN 51721	% Mass	85 - 87.5		
Hydrogen (H)	D5291 / DIN 51721	% Mass	11 - 14.5		
Oxygen (O)	D5291 / DIN 51721	% Mass	<0.2		
Distillation range			Distillation Curve		
50 % evaporated					
65 % evaporated					
90 % evaporated (Defined above)	D86 / ISO 3405	°C			
End point			* The measured distillation curve should show a slope and shape parallel to the above reference boiling curve (according to ASTM D86).		
Cold filter Plugging point (CFPP)	D637/EN116	°C	Fuel temperature > 10 °C + CFPP		
Note for Evaluation: * If Gum content (washed and un-washed) ≤ 7mg/100mL and all the parameters (with limits as per Siemens manual) comply with the above mentioned limits, then the gas oil sample complies with the required specifications. * If Gum content (washed and/or un-washed) > 7mg/100mL, and all the parameters (with limits as per Siemens manual) and all the remaining parameters (with ranges as per Siemens Experience) comply with the above mentioned limits and ranges, then the gas oil sample complies with the required specifications.					

These parameters shall be evaluated in all conditions

These parameters shall be evaluated if
Gum content value (washed and/or
unwashed) > 7mg/100mL





توضيح دفتر الشروط رقم ١٢٧/٢٠٢٢/١١٠٣ ت تاريخ ٢٠٢٢/١١/٣
عملأً بالذكر رقم ٤/٢٢٠٢٢/٤ هـ.ع -٢٠٢٢/٤/٤

الصادرة عن رئيس هيئة الشراء العام بتاريخ ٢٠٢٢/٠٨/١٩
Issued by Chairman of Public Procurement Authority on 19/08/2022

Buyer's Name	Ministry of Energy and Water- Directorate General of Oil	وزارة الطاقة والمياه- المديرية العامة للنفط	اسم الجهة الشاربة
Buyer's Address	Beirut, Furn El Chebbak, Gharios Center, 11 th Floor	بيروت، فرن الشباك، سنتر غاريبوس، الطابق ١١	عنوان الجهة الشاربة

Registration No.: 127/T/٦ dated ١٧/١١/٢٠٢٢

رقم التسجيل: ٦/١٢٧ ت تاريخ ١٧/١١/٢٠٢٢

معلومات عن الصفقة

Title of the Deal	Purchase of a Gas Oil Quantity for the month of December/2022 for Electricite Du Liban needs.	شراء كمية من مادة الغاز أوليل خلال شهر كانون الأول / ٢٠٢٢ تلبية لاحتاجات مؤسسة كهرباء لبنان.	عنوان الصفقة
Description of the Deal.	Purchase of a Quantity of /66,000/ MT +/- 5% of Gas Oil product to be delivered DAP (Delivery At Place) one or more safe port(s)/ berth(s) Lebanon, during the delivery window (15-20/12/2022), according to the terms and conditions and appendices of the Public Tender under ref. No. 127/T dated 03/11/2022.	شراء كمية /٦٦,٠٠٠ +/- ٥٪ من مادة الغاز اويل ليتم تسليمه DAP (التسليم في المكان) في واحد أو أكثر من المرافئ الآمنة / المصبات الآمنة في لبنان، خلال فترة التسليم (٢٠٢٢/١٢/٢٠ - ١٥/١٢/٢٠٢٢)، وفقاً لأحكام وبنود وملحقات دفتر شروط المناقصة العمومية رقم ١٢٧ ت تاريخ ٢٠٢٢/١١٠٣.	وصف الصفقة.
Clarifications.	<p>Draft Purchase contract - Clause 9, Method of Payment:</p> <ul style="list-style-type: none"> - Method of payment is by Letter of Credit from Banque du Liban (BDL), "confirmed". Please advise which bank is confirming the Letter of Credit. - Who pays for the confirmation cost? - How much is the confirmation cost for 30 days and for 180 days? <p>Clarification: According to Banque Du Liban, the confirmation cost is 2 % on annual basis and paid by beneficiary, independently of which bank will confirm it.</p>		توضيحات.

Minister of Energy and Water By Proxy

وزير الطاقة والمياه بالوكالة

Hector Al Hajjar



هكتور الحجار

