

من العزوة القوية الناجية الناجية الناجية

فصل

.....

يَا كَلْبُ يَا كَلْبُ يَا كَلْبُ

الحج والعمرة

لا بد من العلم بالاساس على : الاساس الاساس الاساس

طريقة التلخيص : مناقشة عمومية على أساس سعر القيمة المعرضة

المشيد على العقار رقم 1695 من منطقة الدكاية العقارية ضمن مهلة شهرين

الحمد الذي لا اله الا هو الحي القيوم الذي يحتاجه مني
التي اجازها رديك اعمالي بغيره وتيقنوا مكتبات مفردات فيقولون : تصديق الصلوة وصف

عنوان الصفحة : توريد مفروشات مكتبية وتتفقد أعمال ديور داخليه لمبنى القصر البلدي

٢٠ : التمثيل

م: جعله صالحاً للاستخدام: الحصين الحضر - ماروريز - مازوارة - مازوارة الدورية الدورية والعاقد للندية

مكتبة مفتوحة يورث عرض لمقدمات وتعليمات عامة ومعلومات إضافية

الحاج احمد بن محمد بن يوسف

١٦٩٥ - ١٦٩٦ رقم العقار على القائم والناقصين الحاصلين - ضخم - مركز - مار - اناء الحكاية الاندلية

[Faint handwritten musical notation]

[illegible]

၂။ ချစ်သူတို့အတွက် - ချစ်သူတို့အတွက်

یہ قلم اور ہمت جلاں دیار

مكتبة كبرى - الحبيب بن الحسن - مؤلفه : ابن بطوطة - تاريخه : سنة ١٣٥٠ هـ - مكانه : مدينة تونس

المادة ١٠: المقيمين الأجانب.

: יתכן : אלא : ייתכן : אלא :

الطائفة السنية

ה'תשס"ו

[illegible]

مادة صلاحية ضمان العرض والية سحب العرض

- [illegible]

۱. $\frac{1}{x^2} = x^{-2}$ - $\frac{d}{dx} x^{-2} = -2x^{-3} = -\frac{2}{x^3}$
 ۲. $\frac{1}{x^3} = x^{-3}$ - $\frac{d}{dx} x^{-3} = -3x^{-4} = -\frac{3}{x^4}$
 ۳. $\frac{1}{x^4} = x^{-4}$ - $\frac{d}{dx} x^{-4} = -4x^{-5} = -\frac{4}{x^5}$

المادة الثامنة : مستندات العرض :

[illegible]

5 - 5

4- تصديق العارض على مسئلة مقدمة الطوائع الملائكة الملائكة

الممكنة من أجل أن لا يتعدى الحد الذي هو

[illegible][illegible]

١٦٨ : ١٦٩

التالية: المستندات المرفوعة من الجسمين

جوزو الخ. يتقدم منكم بآياتكم

[illegible]

:میتاؤ و جی اے | طریقہ حیات : سچے طریقہ الحادۃ الامارۃ

طريقه التذلل قبل من

- لا يجوز استئصال العروق او تعديله او استئصاله بعد القضاء النهائي للتقديم العروضي والمحدد.
- توقيع العروضي وجميع الوثائق والمستندات من العارضين او الممثلين او العارضين او الممثلين.
- يتخللها العارض في مستندات ملف التقديم لا تعتبر الترخيم حكما ولا يسمح بها.
- الترخيم دون اداء اية تعديلات عليها. ان اية تعديلات او اضافات او استثناءات، جوهرية على العارض تقديم عرض مكتمل والتوقيع بحرفية النصوص والشروط المدرجة في مستندات ملف التقديم.
- المناقصة ومراجعتها.
- تكون كافة المصاريف المتعلقة باعداد العروضا على عاتق العارض وحده بغض النظر عن نتيجة

- مع نسخة عن القوائم التي يرأسها الصادرة عن المؤسسة تبتين
المنفذة الأعمال والموردات المصنوعة البضائع حجم البضائع المنفذة
لحساب جهة خاص توريد مقروشات مكتبية وأعمال داجية،
المنشغال بالمنفذة وتاريخ تنفيذها. وفي حال أنه سبق للمعرض أن قد
تضمنت الأعمال على وصف الأعمال، قيمتها عند التنفيذ، أو غيره
الأعمال لحسابها.
ن- الإفادة من البلدية أو اتحاد البلديات أو أية جهة خاصة، والتي قد
الدولية أو المحلية المسجلة قانوناً أو أية جهة خاصة، والتي قد
الجمعية أو العامة أو من الاتحاد البلديات أو أية جهة خاصة، والتي قد
التي يرأسها، الخ...
م- إجابة رسالة تبتين وضعتها القانوني، مكان التأسيس، مركزها
، يجب إرفاق العرض بنسخة أصلية عن شهادة تأسيس الشركة
التاريخ.
ل- شهادة عدم إقلاص من المحكمة التجارية عن السنة التي يجري فيها
التاريخ.
ق- شهادة عدم تصفية من المحكمة التجارية عن السنة التي يجري فيها
التاريخ.
ي- إجابة لائحة من الصندوق الوطني للضمان الاجتماعي بتاريخ
المنافسة.
ط- شهادة تسجيل في المؤسسة أو الشركة أو المؤسسة في القيمة
التي يجري فيها.
ح- شهادة تسجيل لدى وزارة المالية صالحة بتاريخ المنافسة.
ز- القيمة التامة الموقتة.
ح- كفالة العرض أو التأمين الموقت من الموقت الذي لدى الدولة
لصاحب المؤسسة / الشركة.
و- ضرورة عن بطاقة الهوية الحديثة أو صورة عن قيد أفراد
ه- سجل تجاري بتسجيل المؤسسة / الشركة.
د- حق التوقيع باسم الشركة لا غير العرض يعتبر.
د- إجابة تجارية عائدة للشركة أو المستند الذي يحول الموضوع التوقيع
الأعمال.
ح- إفادة من غرفة التجارة والصناعة تبتين أن المعارض يتعاطى هذه
صلاحيات الحق بالتوقيع.
ب- صورة ملك الشركة مصدقة من الكاتب العدل أو أي مرجع رسمي
قانوني آخر، أو إجابة تجارية إذا قدم العرض أحد أفراد الشركة له

المفردات ونبأته والتوفيق والى

البلدية إلى العرض العمل يصل على ان منشأة باليد بموجب او يودع المضمون بالمزيد البلدية بالنقد إلى العرض العمل عشر من عشرة من آخر يوم عمل يسبق الموعد المحدد لإجراء التقييم.

قبل الساعة الثانية عشرية

المادة الثانية عشرية:

١٠٠
 ١٠١
 ١٠٢
 ١٠٣
 ١٠٤
 ١٠٥
 ١٠٦
 ١٠٧
 ١٠٨
 ١٠٩
 ١١٠
 ١١١
 ١١٢
 ١١٣
 ١١٤
 ١١٥
 ١١٦
 ١١٧
 ١١٨
 ١١٩
 ١٢٠
 ١٢١
 ١٢٢
 ١٢٣
 ١٢٤
 ١٢٥
 ١٢٦
 ١٢٧
 ١٢٨
 ١٢٩
 ١٣٠
 ١٣١
 ١٣٢
 ١٣٣
 ١٣٤
 ١٣٥
 ١٣٦
 ١٣٧
 ١٣٨
 ١٣٩
 ١٤٠
 ١٤١
 ١٤٢
 ١٤٣
 ١٤٤
 ١٤٥
 ١٤٦
 ١٤٧
 ١٤٨
 ١٤٩
 ١٥٠
 ١٥١
 ١٥٢
 ١٥٣
 ١٥٤
 ١٥٥
 ١٥٦
 ١٥٧
 ١٥٨
 ١٥٩
 ١٦٠
 ١٦١
 ١٦٢
 ١٦٣
 ١٦٤
 ١٦٥
 ١٦٦
 ١٦٧
 ١٦٨
 ١٦٩
 ١٧٠
 ١٧١
 ١٧٢
 ١٧٣
 ١٧٤
 ١٧٥
 ١٧٦
 ١٧٧
 ١٧٨
 ١٧٩
 ١٨٠
 ١٨١
 ١٨٢
 ١٨٣
 ١٨٤
 ١٨٥
 ١٨٦
 ١٨٧
 ١٨٨
 ١٨٩
 ١٩٠
 ١٩١
 ١٩٢
 ١٩٣
 ١٩٤
 ١٩٥
 ١٩٦
 ١٩٧
 ١٩٨
 ١٩٩
 ٢٠٠
 ٢٠١
 ٢٠٢
 ٢٠٣
 ٢٠٤
 ٢٠٥
 ٢٠٦
 ٢٠٧
 ٢٠٨
 ٢٠٩
 ٢١٠
 ٢١١
 ٢١٢
 ٢١٣
 ٢١٤
 ٢١٥
 ٢١٦
 ٢١٧
 ٢١٨
 ٢١٩
 ٢٢٠
 ٢٢١
 ٢٢٢
 ٢٢٣
 ٢٢٤
 ٢٢٥
 ٢٢٦
 ٢٢٧
 ٢٢٨
 ٢٢٩
 ٢٣٠
 ٢٣١
 ٢٣٢
 ٢٣٣
 ٢٣٤
 ٢٣٥
 ٢٣٦
 ٢٣٧
 ٢٣٨
 ٢٣٩
 ٢٤٠
 ٢٤١
 ٢٤٢
 ٢٤٣
 ٢٤٤
 ٢٤٥
 ٢٤٦
 ٢٤٧
 ٢٤٨
 ٢٤٩
 ٢٥٠
 ٢٥١
 ٢٥٢
 ٢٥٣
 ٢٥٤
 ٢٥٥
 ٢٥٦
 ٢٥٧
 ٢٥٨
 ٢٥٩
 ٢٦٠
 ٢٦١
 ٢٦٢
 ٢٦٣
 ٢٦٤
 ٢٦٥
 ٢٦٦
 ٢٦٧
 ٢٦٨
 ٢٦٩
 ٢٧٠
 ٢٧١
 ٢٧٢
 ٢٧٣
 ٢٧٤
 ٢٧٥
 ٢٧٦
 ٢٧٧
 ٢٧٨
 ٢٧٩
 ٢٨٠
 ٢٨١
 ٢٨٢
 ٢٨٣
 ٢٨٤
 ٢٨٥
 ٢٨٦
 ٢٨٧
 ٢٨٨
 ٢٨٩
 ٢٩٠
 ٢٩١
 ٢٩٢
 ٢٩٣
 ٢٩٤
 ٢٩٥
 ٢٩٦
 ٢٩٧
 ٢٩٨
 ٢٩٩
 ٣٠٠
 ٣٠١
 ٣٠٢
 ٣٠٣
 ٣٠٤
 ٣٠٥
 ٣٠٦
 ٣٠٧
 ٣٠٨
 ٣٠٩
 ٣١٠
 ٣١١
 ٣١٢
 ٣١٣
 ٣١٤
 ٣١٥
 ٣١٦
 ٣١٧
 ٣١٨
 ٣١٩
 ٣٢٠
 ٣٢١
 ٣٢٢
 ٣٢٣
 ٣٢٤
 ٣٢٥
 ٣٢٦
 ٣٢٧
 ٣٢٨
 ٣٢٩
 ٣٣٠
 ٣٣١
 ٣٣٢
 ٣٣٣
 ٣٣٤
 ٣٣٥
 ٣٣٦
 ٣٣٧
 ٣٣٨
 ٣٣٩
 ٣٤٠
 ٣٤١
 ٣٤٢
 ٣٤٣
 ٣٤٤
 ٣٤٥
 ٣٤٦
 ٣٤٧
 ٣٤٨
 ٣٤٩
 ٣٥٠
 ٣٥١
 ٣٥٢
 ٣٥٣
 ٣٥٤
 ٣٥٥
 ٣٥٦
 ٣٥٧
 ٣٥٨
 ٣٥٩
 ٣٦٠
 ٣٦١
 ٣٦٢
 ٣٦٣
 ٣٦٤
 ٣٦٥
 ٣٦٦
 ٣٦٧
 ٣٦٨
 ٣٦٩
 ٣٧٠
 ٣٧١
 ٣٧٢
 ٣٧٣
 ٣٧٤
 ٣٧٥
 ٣٧٦
 ٣٧٧
 ٣٧٨
 ٣٧٩
 ٣٨٠
 ٣٨١
 ٣٨٢
 ٣٨٣
 ٣٨٤
 ٣٨٥
 ٣٨٦
 ٣٨٧
 ٣٨٨
 ٣٨٩
 ٣٩٠
 ٣٩١
 ٣٩٢
 ٣٩٣
 ٣٩٤
 ٣٩٥
 ٣٩٦
 ٣٩٧
 ٣٩٨
 ٣٩٩
 ٤٠٠
 ٤٠١
 ٤٠٢
 ٤٠٣
 ٤٠٤
 ٤٠٥
 ٤٠٦
 ٤٠٧
 ٤٠٨
 ٤٠٩
 ٤١٠
 ٤١١
 ٤١٢
 ٤١٣
 ٤١٤
 ٤١٥
 ٤١٦
 ٤١٧
 ٤١٨
 ٤١٩
 ٤٢٠
 ٤٢١
 ٤٢٢
 ٤٢٣
 ٤٢٤
 ٤٢٥
 ٤٢٦
 ٤٢٧
 ٤٢٨
 ٤٢٩
 ٤٣٠
 ٤٣١
 ٤٣٢
 ٤٣٣
 ٤٣٤
 ٤٣٥
 ٤٣٦
 ٤٣٧
 ٤٣٨
 ٤٣٩
 ٤٤٠
 ٤٤١
 ٤٤٢
 ٤٤٣
 ٤٤٤
 ٤٤٥
 ٤٤٦
 ٤٤٧
 ٤٤٨
 ٤٤٩
 ٤٥٠
 ٤٥١
 ٤٥٢
 ٤٥٣
 ٤٥٤
 ٤٥٥
 ٤٥٦
 ٤٥٧
 ٤٥٨
 ٤٥٩
 ٤٦٠
 ٤٦١
 ٤٦٢
 ٤٦٣
 ٤٦٤
 ٤٦٥
 ٤٦٦
 ٤٦٧
 ٤٦٨
 ٤٦٩
 ٤٧٠
 ٤٧١

: רחל א' ב' ג' ד'

الحصين - شهر روركر - مار روركر - الحصين
البلدية في القصر القديم لبلدية روركر
الحصين - شهر روركر - مار روركر - الحصين
البلدية في القصر القديم لبلدية روركر

الحدادة الحادة المادة في التماسك والمشر التماسك
(1) بما يتضمن من الاستعدادات الاستعدادات
عشرة اعلا والحدادة رقم (2) بيان الاسعار في ظرف خارجي كبير
صادر عن الحدادة، يكتب عليه بالخير الاسود وباحرف عادية باستخدام الحاسوب
على تاتلون شفاف لاصق قياس 15 سم x 9 سم وبنوع الخط - Bold - Arial - Font)
(16 Size، بحيث يتم لصق التاتلون الشفاف على الغلاف الموح، العنارات المتينة المتينة:

: ອາໄຫຼ່ ແລະ ຈີນ

"الفلاف رقم (2) - لائحة الاسماء
تتبع يومه مقر ومكتبة وبنقبة اعمال
التي في البلد القصر الملكي المذكور
الحسين الحضر - مار روكز - الدكاينة

الاسود انجيم ويكتب عليه بالخير
يوضع لاجل الاسفل ضمن غلاف ثابتي
ويجوز ان يكتب عليه بالخير

[illegible]

- استناداً لأحكام المادة 6 من قانون الشراء العام، يبدأ العقد عندما يوقع الملتزم المؤقت والمرجع الصالح لدى سلطة التعاقد عليه.

- استناداً لأحكام المادة 35 من قانون الشراء العام، على مقدم العرض الفائز بعد فائز العقد، تقديم تاريخ حسمه عشرة عشر (10) % من مجموع قيمة عرضه وذلك ضمن مهلة خمس عشرة (15) يومًا من تاريخ إبرام العقد، وإذا لم يتم ذلك في هذه الفترة، فإن العقد يعتبر ملغى تلقائيًا.

- استناداً لأحكام المادة 24 من قانون الشراء العام، يتبدأ العقد عندما يوقع الملتزم المؤقت والمرجع الصالح لدى سلطة التعاقد عليه.

:تَقِيْلًا :بِحَسْبِ قَلْبٍ
:عَظِيْمَةً :بِحَسْبِ قَلْبٍ

[illegible][illegible]

المادة الخامسة عشر:

[illegible]

قيمة قية وقلة مفصلا محضاً مع مخالقات طوية فيتم بها محضاً
مخالقات مع مخالقات طوية فيتم بها محضاً
أما الكميات التي تقيها لجهة الاستلام مع مخالقات طوية فيتم بها محضاً
تاريخ 1970/5/30.

14601 رقم وسوم الحكم الشان بهذا تطبيق ، وتطبيق بالنظر بالظن وحدها والنادية وفي استطلاع في العوالات المفقرة .

الوقت المسمى عدم اسباب فيه بين يدي تقدير اعداد الكسوفات يتم على الترتيب المذكور من عدمه حال حال في -
الغاية على الوجه المبين.

القبيلة المطلوبة، وله ان يستعين بمن يشاء من الخبراء ويجري الفحوصات المختبرية والفنية لهذه
الاصناف والمطلوب منها على ان اجراء اختبارات اجراء الاعمال، والاشغال وشات والمقر معانية معانية لدى البلديات المحلية
من يتوجب عليه قانوناً.

الاستعلام الاستعلام الخلية اعجاب قيل من قوله وكذا الآية والندوب مندوب قيل من الحسين الكشي في -

ملاحظات المدون إلى لجنة الاستلام المشكلة بموجب المادة 101 من قانون القضاء إلى
العلماء الشيوخ قانون المادة 101 من القانون المذكور في ذلك بعد الكشف الكافية القيمة النادرة تسدد بحيث يستلزم بالاستلام بالوضع محضر (وتعليقاتها)

من مرققة تكشف ببقية المواد الموردة والاستغلال المنفردة. يتم تدقيق التقارير و اجراء الكشف الحسي مع قائل مندوب البلدية خلال مهلة خمسة ايام بغية وضع ملاحظات، انصار بعدها الى حالة التقرير مع

[illegible]

المادة الثالثة والعشرون:

١٠ -

١٠٩٨

والمستمر في العمل.

[illegible]

عن المراقب انلاج الناحية عن
ووصف العمل وصورته عن دورية
المراقب تقاير دورية عن

المطلوبة، وله أن يستعين بمن يشاء من الخبراء ويجري فحصا والفريق المعنية والعناية الخاصة

وخلال وبعد التفتيد وعلى اعداد تقارير يستير الاعمال .

[illegible]

: بنو قيس و القبيلة السليمانية

طريقه الدقيق : العشريون والعشرون : المادة السائلة

المادة الخامسة والعشرون: الاستلام النهائي

الموقف الأول : الاستعداد

فصل الخلافتين : الثلاثون والثلاثون والخامسة والخمسة والستون :

ط. الخ. ٥٥٠ ق. : ١٠٠٠٠ و ١٠٠٠٠٠

المجناة: المشغول الاشياء: قيل: المشغول بالثالثة والاشياء: المارة

: اعمال : منقلا من كتاب السيرة النبوية : السيرة النبوية و السيرة النبوية

[illegible]

 : :

مدد الضمان	غرامة التأخير	مدة إنجاز الأشغال وتسليم المقروضات بما فيه الإعفاء والإعفاء	مقرضات مكرية وتنفيد أعمال داخلية
من تاريخ الاستلام المؤقت	عن كل يوم تأخير	شهرين	شهرين
سنة	10,000,000 ل.		

المادة الثامنة: - مدة الضمان - غرامة - الأتلاف - الأضرار - مدة - الأتلاف - سيرة

الفصل السادس

عامة: احكام اثنى عشرية: اثنى عشرية

المادة الثانية: التباين بين مستلزمات الأثرية والآثار.

التوقيع
مصادقة
20/11/2019

التوقيع
مصادقة

التوقيع
مصادقة
التوقيع
مصادقة

نظامه

نظر

موافق

مصادقة

عند تنفيذ الأعمال المباشرة بتنفيذ الأعمال على الملزم ومهنته المسؤول عن الورشة تقديم تقرير تقارير قديمة لإدارة TVA المضاعفة. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها.

المادة التاسعة والثلاثون: دفتر الشروط ودفتر الأحكام العامة المقترضان على المتعهدين.

إذا دعت الحاجة وعند تغيير طبيعة طريقتهم من الأعمال الجديدة لاخذ الموافقة على تعديل الخطة. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها. إن الأسعار الواردة في التقييمات الكثيرة التي تسلمها من الإدارة وإدارة موافقة عليها.

المادة 21 من دفتر الشروط ودفتر الأحكام العامة المقترضان على المتعهدين.

יְהוָה יִשְׁמַר אֶת צְדָקָתְךָ יְהוָה יִשְׁמַר אֶת צְדָקָתְךָ

کج کجا؟ کج کجا؟ کج کجا؟

المجلس
البلدي
مؤيد

Bill Of Quantities

- الدخولة - 1695 رقم القرار في

الدخولة - مار روكز - ضهر الحصين

بلدية في البلدية القصص البلدية في بلدية
مشروع توريد مفروشات مكتبية وتنفيد أعمال ديكور داخلية لمبنى

بلدية الدخولة - مار روكز - ضهر الحصين

محافظة جبل لبنان - قاعة بلدية المتن

وزارة الداخلية والبلديات

الجمهورية اللبنانية

Drawing number	Item	Measurements : Heigh x Width	Description	Quantity	Unit Price (USD)	Total Price (USD)
1	Desk Drawers	78 x 141 x 75 40 x 45 x 40	• Lamaica Innovus number 6252 • Top of the desk - Lamaica - 3.5cm thickness • PVC on 4 sides • Soft close - drawer slides + 1.8cm thickness	5		
	Counter (Comptoir)	122 x 800 x 80	• Lamaica Innovus number 6252 waterproof	1		
16	Closet	110 x 120 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
16	Closet	110 x 126 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
16	Closet	110 x 97 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	2		
17	Closet	270 x 215 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	2		


رئيس مصلحة الجمارك التونسية


أحمد بن علي

طوني عتيق

17	Closet	275 x 291 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
18	Closet	275 x 86 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	4		
18	Closet	275 x 84 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	3		
17	Closet	275 x 124 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	275 x 195 x 47	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	2		
17	Closet	275 x 130 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		

رئيس مجلس إدارة الشركة





18	Closet	275 x 90 x 40	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	275 x 123 x 40	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	275 x 120 x 40	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
18	Closet	275 x 100 x 40	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	275 x 112 x 62	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
18	Closet	275 x 85 x 85	• Lamaica Innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		

مستند
مستند

مستند
مستند

3	Desk With return Drawers	75 x 210 x 85 71 x 183 x 40 40 x 45 x 40	• Lamaica Innovus number 6252 • Top of the desk - Lamaica - 3.5cm • PVC on 4 sides waterproof • Soft close - drawer slides + 1.8cm thickness	2		
2	Double Desk Drawers	75 x 210 x 95 40 x 45 x 40	• Lamaica Innovus number 6252 waterproof • PVC on 4 sides • Top of the desk - Lamaica - 3.5cm thickness	1		
17	Closet	275 x 85 x 40	• Lamaica Innovus number 4462 - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	3		
17	Closet	275 x 54 x 40	• Lamaica Innovus number 4462 - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	2		
3	Desk	75 x 200 x 80	• MDF Walnut wood	1		
7	Glass wall	305 x 392	• Frosted Glass • Securit Glass - 1cm	1		
8	Glass wall	305 x 442	• Frosted Glass • Securit Glass - 1cm	2		
7	Glass wall	305 x 370	• Frosted Glass • Securit Glass - 1cm	2		
8	Glass wall	305 x 550	• Frosted Glass • Securit Glass - 1cm	2		

طوبى صليبا
المهندس

م. طوبى صليبا
م. طوبى صليبا

Drawing number	Item	Measurements : Height x Width x Depth	Description	Quantity	Unit Price (USD)	Total Price (USD)
2	Double Desk Drawers	190 x 75 x 95 40 x 45 x 40	• Lamaica Innovus number 6252 • Waterproof • PVC on 4 sides • Top of the desk - Lamaica - 3.5cm	2		
3	Desk With Return	190 x 75 x 85 183 x 71 x 40	• MDF wood (thickness 5cm) + walnut veneer • Polyurethane's paint	1		
17	Closet	270 x 180 x 47	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	3		
17	Closet	270 x 180 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
16	Closet	110 x 110 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	3		
17	Closet	270 x 298 x 40	• Lamaica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		

17	Closet	270 x 166 x 40	• Lamaica innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	270 x 180 x 40	• Lamaica innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	270 x 260 x 40	• Lamaica innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		
17	Closet	93 x 130 x 40	• Lamaica innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	2		
17	Closet	270 x 240 x 40	• Lamaica innovus number 6252 • waterproof - 1.8cm thickness • PVC on 4 sides for the closet, - shelves and back of the closet • Soft close • Back of the closet Lamaica - 1.8cm thickness	1		

طوبى
الطوبى

رئيس مجلس الوزراء
مجلس الوزراء

17	Closet	270 x 244 x 40	• Lamica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamica - 1.8cm thickness	1		
17	Closet	180 x 122 x 40	• Lamica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamica - 1.8cm thickness	1		
17	Closet	93 x 120 x 80	• Lamica Innovus number 6252 waterproof - 1.8cm thickness • PVC on 4 sides for the closet, shelves and back of the closet • Soft close • Back of the closet Lamica - 1.8cm	1		
13	Desk (Pierre's office)	75 x 320 x 100 50 x 240 x 70	• Solid (Massif) and MDF walnut wood	1		
14	Sofa	72 x 240 x 90	• Simili cuir • Swedish wood - 4cm • High resilience sponge/foam • Stainless legs	1		
14	Armchair	72 x 75 x 75	• Beech (ZAN) wood • Simili cuir fabric • Polyurethane's paint • High resilience sponge/foam	2		
14	Armchair	72 x 75 x 75	• Beech (ZAN) wood • Simili cuir fabric • Polyurethane's paint • High resilience sponge/foam	2		
14	Table	43 x 140 x 80	• Beech (ZAN) wood • Glass 2cm	1		
14	Table	60 x 60 x 60	• Beech (ZAN) wood	2		
14	Round Table	60 x 60	• Beech (ZAN) wood	1		
	Closet + Door	45 x 740 x 275	• MDF walnut wood • Polyurethane's paint	1		
17	Closet behind the desk	130 x 580 x 45	• MDF walnut wood • Polyurethane's paint	1		

المهندس
عبدالله بن
عبدالله







المهندس
عبدالله بن
عبدالله

التجارة العامة
طريق صافى

مجلس إدارة
مبنى التجارة العامة

6th Floor					
Drawing number	Item	Measurements : Heigh x Width x Depth	Description	Quantity	Unit Price (USD) Total Price (USD)
	Desk With Return	75 x 320 x 100	• MDF wood + walnut wood veneer • Polyurethane's paint	1	
	Closet	40 x 420 x 275	• MDF wood + walnut wood veneer • Polyurethane's paint	1	
	Sofa	72 x 250 x 95	• Rustic tyle • Simili cuir • Swedish wood – 4cm • High resilience sponge/foam	1	
	Armchair		• Louis XV style • Beech (ZAN) wood • Simili cuir fabric • Polyurethane's paint • High resilience sponge/foam	4	
	Table	42 x 140 x 80	• Beech (ZAN) wood	1	
	Door			1	
	Closet		• MDF wood + walnut wood veneer • Polyurethane's paint	1	
	Wall Decor	120 m2	• MDF wood + walnut wood veneer • Polyurethane's paint	1	
	Door		• Walnut wood • Polyurethane's paint	4	
	Desk	75 x 320 x 100	• MDF wood + walnut wood veneer • Polyurethane's paint	1	
	Sofa	72 x 250 x 95	• Rustic tyle • Simili cuir • Swedish wood – 4cm • High resilience sponge/foam	1	
	Armchair		• Louis XV style • Beech (ZAN) wood • Simili cuir fabric • Polyurethane's paint • High resilience sponge/foam	2	
	Table	42 x 140 x 80	• High resilience sponge/foam	1	

Number : 1




Quantity : 5





مستند
طوبى مكي
مستند

Number : 2
11



Plan




Back Elevation

Quantity : 2




المهندس
طارق صليبا


Number : 3




Elevation



Elevation



Plan



Side Elevation






Handwritten signature in Arabic script.

Quantity : 3



Number : 4




Quantity : 2


المهندس
طلحي صالح




Front Elevation



Plan



Side Elevation



Number : 5


Quantity : 1

المهندس
طارق صليبا


Number : 6

90

280



Front Elevation



Plan

40


280



Side Elevation



Quantity : 1



Number : 7

360

1 CM Security Glass

1 CM Security Glass
Door

220

100

90

Sand Glass Effect

305



Quantity : 1

طوني صليبا

1 CM Security Glass

[illegible]

305

100

122

Quantity : 2



392

[illegible]

Sand Glass Effect



122

100

305

طوني صليبا

Quantity : 3

392

[illegible]

Sand Glass Effect

100

305


Quantity :



122


Number : 12

85




Front Elevation

85



Plan

45




Side Elevation




Quantity :


Number : 13



Plan



Front Elevation



Side Elevation


. French Oak - Solid (Massif)
wood + MDF Oak Veneer
.MDF walnut wood veneer +
Polyurethane's paint

Quantity : 1




Handwritten signature in Arabic script.

Number : 14




Plan


- . Simili cuir fabric
- . Beech wood legs
- . Swedish wood from the inside



Front Elevation




Side Elevation




Plan


- . Simili cuir fabric
- . Solid Beech (ZAN)



Front Elevation



Side Elevation




- . Beech wood - Solid
- . Polyurethane's paint
- . Glass top

Quantity :




طوني عطية

Number : 15



Quantity : 1




Front Elevation





المهندس
طارق صالح



Number : 17



Front Elevation





Side Elevation


Quantity : 1

المهندس
طارق صالح

Number : 18



Front Elevation




طوني صليبي



Quantity : 1



Number : 19



Front Elevation



Side Elevation

Quantity : 1


المهندس
عبدالله صالح





المهندس
طارق صليبي




CLOSET BEHIND DESK
FOURTH FLOOR




DETAILS SIXTH FLOOR CONFERENCE TABLE



PLAN



ELEVATION



طريق صليبا




SIDE SECTION



COUNTER
THIRD FLOOR



Handwritten signature in Arabic script.

BACK ELEVATION



COMPUTER DISK


PLAN






OFFICE OF THE MUNICIPAL DIRECTOR
SIXTH FLOOR
DETAILS


PLAN




FRONT ELEVATION



SIDE ELEVATION



RIGHT SIDE SECTION





FOURTH FLOOR PLAN

NUMBERS


HEIGHT: 110 cm

HEIGHT: 122 cm

HEIGHT: 275 cm

HEIGHT: 270 cm

LEGEND:




المهندس
عبدالله بن
سليمان


FOURTH FLOOR

DESK WITH RETURN
OFFICE OF THE DIRECTOR OF THE
ADMINISTRATION DEPARTMENT)


PLAN




FRONT ELEVATION



LEFT SIDE ELEVATION



RIGHT SIDE SECTION





المهندس
طوني صليبي



Handwritten signature in Arabic script, circled in blue ink.

SECTION A SIXTH FLOOR
WOOD WALL UNITS






المهندس
طوني صليبا
SECTION B SIXTH FLOOR
WOOD WALL UNIT

THIRD FLOOR PLAN



LEGEND:

	HEIGHT: 270 cm
	HEIGHT: 275 cm
	HEIGHT: 122 cm
	HEIGHT: 110 cm
	NUMBERS



مدرسة
الرياض

INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD maintains its improved reaction to fire after cutting and machining. The product can be lacquered and varnished, providing it with intense colour and gloss, in a wide range of finishes, being recommended for architectural and interior design uses, as well as for contemporary furniture, decorative machined elements and wall finishes.



FURNITURE



PANELING

OFFICES &
EDUCATION

Boards must be stacked on a hard, level surface and protected from direct contact with water. Expansion and contraction in wood products is directly related to moisture content and must be considered during design and construction. When choosing a coating system, it is important to select a system that will not adversely affect the fire-retardant classification of the MDF.



WOOD WALL UNIT A
FOURTH FLOOR

innovus

Decorative Products

INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD

Non added formaldehyde coloured MDF with improved fire behaviour for use in dry conditions

PROPERTIES



INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD is a robust and organic through-dyed MDF, easy to mill. The pigments used are introduced in an early stage of production process, where the wood fibres are carefully prepared, giving to the finished board an impressive consistency and durability of colour, resistant to light exposure. INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD has very low formaldehyde emission, classified according to the rules of the official California Air Resource Board (CARB NAF) and compliant with limit of ChemVerbotv (E05).

Regarding reaction to fire and in accordance with EN 13986, INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD is classified as B-s2, d0 (Euroclass definition according to EN 13501-1) and it is recommended for use in sectors with strict regulations on the fire performance of the materials used. The use of INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD contributes to reduce the combustibility of an element, the spread of fire, the possible heat emissions after the combustion and to prevent or delay the spread of fire to neighbouring elements.

In addition to technical performance INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD panels are sustainable and environmental friendly products.

Please check offer & service brochure for information on sizes and thicknesses available.

APPLICATIONS

INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD allies the characteristics and versatility of a decorative product with technical reaction to fire performance. Is easy to mill and can be cut, sanded or routed, and the results obtained allow its colour to be appreciated from any perspective.

INNOVUS COLOURED MDF BLACK FIRE X ECOBOARD maintains its improved reaction to fire after cutting and machining. The product can be lacquered and varnished, providing it with intense colour and gloss, in a wide range of finishes, being recommended for architectural and interior design uses, as well as for contemporary furniture, decorative machined elements and wall finishes.


RECOMMENDATIONS


Boards must be stacked on a hard, level surface and protected from direct contact with water. Expansion and contraction in wood products is directly related to moisture content and must be considered during design and construction. When choosing a coating system, it should be confirmed with the manufacturer that it will not adversely affect the Fire Reaction classification of the MDF panel. Additives added during the production of this product, in exceptional cases, may interfere with certain types of adhesives and lacquers, therefore a test must be carried out before its application.


INNOVUS COLOURED MDF are produced with lightfast/UV stable pigments and pigment preparations, but they should not, however, be exposed to direct and permanent sunlight to avoid discolouration. The use of an UV stable finishing as well as an additional UV catcher in the varnish system is recommended. Colour variations may occur between different production batches, therefore it is recommended not to mix production batches.


Wood based panels are biodegradable and can be recycled, follow local regulation for the disposal of residues.


















8995 Occasional Table
24" Dia. x 27"H.


Hand finished in the Vendome finish, as shown only.










No. 445-852 Cocktail Table
W48 D48 H20 in.







4490-01 CHAIR
31W x 29D x 34½H
Arm H: 23½
Seat H: 19









No. 230-940 L. Amro Taher
W2734 D2734 H271 n