إشعار

بإجراء اتفاق رضائي

رقم التسجيل	٧٧/ش.ع.ت
تاريخ التسجيل	٢٠٢٦/١١/١٣

إسم الجهة الشارية	وزارة الصحة العامة
عنوان الجهة الشارية	وزارة الصحة العامة –بئر حسن
اسم المورد/المقاول	بيوتكنو ش.م.ل ريسرش اند كواليتي سوليوشنز
قيمة العقد والعملة	851,974.950$

ان اجراء الإتفاق الرضائي هذا يستند الى احكام الفقرة (الاولى) من المادة 46 من قانون الشراء العام، وان توفر شروط التعاقد بالتراضي هو على مسؤولية الجهة الشارية دون سواها.

ملخص لأهم الأحكام والشروط المطلوبة في الاتفاق الرضائي:

أ- تسلم التجهيزات المطلوبة في المختبر المركزي – الحدث –مبنى الجامعة اللبنانية.

ب- تسلم الأصناف بناء لطلب الإدارة خلال مهلة 5 أشهر من تاريخ تبليغ تصديق الاتفاق بالتراضي

ج- تدفع النفقة بالليرة اللبنانية من خلال تصفية الى وزارة المالية حسب الأصول بناء على سعر الدولار الرسمي بتاريخ التسليم.

تعتزم وزارة الصحة العامة إجراء اتفاق رضائي مع (بيوتكنو ش.م.ل ريسرش اند كواليتي سوليوشنز) وذلك بغية (شراء وتركيب تجهيزات مخبرية مختلفة لزوم المختبر المركزي لوزارة الصحة العامة المذكور كمياتها في الملحق رقم 1 على ان يتم التسليم والتركيب في المختبر المركزي – الحدث –مبنى الجامعة اللبنانية).

٢٠٢٦/١١/١٣
وزير الصحة العامة
د.ركان ناصر الدين

يُرجى ارسال هذا النموذج بصيغة word + pdf على البريد الالكتروني لهيئة الشراء العام contact@ppa.gov.lb بعد تعبئته من قبل الجهة الشارية

الملحق رقم 1 - الأصناف و الكميات		
No	Description	Qty
1	**SAFETY CABINET**	**2**
2	**PN45V Refrigerator 450L**	**2**
3	Spark free system for PN45	2
4	Side port hole 20 mm diam.	2
5	Wired shelves, replacing the stainless shelves	6
6	Wired shelves, replacing the stainless shelves	4
7	**Laboratory freezer, Model AF70BL (-30°C)**	**2**
8	Spark free system for PN45	2
9	Side port hole 20 mm diam.	2
10	**Orion Pro Star PH211 pH/ORP bench meter difficult sample kit**	**3**
11	IQOQ DOCUMENT PROSTAR METER	3
12	ORION STAR A INK RIBBON PRINTER 110-240V	3
13	PAPER ROLLS FOR STAR A PRINTER, 5 PACK	3
14	INK RIBBONS FOR STAR A PRINTER, 6 PACK	3
15	PH 1.68 BUFFER 475ML	3
16	PH 4.01 BUFFER 475ml	3
17	PH 7.00 BUFFER 475ml	3
18	PH 10.01 BUFFER 475ml	3
19	pH electrode storage solution, 475ml	1
20	**Conductivity Portable Meter Kit, model STAR A 222**	**2**
21	ORION STAR A INK RIBBON PRINTER 110-240V	2
22	1413 uS/CM CONDUCTIVITY STD 10 POUCHES	2
23	Orion DuraProbe conductivity cell with 3m cable, K=0.475	2
24	STAR A ARMOR 2 HOLDERS	2
25	CONDUCTIVITY CELL	2
26	IQOQ DOCUMENT PROSTAR METER	2
27	**Osmometer**	**2**
28	**WSB Shaking water bath 30 Liter 100°C ±0,1°C**	**2**
29	Dome lid	2
30	**ULTRASONIC CLEANER, ANALOG, MODEL WUC-A06H**	**1**
31	Wire basket for ultrasonic bath 6 L	1
32	**Shaker, Orbital Motion (10-300 rpm), programmable**	**1**
33	UNIVERSAL PLATFORM SP200 for SHO/SHR-2D	1
34	Platform for flasks SP220, 350*350*150 mm	1
35	Platform for seperatory funnels SP230, 366*351*175 mm	1
36	Universal spring rack	1
37	Wire spring flask holder, FHS100, f. 100 ml flasks	1
38	STS wire spring flask holder 250ml	1
39	**Combined emergency eye/body shower with integrated drainage**	**1**
40	**Ecocell 55**	**1**
41	Temperature up to 300	1
42	IQ/OQ Protocols Including temperature verification 9 points for 1 hour	1
43	Perforated shelves	2
44	**Muffle furnace 12 L 1200 degrees**	**1**

45	**HIAC 9703+LIQUID PARTICLE COUNTER**	**1**
46	Pharmspec 3.5 CD	1
47	PharmSpec 3 Software	1
48	Light Obscuration sensor, HRLD-400 range: 2 µm to 400 µm	1
49	Licence USP 789	1
50	IQ/OQ Validation Documentation	1
51	Licence EP	1
52	Licence Procedure Builder	1
53	Small Vial Sampling Kit	1
54	**TRACE 1600 Mainframe 230V**	**2**
55	Instant Connect Split/Splitless (SSL) Injector module	4
56	Instant Connect Flame Ionization Detector (FID) module	2
57	CALIBRATION MIX 1ml FID DET	4
58	TRACE 1300/1310 Start-up kit	2
59	Chromeleon Secure Client-client with compliance tools	2
60	CM7 License Key. New	2
61	Thermo Scientific Instrument for Chromeleon Secure	2
62	10UL FN SYRINGE, 50MM LENGTH 23 GAUGE, CONE 1/PK	2
63	TR-5 GC COLUMN 30MX0.25MMID, 0.25?M FILM	2
64	Power Cord UK 250V 10A 2.5m BS1363 C13. For autosamplers, modules and PC	4
65	PWR CORD C19 TYPE E/F 250V MAX	4
66	BASE PLATE FOR 3 FILTERS	2
67	BASE PLATE FOR 1 FILTER	2
68	GC CARTRIDGE TRIPLE(O2/H2O/HC)	6
69	GC CARTRIDGE COMBI (HC/H2O)	2
70	iConnect Column Lock Nut	4
71	Instant Connect TCD module	2
72	Instant Connect Auxiliary temperature module	4
73	Kit for installation of 1/8" or 1/16" packed columns on SSL and FID/TCD/NPD/ECD	2
74	Adapters for using GraphPack ferrules with SSL and FID/TCD/NPD/ECD	2
75	GC/GCMS SSL injector	2
76	AS 1610 WITH 155 SAMPLE TRAY FOR TRACE 1600 SERIES GC	2
77	50 uL Removable Needle Gas Tight Syringe 23 Gauge 50 mm Length.	2
78	TriPlus 500 Headspace Sampler 12-vial capacity with transfer line.	2
79	TriPlus 500 HS 120-Vial Upgrade.	2
80	100 uL Sulfinert, deactivated Sampling Loop for TriPlus 500 HS	2
81	500 uL Sulfinert, deactivated Sampling Loop for TriPlus 500 HS	2
82	1 mL Sulfinert, deactivated Sampling Loop for TriPlus 500 HS.	2
83	3 mL Sulfinert, deactivated Sampling Loop for TriPlus 500 HS	2
84	TriPlus 500 HS adapter kit for Instant Connect SSL injector Straight	2
85	TriPlus 500 HS transfer line, Sulfinert coated precolumn, 2 m x 0.53 mm	2
86	Vial, 22 mL clear crimp glass (20 mm) Headspace 125/Pack	2
87	CAP CRP 20MM RED ALU/TP MAGN S/T 100/PK	2
88	Crimper for 20 mm Crimp Seals: Manual Crimper for 20 mm crimp	2
89	HS QUALIFICATION MIX	2

90	Heated/Cooled trayholder kit for TriPlus 500 HS	2
91	FID Maintenance KIT	2
92	SSL KIT	2
93	TRACE GC TR-5, 0.32X0.25X7	2
94	1.5ML SHORT THREAD VIAL, 32 X 11.6MM, CLEAR GLASS, 1ST HYDROLYTIC CLASS	2
95	9mm Closure: PP Short Thread Cap, blue, center hole, Silicone white/PTFE red, Pack	2
96	FID/TCD QUALIFICATION MIX KIT	2
97	Solvent Vials 4 ML Clear, pk/125	2
98	Cap, Blue screw (9 mm) (PP: white silicone/red PTFE septa: 1.0 mm thickness)	2
99	AOI Analog Output Interface Module	2
100	ACCEL 500 SU LL Cooling/Heating Recirculating Chiller, 230V/50HZ	2
101	PC & Printer	2
102	**Fume Hood 1200x850x2365 mm.**	**2**
103	Base Cabinet, Chemisafe 1090x520x720 mm, Acid and Bases combi storage 12x12 stor	2
104	**ADP450 Polarimeter ADP450 Polarimeter with XPC Technology & 200mm**	**1**
105	Performance of IQ/OQ for each of the above ADP polarimeter	1
106	XPC Metal funnel flow with anti-syphon 100 mm	1
107	Printer serial 2	1
108	USB to RS232	1
109	Pack of 20 papers	1
110	**RFM340-M digital refractometer Switch membrane**	**1**
111	Performance of IQ/OQ for each of the above ADP polarimeter	1
112	**Anatel KTO PAT700415-TOC, EURO, QC**	**2**
113	Conductivity meter resister	1
114	HDPE bottle kit, natural, (25 each), 60 ml clean bottles with septa cap	2
115	aa Kit, PAT700 Conductivity Standards Kit	2
116	aa Kit, PAT700 System Suitability Standards Kit	2
117	aa Kit, PAT700 Calibration Standards Kit	2
118	aa. Kit, PAT700 Validation Standards Kit	2
119	Validation Documentation, PAT700 IQ/OQ protocol, CD	2
120	Labor cost of performing IQ/OQ Validation	2
121	**TitroLine 7000 (TL 7000-M2/20)**	**2**
122	Electrolyte solution in bottles (L 3004)	2
123	L 4895/Set: Buffer solution in FIOLAX ampoules	2
124	20 ml exchangeable unit (WA 20) QTY 3	6
125	pH electrode for titrations in non aqueous media (N 6480 Eth)	2
126	Plug cable combination (L1A)	8
127	Electrolyte solution in bottles (L 5034)	2
128	Free of rediffusion titration tip (TZ 1643) QTY 3	2
129	Metal-glass reference-electrode with plug head (AgCl 62 RG)	2
130	10 ml exchangeable unit (WA 10)	4
131	Pt 62 RG Metal-glass reference-electrode with plug head	2
132	OptiLine 6 Photometric Sensor	2

133	TZ3836, USB Stick, 4 GB	2
134	TZ3830 USB-hub for the connection of additional devices with USB-port	2
135	TZ3863 USB-Thermo Printer	2
136	TZ3864 Thermal Paper for TZ3863 with very high durability (5pcs/pkg)	2
137	Ca 1100 PLH for testing Calcium	2
138	B 2920+Reference electrode	2
139	Plug cable combination (L1A)	2
140	Software Kit 3.5.4P	1
141	PC & Printer	1
142	**Sterile Integrity Leak Tester**	**1**
143	**Climacell 1212 EVO**	**2**
144	Access port 50 mm	2
145	Inner light bulb	2
146	Door lock	2
147	Door lock	2
148	Door lock	2
149	Wooden box 1212	2
150	IQ/OQ Protocols Including temperature verification 9 points for 1 hour	2
151	**Climacell 1212 EVO**	**1**
152	Access port 50 mm	1
153	Inner light bulb	1
154	Door lock	1
155	Door lock	1
156	Door lock	1
157	Wooden box 1212	1
158	IQ/OQ Protocols Including temperature verification 9 points for 1 hour	1
159	**Steelco Washing machine**	**1**
160	**ROTARY VACUUM EVAPORATOR WITH GREASELESS JOINTS, VERTICAL MODEL**	**1**