

من (١) حتى (٩) والمواد (٢٥-٢٤) والمادتين (٣) من (٤) البند - المستند.

Unitech International LLC

بموجب الوثيقة رقم ٢٠٢٥/٥٢٣

بول الامون جاتية

فريق تاني

بمروت في ٢٠٢٦/٨/٢٤

الاداءات والاندسات
فريق اول
بمروت في / /

الندقات عقد اقرب مر تأشير
عدد
بمروت في / /

الاشان. هذا اقرارها لفرج الرضوي الثاني الفريق على وعلى

ان فضها ان اذ رافها لفرج الرضوي الثاني الفريق على وعلى ان اذ رافها لفرج الرضوي الثاني الفريق على وعلى

القوة القاهرة :
المادة ٧٠ :

جدول رقم (1)

م	نوع الصنف	الكمية	المواصفات الفنية البنء رقم (21) من الملء رقم (6)	الماركة	بلء الشركة الأم	بلء التصنيع	السعر الإءراءى	السعر الإءمالى
	QUANTSTUDIO 5 REAL TIME PCR FOR HUMAN IDENTIFICATION	1		THERMO FISHER	USA	USA	82000	\$ 82,000
							السعر الإءمالى العام	\$ 82,000
							T.V.A	\$ 9,020
							السعر الإءمالى النءائى	\$ 91,020

United International LLC
فرىق ءان

الملحق رقم (٦)

الجمهورية العربية السورية
وزارة الداخلية والبلديات
المديرية العامة لقوى الامن الداخلي

- Data storage and ability to print report. - Records results date and time. Warranty: 3 years ضمان: ٣ سنوات Bench top vertical laminar flow cabinet, to protect manipulated products & biological samples from dust & contamination with a built in UV light suitable for PCR process & an electronic control system to offer a complete control over all cabinet functions: - Compact dimensions - External dimensions: minimum 670x520x800 mm - Easy to clean & to use - Stainless steel cabinet - Removable work tray for easy surface decontamination - HEPA filter to with high efficiency for maximum safety - UV Lamp: $\geq 15W$ - Fluorescent Lamp: $\geq 18W$ - Fluorescent lighting intensity: > 700 Lux - UV Light ON/OFF key & light - Light ON/OFF key & light - Full & half speed airflow - UV timer - LCD display - Power supply: 230-50Hz - Additional UV lamps (Qty: 4) Asalair, Telstar, Purair: ٤ سنوات ضمان		٢٠
Instrument designed for Forensic Laboratories. Dye compatibility : FAM™/SYBR™ Green, VIC™/JOE™/HEX™/TET™, ABY™*/ NED™/TAMRA™/Cy®3, JUN™*, ROX™/Texas Red™, Mustang Purple™, Cy®5/LIZ™, Cy®5.5 Multiplexing: 96-well: up to 6 targets Dynamic range: 10 logarithmic units Sensitivity (resolution) : Detect differences as small as 1.5-fold in target quantities in a singleplex reaction Excitation (light source) : Bright white light-emitting diode (LED) source with a median lifetime of >5 years Filters/colors: 96-well: 6 decoupled filters, up to 21 combination Excitation/detection range : 96-well: 450–680 nm/500–730 nm Virtual standard curve, short tandem repeat (STR) sample normalization (dilution) and reaction setup, generation of quality flags, calculation of quality value (degradation index) and male:female (M:F) sample mixture ratio Validated for the following HLD quantification : Trio, HP, Duo, and other Human identification kits WARRANTY FOR 3 YEARS ضمان ٣ سنوات thermofisher	Vertical Laminar flow Quantstudio 5 REAL TIME PCR FOR HUMAN IDENTIFICATION Universal	٢١
532 nm DPSS laser for Renishaw inVia Raman microscope Continuous wave output. Laser power: 50-100 mW Spatial mode TEM00 and beam quality: $M2 \leq 1.1$ Spectral linewidth (FWHM) ≤ 500 kHz (Coherent, Hübner Photonics, Innovative Photonics Solutions, Renishaw)	laser for Renishaw inVia Raman microscope	٢٢
WiRE 5 module permissions Continuous wave output. Laser power: 50-100 mW Spatial mode TEM00 and beam quality: $M2 \leq 1.1$	Chemometrics. 55	٢٣