

REPUBLIC OF LEBANON
MINISTRY OF PUBLIC HEALTH
THE COUNCIL FOR DEVELOPMENT AND
RECONSTRUCTION

Purchase & Installation of General Furniture for
KHALWAT Health Center

FINANCED BY THE ISLAMIC DEVELOPMENT BANK (IDB)

VOLUME II of V

TECHNICAL SPECIFICATIONS
LOT II: NON- MEDICAL FURNITURE

May-2021



Item Description	Comments
PACKAGE (G) GENERAL FURNITURE	
G01 Chair, secretary Qty : 20	
<ul style="list-style-type: none"> ■ The outer shell to be made of polypropylene, inner shell to be made of high impact plastic anchored to the base through a control unit. ■ The arms are to be reinforced with steel, bolting directly to inner shell. ■ With upholstered backrest and seat in fabric. ■ Overall width: 60 cm ■ Backrest height: 45 cm , backrest width: 55 cm ■ Seat variable height, seat width: 55 cm, Seat depth: 40cm ■ With arms and castors 	

Item Description	Comments
<p>G02 Chair, beam 3 seats Qty : 10</p> <ul style="list-style-type: none"> ■ Double shell construction, To meet flammability standards; ■ Armless chairs; ■ To be anchored to bracket which are welded directly to the support tube. ■ Support tube to be made of 6.3cm dia. ■ Heavy gage steel. ■ The base of the chair should have a padded adjustable floor glides. ■ The inner shell to be one piece construction with high resilience polyuretane foam. ■ Dimensions: 2500 x 650 mm ■ Complete with side table and built - in ashtray ■ Table to be made of plastic laminate over a wood core. 	

Item Description	Comments
<p>G03 Fauteuil 2 seats Qty : 1</p> <ul style="list-style-type: none"> ■ Sofa, 2-seat ■ Cloth upholstered seat, back without arm; approximately 150cm x 90cm x 70cm H. 	

Item Description	Comments
<p>G04 Chair, vinyl, laboratory Qty : 3</p> <ul style="list-style-type: none"> ■ Seat and back should be made of hardwearing material, back adjustable for height and depth. Protective edging, for the seat and back. ■ Lever operated gas lift height adjustment : ■ Approx. 550-750mm, 5 star stable base with twin castors. 	

Item Description	Comments
G05 Vertical blind (2sqm) Qty :60	
<ul style="list-style-type: none"> ■ The quantity in number and in meters both are indicative, the bidder has to check on site and drawings for exact quantity and adequate dimension for each opening. Material should be of quality& Flame-resistant. 	

Item Description	Comments
<p>G06 Safe Qty : 1</p> <ul style="list-style-type: none"> ■ One door. 2 shelves. Wall thickness 65mm and door thickness: 95 mm. ■ Internal size: 500 x 850 mm ■ Fire resistant. ■ Safety lock and combination lock. ■ External size: 700 x 650 x 1000 mm. 	

Item Description	Comments
------------------	----------

G08 Hook, 3 hooks	Qty : 28
<ul style="list-style-type: none"> ■ Made of S/S with three hooks. 	

Item Description	Comments
<p>G10 Bench, changing Qty : 2</p> <ul style="list-style-type: none"> ■ Frame and Boards are to be solid pine, water resistant finish ■ Approx. size of bench : W 800 x D 400 x H 500 mm 	

Item Description	Comments
------------------	----------

<p>G11 Chair, visitor Qty : 9</p> <ul style="list-style-type: none"> ■ Seat and back ergonomically shaped for support. ■ A continuous wire rod frame made of chrome. The seat to be made of polypropylene. ■ Not to exceed 6.5 kg. 	
--	--

Item Description	Comments
<p>G12 Curtains Qty : 11</p> <ul style="list-style-type: none"> ■ The system to be of extruded aluminum complete with UPVC track liner. ■ With polished surface finish, in Mid - Grey. The finished assembly will be fixed. ■ Allowing smooth passage of the runners carrying of the curtains should be covered when not in use by a runner access button. ■ Curtain track to be comprising of: <ul style="list-style-type: none"> ■ Track complete to be with runners ■ End caps to be fitted at the exposed / finished end of the track ■ Runner access button allowing easy access when changing curtains. ■ Rod suspenders in 14mm diameter tube to be fixed to the ceiling by means of a 50mm boss and to the track by means of a threaded screw. ■ Rod collar to be used at the entry point where the rod suspenders have to be fitted above a suspenders ceiling. ■ V hangers to be used to fix the track to the track to the wall at 90 degrees ■ Parallel wall brackets to be used to support the tracks when they run parallel to a wall. ■ Tee piece in Mild Steel to be used as a junction where the tracks have to joint at 90 degrees. ■ Overlapping joint acts as a link to support adjoining tracks at the front. ■ 90 deg. And 135 deg. Bends to be complete with two inner connecting pieces. ■ Curtains to be of fireproof material and tested in accordance with BS 5438. ■ Flame-resistant; ■ 63% modacrylic, 32% polyester, 5% flax; side and bottom hems 19mm double-rolled with 3 thickness of fabric; fabric to be joined with vertical double needle, folded seams; 38mm wide heading, double-rolled, 3 thickness, with reinforced insert; ■ aluminum grommets every 150mm; width 10% larger than track size; open mesh, nylon, flame resistant heading, water proof; to measure according the location. ■ Color woven curtains to be 1830 mm wide and 2000 high. ■ The amount of fullness to be 20% ■ Parking space of curtains should take up 15% of track length. 	

Item Description	Comments
<p>G13 Shelves, Metal, Plain Qty : 4</p> <ul style="list-style-type: none"> ■ Fully metallic with a very high resistant lacquered painting finish; chased gray painting. ■ 5 shelves which can be adjusted every 100mm height wise. ■ Size: 1000 x 500 x 2000 mm (LxWxH). 	

Item Description	Comments
-------------------------	-----------------

Item Description	Comments
<p>G14 Bin waste s/s w pedal Qty : 20</p> <ul style="list-style-type: none"> ■ Waste receptacle S/S ■ Unit shall be approx 300mm in diameter x 350mm height. ■ All S/S construction, step-on mechanism. 	

Item Description	Comments
<p>G15 Chair, Executive Qty : 1</p> <ul style="list-style-type: none"> ■ The outer shell to be made of polypropylene, inner shell to be made of high impact plastic anchored to the base through a control unit. ■ The arms are to be reinforced with steel, bolting directly to inner shell. ■ With upholstered bachrest and seat in fabric. ■ Overall width: 70 cm Bachrest height: 60 cm, Backrest width: 60 cm ■ Seat variable height: 45-50 cm, seat width: 60cm, seat depth: 50 cm ■ With arms and castors. 	

Item Description	Comments
<p>G16 Chair, visitor, office Qty : 15</p> <ul style="list-style-type: none"> ■ The outer shell to be made of polypropylene, inner shell to be made of heigh impact plastic anchored to the base through a control unit. The arms are to be reinforced with steel, bolting directly to inner shell. ■ With upholstered bachrest and seat in fabric. ■ Overall width: 60 cm ■ Backrest height: 50cm, ■ Backrest width: 55 cm, ■ Seat height: 50 cm, ■ Seat width: 55cm, ■ Seat depth: 40cm, ■ With arms, without castors. 	

Item Description	Comments
<p>G17 Chair, counter Qty : 6</p> <ul style="list-style-type: none"> ■ The outer shell to be made of polypropylene, inner shell to be made of height impact plastic anchored to the base through a control unit. The arms are to be reinforced with steel, bolting directly to inner shell. ■ With upholstered backrest and seat in fabric. ■ Overall width: 58 cm ■ Backrest height: 38-43cm, ■ Backrest width: 40 cm, ■ Seat height: 50-65 cm, ■ Seat width: 45cm, ■ Seat depth: 41cm, 	

Item Description	Comments
<p>G18 Desk, Single Pedestal Qty : 12</p> <ul style="list-style-type: none"> ■ 15mm plywood panels, 21mm plywood top, high pressure plastic laminate. ■ One pedestal with two drawers. ■ The desk is reinforced at the top by horizontal supports and covered with plastic laminated desk top. ■ All exposed edges banded with PVC panels. ■ Pre-manufactured cable-ways must be built-in for cable routing. ■ Dimensions: 150 x 80 x 80 cm (L x W x H) 	

Item Description	Comments
<p>G19 Desk, L-shape Qty : 4</p> <ul style="list-style-type: none"> ■ To be contemporary design with walnut veneer. Single pedestal, flush back panel, radiused edges, complete with executive credenza to match contemporary design of executive desk with drawers and cabinet. ■ Complete with correspondence trays and desk set to match. ■ Quality to be approved by the consultant. ■ Dimensions: <ul style="list-style-type: none"> ■ desk: 160 x 100 x 75 cm ■ Credenza: 150 x 50 x 75 cm 	

Item Description	Comments
G21 Table, Coffee Qty : 5	
<ul style="list-style-type: none"> ■ Made of solid beech wood, dimensions: 75 x 75 x 50 cm 	

Item Description	Comments
<p>G22 Table, Conference Qty : 1</p> <ul style="list-style-type: none"> ■ Conference table 3600 x 1100 mm made of oak, to seat 12 people ■ Chairs: Outer shell to be made of polypropylene, inner shell to be made of high impact plastic anchored to the base through a control unit. The arms are to be reinforced with steel, bolting directly to inner shell. ■ With upholstered backrest and seat in fabric, Overall width: 70cm backrest height: 60cm, backrest width: ■ 60cm Seat height: 45-50cm, seat width: 60cm, seat depth: 50cm, with arms. 	

Item Description	Comments
<p>G.23 Desk, Executive Qty : 1</p> <ul style="list-style-type: none"> ■ To be contemporary design with walnut veneer. ■ Single pedestal, flush back panel, radiused edges, complete with executive credenza to match contemporary design of executive desk with drawers and cabinet. ■ Complete with correspondence trays and desk set to match. ■ Dimensions: ■ desk: 180 x 100 x 75 cm ■ Credenza: 150 x 50 x 75 cm 	

Item Description	Comments
<p>G24 Lockers Qty : 4</p> <ul style="list-style-type: none"> ■ 2 separate compartments locker. Constructed of mild steel; ■ Side, back and shelves; door panel reinforced ribs. ■ Finish: Epoxy modified stove enameled. ■ Completer with 2 locks. Keys to be none removable when door is open ■ Dimensions: D 300 x W 500 x H 1800 mm. 	

Item Description	Comments
<p>G25 Cabinet, filing Qty : 6</p> <ul style="list-style-type: none"> ■ To be of all welded reinforced steel construction, drawers & cabinet surfaces are chemically prepared and microscopically etched to ensure uniform and permanent bonding of finish to metal, then coated with enamel that won't scratch, crack or stain due to normal use. ■ Solid steel corner reinforcement is to be used for 5 – drawer cabinets. Heavy gage steel torque plates welded to corners of drawers openings are to be used. ■ Drawers should have rolled up edges for smoothness and strength. ■ Bottom edge of the cabinet is to be rounded. ■ All cabinets to be provided with recessed rectangular drawer pulls and supplied with key locks with master keying. 	

Item Description	Comments
<p>G26 Cabinet, glass, executive office Qty : 1</p> <ul style="list-style-type: none"> ■ Epoxy frame and shelves. ■ Tinted Plexiglas doors with handle and lock. ■ Stainless steel base and four shelves. ■ Double door model. ■ Dimensions: 90 x 40 x 180 cm 	

Item Description	Comments
<p>G27 Board, Notice Qty : 6</p> <ul style="list-style-type: none"> ■ Constructed of cork material covered with green cloth suitable for pinning notes and instruction. ■ All in aluminum frames. ■ Size : 1000 x 800 mm 	

Item Description	Comments
<p>G28 Fauteuil 3 seater Qty : 2</p> <ul style="list-style-type: none"> ■ Sofa, 3-seat ■ Cloth upholstered seat, arms and back; First rate quality. ■ Approximately 225cm x 90cm x 70cm H. ■ Sample has to be approved by consultant before ordering. 	

Item Description	Comments
<p>G29 wooden bed Qty : 1</p> <ul style="list-style-type: none"> ■ Ordinary wooden single bed, MDF finished with lamika and PVC Lapping. ■ Including first choice mattress. ■ Complete with mattress and antistatic protective cover (inner spring; separate matched sections; antibacterial; moisture proof; strain resistant). ■ To be delivered with (3) Bed sheets, 100% Cotton, 2 pillows, and two blankets. ■ Material and color to be approved. 	

Item Description	Comments
------------------	----------

<p>G30 Shelving wire, chrome</p>	<p>Qty : 8</p>
<div data-bbox="304 240 703 662" data-label="Image"> </div> <ul style="list-style-type: none"> ■ Modular-built, free-standing shelf unit for storage of clean linen, instruments, packing material or sterilized goods, including disposables. ■ Each unit has four shelves that are designed as a wire construction, allowing good air circulation and at the same time permitting easy inspection of the goods. ■ The wire shelves are made of special steel, chromium-plated and surface-treated with clear epoxy varnish. The special finish makes cleaning easy. ■ Size ;. 60 x 200 x 50 cm (W x H x D) Qty 2 ■ Size: 120 x 200 X 50 cm (W x H x D) Qty 2 ■ Size: 150 x 200 x 50 cm (W x H x D) Qty 2 ■ The shelf unit should come with 4 x 125 mm castors, two with Brakes.. 	

Item Description	Comments
<p>G31 Drawers Qty : 12</p> <ul style="list-style-type: none"> ■ Heavy duty wooden drawer’s box made of 16mm décor laminated particle board, three drawers, Size and Color has to be compatible with Counter and Nurse Station. ■ Details (D1) 	

Item Description	Comments
<p>G32 LCD & DVD Qty : 1</p> <ul style="list-style-type: none"> ■ HD (high definition) LCD 32” ■ Complete all output and input connections. ■ Remote control ■ Complete with all related connection set. ■ Color finish: Black matt. ■ HD (high definition) DVD must be connected to the T.V. ■ Wall Mounted set. 	

Item Description	Comments
<p>G33 Computer, Networked Qty : 4</p> <ul style="list-style-type: none"> ■ Minimum i5 Intel - CPU at least ■ Hard Disc 250 GB, network card, 4G RAM ■ 19" L.C.D. color screen, English / Arabic Keyboard, Mouse ■ CD R/W drive ■ USB x2, HDMI x1, ■ Cover, ■ The latest Model at the date of order should be delivered. ■ Minimum Windows 7 with MS office software supporting Arabic should be installed. License should be included. 	

Item Description	Comments
<p>G36 Photocopying Machine (4 in 1) Qty : 1</p> <ul style="list-style-type: none"> ■ Electrostatic colored photocopier, printer, fax, and scanner with power saving modes, automatic paper selection, zoom 50% - 200%, ■ Two sides, and book printing option. ■ At least 30 pages per minute, ■ copy facility, automatic density selection, copy quantity selector, copy sizes A3 & A4, large cassette paper storage for A3 & A4 copy paper, fast warm exposure control. ■ Automatic document feeder, 10 Bin copy sorter. ■ To be delivered with three toners 10,000 A4 copy paper and 10,000 A3 copy paper. ■ Power supply 220-240V, 50 Hz. ■ Konica Monilta (bizhub c224) or equivalent 	

Item Description	Comments
<p>G38 Shelves, plain s/s Qty : 2</p> <ul style="list-style-type: none"> ■ Fully Stainless Steel. ■ 5 shelves which can be adjusted every 100mm height wise. ■ Size: 1000 x 500 x 1800 mm(LxWxH). 	