

LOT 9

1. Capacitor 0.01 μ F
2. Capacitor 0.1 μ F
3. Capacitor 22 μ F
4. Capacitor 47nF
5. Capacitor 20nF
6. Capacitor 0.47 μ F
7. Capacitor 47 μ F
8. Capacitor 1 μ F
9. Capacitor 10 μ F
10. Capacitor 50 μ F
11. Capacitor 100 μ F
12. Capacitor 22nF
13. Capacitor 100nF
14. IC TTL 74151
15. IC TTL 74154
16. IC TTL 7447
17. IC TTL 74112
18. IC TTL 7474
19. IC TTL 7404
20. IC TTL 7408
21. CD 4007
22. Regulator LM 350 K
23. Regulator TPS 7250
24. Regulator TPS 7251
25. Amp-op LM 311
26. Amp-op TL 082 CP
27. Amp-op TL 084
28. Amp-op 741
29. PCL 4046
30. MOSFET F1404 S
31. MOSFET FQPT 12N60C
32. Transistor 2N2219
33. Transistor 2N1711
34. Transistor 2N2218
35. Transistor BC109
36. Transistor BC237
37. Diode 1N4007 1 Watt

38. Ziner Diode 6.2V 0.5 Watt
39. Ziner Diode 4.7V 0.5 Watt
40. DAC 7821
41. MPY 634 KP
42. Test board
43. Caliper
44. Micrometer
45. Stop watch
46. Galvonometer
47. Prism 3x60 degree 40x40x40 mm indice 1.52
48. Flint prism 31mm Altuglass $n=1.4$. Glass=1.52 Flint $n=1.60$, Angle:3x60 degree, Height: 31mm (L x W x H):32x32x32mm
49. Heater
50. Cable banane- crocodile
51. cooxial Cable BNC- crocodile
52. cooxial Cable BNC- banane
53. Jumper wire Male-Female Pack
54. Jumper wire Female
55. Jumper wire Male
56. Thermometer -10-+200 degree C 6.5 mm diameter
57. Thermometer 10-50 degree C 6.5 mm diameter
58. Thermometer 300 degree C 8 mm diameter
59. Wire thermo couples
60. Volume Dilatometer 50ml- Picnometer 50ml
61. TCLP126PJT
62. IC TTL 7432
63. IC TTL 7400
64. Multiturn potentiometer 1K Ohm
65. Multiturn potentiometer 2K Ohm
66. Multiturn potentiometer 5K Ohm
67. Multiturn potentiometer 100K Ohm
68. Variable resistance 1Watt 10K
69. Variable resistance 1Watt 22K
70. Box of variable resistance AOIP x10 max 0.3 A
71. Box of variable resistance AOIP x100 max 100 mA
72. Box of variable resistance AOIP x1 max 0.75 A
73. Measuring vapor pressure
74. He-Ne Laser, linear polarized

75. Lampe spectrale Hg 100
76. Lampe spectrale Na
77. Lampe de Balmer d'Hydrogene
78. Nylon belt for mechanical equivalent kit
79. Pont de wheatston kit
80. Mechanical equivalent of heat kit
81. Quarter wave length plate kit
82. Lampe de Balmer de mercure
83. Alimentation reglable 30v-10A
84. Resistance 1 kilo ohm, 0.5w Pack

Only Brands from Europe, North America, or Japan are acceptable.

Capacitor 0.01 μ F

Capacitor 0.1 μ F

Capacitor 22 μ F

Capacitor 47nF

Capacitor 20nF

Capacitor 0.47 μ F

Capacitor 47 μ F

Capacitor 1 μ F

Capacitor 10 μ F

Capacitor 50 μ F

Capacitor 100 μ F

Capacitor 22nF

Capacitor 100nF

IC TTL 74151

IC TTL 74154

IC TTL 7447

IC TTL 74112

IC TTL 7474

IC TTL 7404

IC TTL 7408

CD 4007

Regulator LM 350 K

Regulator TPS 7250

Regulator TPS 7251

Amp-op LM 311

Amp-op TL 082 CP

Amp-op TL 084

Amp-op 741
PCL 4046
MOSFET F1404 S
MOSFET FQPT 12N60C
Transistor 2N2219
Transistor 2N1711
Transistor 2N2218
Transistor BC109
Transistor BC237
Diode 1N4007 1 Watt
Ziner Diode 6.2V 0.5 Watt
Ziner Diode 4.7V 0.5 Watt
DAC 7821
MPY 634 KP
Test board
Caliper
Micrometer
Stop watch
Galvonometer
Prism 3x60 degree 40x40x40 mm indice 1.52
Flint prism 31mm Altuglass n=1.4. Glass=1.52 Flint n=1.60 , Angle: 3x60 degree, Height: 31mm (L x W x H): 32x32x32mm
Heater
Cable banane- crocodile
cooxial Cable BNC- crocodile
cooxial Cable BNC- banane
Jumper wire Male-Female
Jumper wire Female
Jumper wire Male
Thermometer -10-+200 degree C 6.5 mm diameter
Thermometer 10-50 degree C 6.5 mm diameter
Thermometer 300 degree C 8 mm diameter
Wire thermo couples
Volume Dilatometer 50ml- Picnometer 50ml

TCLP126PJT
IC TTL 7432
IC TTL 7400
Multiturn potentiometer 1K Ohm
Multiturn potentiometer 2K Ohm
Multiturn potentiometer 5K Ohm
Multiturn potentiometer 100K Ohm
Variable resistance 1Watt 10K
Variable resistance 1Watt 22K
Box of variable resistance AOIP x10 max 0.3 A
Box of variable resistance AOIP x100 max 100 mA
Box of variable resistance AOIP x1 max 0.75 A
Measuring vapor pressure
He-Ne Laser, linear polarized
Lampe spectrale Hg 100
Lampe spectrale Na
Lampe de Balmer d'Hydrogene
Nylon belt for mechanical equivalent
Pont de wheatston
Mechanical equivalent of heat
Quarter wave length plate
Lampe de Balmer de mercure
Alimentation reglable 30v-10A
Resistance 1 kilo ohm, 0.5w
Three year warranty