

مناقصة عمومية لتلزم تقديم ألبسة لزوم عناصر المديرية العامة للدفاع المدني

ملخص عن الصفقة

إسم الإدارة	المديرية العامة للدفاع المدني
عنوان الإدارة	عين الرمانة - شارع غندور وسمعان- بناية بيضا
رقم التسجيل	159/م.م.
تاريخ التسجيل	٣٠ ابريل ٢٠٢٦
عنوان الصفقة	تعديل دفتر الشروط الخاص رقم 1961/د.م تاريخ 2026/9/10 المتعلق بإجراء مناقصة عمومية لتلزم تقديم ألبسة لزوم عناصر المديرية العامة للدفاع المدني
موضوع الصفقة	تعديل دفتر الشروط الخاص رقم 1961/د.م تاريخ 2026/9/10 المتعلق بإجراء مناقصة عمومية لتلزم تقديم ألبسة لزوم عناصر المديرية العامة للدفاع المدني
طريقة التلزم	مناقصة عمومية
نوع التلزم	لوازم
مدة صلاحية العرض	60/ يوما" من التاريخ النهائي لتقديم العروض
ضمان العرض	محدد تجاه كل بند على حدة
مدة صلاحية ضمان العرض	88/ يوما" من التاريخ النهائي لتقديم العروض
ضمان حسن التنفيذ	تحدد قيمة ضمان حسن التنفيذ بنسبة 10% من قيمة العقد
الإرساء	السعر الأدنى لكل بند على حدة
مكان استلام دفتر الشروط	www.civildefense.gov.lb أو ppa.gov.lb
مكان تقديم العروض	عين الرمانة- شارع غندور وسمعان- بناية بيضا- الطابق الثامن
مكان تقييم العروض	عين الرمانة- شارع غندور وسمعان- بناية بيضا- الطابق العاشر
مدة التنفيذ	إن الإلتزام هو لمدة سنة كاملة ، تبدأ إعتباراً" من اليوم الذي يلي تاريخ تبليغ الملتزم رسوم الإلتزام نهائياً" عليه، على ان يتم تأمين الدفعة الأولى خلال مهلة ثلاثة أشهر من تاريخ تبليغه تصديق الإلتزام
عملة العقد	الليرة اللبنانية / الدولار الأميركي
دفع قيمة العقد	بموجب حوالة دفع أو سلفة بالليرة اللبنانية ، بعد تصديق محضر الإستلام من قبل المدير العام للدفاع المدني .

ع



قرار رقم ٢١٥٩/٢٠٢٦

يتعلق بتعديل دفتر الشروط الخاص رقم 1961/د.م تاريخ 2026/9/10 المتعلق بإجراء
مناقصة عمومية لتلزييم تقديم ألبسة لزوم عناصر المديرية العامة للدفاع المدني

المادة الأولى : يعدل الملحق رقم (6) المرفق بدفتر الشروط الخاص رقم 1961/د.م تاريخ 2026/9/10
المتعلق بالمواصفات الفنية والتقنية الخاصة بالمناقصة العمومية لتلزييم تقديم البسة لزوم عناصر
المديرية العامة للدفاع المدني ،

بحيث تصبح المواصفات الفنية لأطقم الرياضة الشتوية على الشكل التالي :

TECHNICAL SPECIFICATIONS FOR: WINTER TRACKSUIT

1- GENERAL PRESENTATION:

The tracksuit consists of two pieces, a jacket and trousers, matching the current type available in commerce: the inner face is brushed cotton and the outer face is polyester.

The jacket is made of three panels: one back piece and two front pieces forming the chest, assembled by a safety overlock chain stitch seam. The jacket closes at the front with a plastic zipper, and the lower part of each side features a slanted welt pocket with an opening width of 16 cm. The sleeves finish in the same manner as the bottom of the garment with a ribbed knit trim that is 6 to 7 cm wide. The collar of the garment is finished with a crescent-shaped ribbing where the length of the arc chord is 43 cm and the sagitta (depth) of the arc is 9.5 cm, forming a width of 5 cm for the collar at its center.

The trousers have long legs, made of the same material as the jacket, and are designed in a tapered style without a fly zipper. The waistband is constructed by turning over and filling a knit casing to enclose the elastic band; this waistband is 3.5 cm wide. The width of the internal elastic band is 2.5 cm, and it features a round braided cotton drawstring roughly 5 mm in diameter.




The trousers are formed by assembling 2 or 4 panels to shape the legs.

The legs are stitched internally.

The bottoms of the legs finish with a 2 cm hem, stitched using a double chain stitch with an overlock. The sewing threads must be a minimum of cotton or 3-ply twisted polyester, resulting in a minimum linear density of 50 tex.

2- TECHNICAL CHARACTERISTICS

Heading	Control Type	Description
Main Fabric	Raw materials	--
	Dry Weight/m ²	--
	Number of stitch rows / 2cm	--
	Number of stitch columns / 2cm	--
	Color	--
Color Fastness (AFNOR or EN Standards)	Degradation: • Heavy washing • To perspiration • To solvents • Strong Chlorine (2g/l active chlorine) • To light	--
	Staining: • Heavy washing • To perspiration • To solvents • Strong Chlorine (2g/l active chlorine) • To light	--
Ribbed Trim (Bord-côte)	Raw materials	--
	Number of stitch rows / 2cm	--
	Number of stitch columns / 2cm	--
Tape / Band	Raw materials	--
	Width	--
	Minimum color fastness (AFNOR or EN Standards)	--
Elastic Webbing	Composition	--
	Minimum weight per running meter	--
	Minimum elasticity	--
Drawstring (Lacet)	Composition	--
	Minimum tensile strength (in kgf)	--



3- DIMENSIONS

Garment	Measurement type (Size in cm)	XS	S	M	L	XL	XXL
Trousers	Total length	98	100	102	104	106	110
	Waistband (with elastic stretched)	38	40	44	48	50	54
	Waistband (without elastic)	44	48	52	58	60	64
	Width of the bottom of the legs	16	17	18	18	19	20
Jacket	Chest	44– 46	48– 50	52– 54	56– 58	60– 62	64– 66
	Shoulder width	42	44	46	48	50	52
	Total length without ribbed edge	62	64	66	68	70	72
	Sleeve length without ribbed edge	52	54	56	58	60	62

Tolerance: $\pm 2\%$ cm

4- LABELING

The jacket and trousers must each carry a textile material label integrated into the seam of the neckline and the waistband respectively, measuring 5 x 2.5 cm, and bearing the following information:

- Corporate name of the manufacturer.
- Date of manufacture (month/year).
- Composition: 55% polyester - 45% cotton.
- Size.
- Care instructions.

5- PRESENTATION

The presentation of the items must be identical to that of similar articles delivered to the private sector, where each piece is packed inside a plastic bag.

6- ADMINISTRATIVE CONDITIONS

- **A-** The merchandise will be guaranteed for a period of one year starting from the date of approval of the reception certificate by the legal authority.
- **B-** The styles and types of undergarments approved by the administration form an integral part of these specifications.
- **C-** On each article, a textile label will be stitched all around the inner head area, bearing the following indications: Size, name of the contractor, contract number, and date of manufacture.



- **D-** The undergarments will be delivered in cardboard boxes containing 30 to 50 pieces each, and bearing the following indications: Size, name of the article, quantity, name of the contractor, contract number, and date of manufacture.
- **E-** The products used must be of good quality and the rules of the trade must be respected during manufacturing.
- **F-** The contractor will be held responsible for any defect that appears after using the article resulting from poor execution or the use of non-compliant materials.

المادة الثانية : ينشر هذا التعديل على المنصة الالكترونية المركزية لدى هيئة الشراء العام وعلى الموقع الالكتروني الخاص بالمديرية العامة للدفاع المدني www.civildefense.gov.lb

بيروت ، في ٣ ايار ٢٠٢٦

المدير العام للدفاع المدني

العميد الركن عماد خريش

